



AUCTION

SURPLUS TO WORLD CLASS OILFIELD EQUIPMENT MANUFACTURER

Featuring: (7) 2012 B&K 9-Axis CNC Herringbone & Double Helical Gear Shapers; 2019 Okuma 4-Axis CNC Lathe (like new); 2013 Leistritz CNC External Whirling Lathe; (2) Savage 400 T. Horiz. Forcing Wheel Presses; Star 5-Axis Hob Sharpener; Kingston 34" x 78" HD Hollow Spindle Lathe; (2) Leistritz CNC Keyseaters; (2) Manual Herringbone Gear Shapers; Hobber; Sanders; Marker; Washer; Q.C.; Shop Support; More!



2012

7 AVAILABLE

BOURN & KOCH MDL. HDS-1600-300 CNC HERRINGBONE GEAR SHAPER

LEISTRITZ MDL. LWN-300 CNC WHIRLING LATHE



2013

**WEDNESDAY, JUNE 5
10:00 A.M. CDT
LIVE WEBCAST
(NO ONSITE BIDDING)**

Surplus to the Ongoing Needs of

LUFKIN

**844 W. LOWRY ROAD,
CLAREMORE,
OKLAHOMA 74017**

18% BUYER'S PREMIUM



LIKE NEW

2019

OKUMA LU45II IMPACT 4-AXIS CNC LATHE

INSPECTION: Monday & Tuesday, June 3 & 4, 9:00 A.M. to 4:00 P.M.



2011

2 AVAILABLE

SAVAGE MDL. HF-400 400 T. CAP. HORIZONTAL FORCING WHEEL PRESS

KINGSTON HD 34 HP-2000 HOLLOW SPINDLE LATHE



NEVER USED IN PRODUCTION

PRE-AUCTION OFFERS INVITED

LIVE ONLINE BIDDING ONLY (NO ONSITE BIDDING):
YOU MUST REGISTER IN ADVANCE FOR ONLINE BIDDING AT THIS AUCTION.
Go to www.pmi-auction.com and click on **BidSpotter** or **proxibid** on our calendar page for this auction sale.

Read Partial Terms & Conditions on Back Page

Sale Conducted By:

PLANT & MACHINERY INC.
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

1304 Langham Creek Drive, Suite 454, Houston, Texas 77084

PHONE: (713) 691-4401

FAX: (713) 672-7905

E-MAIL: pmi@pmi-auction.com • WEBSITE: www.pmi-auction.com

In Conjunction With:



35 Pinelawn Road
Melville, New York 11747

Phone: (631) 249-5566

www.prestigeequipment.com

7 AVAILABLE




2012



CNC HERRINGBONE GEAR SHAPERS

(7) BOURN & KOCH MDL. HDS-1600-300, all new in 2012, Siemens Sinumerik 9-axis CNC control, 62.92" max. gear dia., 11.81" max. face dia., 44" worktable dia., 9.975" worktable bore, 1-25 RPM infinitely variable work spdl. spd., 40± deg max. helix angle, 13" each Z-axis travels, 34" X-axis travel, 200"/min. -X, 1,575"/min. -Z rapid traverse, S/N 64043; S/N 64044; S/N 64045; S/N 64046; S/N 64047; S/N 64048; S/N 64049. (Assorted steadyrests, tailstocks and related tooling available for each machine) Selection of B&K factory spares available.



INSPECTION:

Monday & Tuesday,
June 3 & 4,
9:00 A.M. to 4:00 P.M.


HERRINGBONE GEAR SHAPERS

FARREL MDL. 5B, 66" max. blank dia., 18" max. face w/herringbone, S/N 881B.
FARREL MDL. 5, 66" max. blank dia., 18" max. face w/herringbone, S/N 847B.
W.E. SYKES MDL. 3F, 30" cap., S/N2376-8.

GEAR HOBBER

BARBER COLEMAN MDL. 16-16, 16" max. work dia., 6 DP max. dia. in steel, 5" max. hob dia., 44" centers, 4.125" work spdl. bore, S/N 1021812_1.

2 AVAILABLE



FARREL 5B HERRINGBONE GEAR SHAPER



BARBER COLEMAN GEAR HOBBER

2019




LIKE NEW

4-AXIS CNC LATHE

OKUMA LU45II IMPACT, new 2019, Okuma OSP-P300 CNC control, 25.59" max. turning dia., 78.74" max. turning length, A2-11 spdl. nose, 12-2,800 RPM in (4) ranges, 50/40 HP, large, hardened box ways, live quill tailstock, 18" pwr. chuck, 12-pos. upper turret, 10-pos. lower turret, related accessories and tooling, S/N 220278.

**WEDNESDAY,
JUNE 5
10:00 A.M. CDT
LIVE WEBCAST
(NO ONSITE
BIDDING)**



2013

CNC EXTERNAL WHIRLING LATHE

LEISTRITZ MDL. LWN-300, new 2013, Siemens Sinumerik CNC control, 1.57"-7.87" workpiece dia., customizable workpiece length up to 314.96", (7) CNC controlled hyd. steadyrests, cutting head recently refurbished w/new bearings, S/N 741337_0.



FOR ONLINE BIDDING AT THIS AUCTION. Go to www.pmi-auction.com and click on BidSpotter or proxibid on our calendar page for this auction sale.

2011



HORIZONTAL FORCING WHEEL PRESSES

(2) SAVAGE MDL. HF-400, new 2011, 400 T. pushing and 110 T. pulling cap., 30 HP, 120" daylight btwn. ram and crosshead, 30" cylinder stroke, 18" cylinder bore dia., 10" rod dia., 42,500-lb. machine weight, press adaptors and puller jaws for each machine, S/N 2665-A; S/N 2665-B, (custom material handling system available).

2 AVAILABLE



PRE-AUCTION OFFERS INVITED

10,000 RPM

2012



5-AXIS HOB SHARPENING TOOL GRINDER

STAR MDL. PTG-1, new 2012, PLC based, 7.87" max. work piece dia., 10" max. hob length, 10 HP, 10,000 RPM, high pressure coolant, Mist Buster filtration system, S/N 2975.

2006



CNC VERTICAL MACHINING CENTER

DAHLIH MCV-1700, new 2006, Fanuc 21i-MB CNC control, 40" x 75" tbl. size, 66.93" X, 31.44" Y, 29.53"-Z axis travel, Cat 50 taper, 20 HP, 6,000 max. RPM, box ways, 30-pos. ATC, S/N 3001090230.



NEVER USED IN PRODUCTION

HOLLOW SPINDLE LATHE

KINGSTON HEAVY DUTY 34 HP-2000, new 2014, 7-1/4" spdl. bore, 34" swing x 78" btwn. centers, taper attachment, Atlas 21" 4-jaw front chuck, Atlas 19-3/4" 3-jaw rear chuck, 30 HP, spdl. spds. 8-700 RPM in (2) ranges, Newall DP700 D.R.O., S/N 2M030417S (Some Factory Cosmoline still on the machine).

2012



VERTICAL TURRET MILL

BRIDGEPORT SERIES 1, 9" x 48" tbl., 3-way pwr. feed, Acurite 2-axis D.R.O., 2-HP variable spd. head, S/N HDNG5761M.



2 AVAILABLE

CNC KEYSEATERS

(2) LEISTRITZ POLYMAT 70/600 CNC HYDRAULIC KEYSEATERS, new 2012, 32" x 41" tbl. size, 2.75" max. key width, .0787" min. key width., 27.56" stroke, Siemens CNC control, hyd. pwr. unit, accessories included, (1) pit mounted and (1) in shipping crate, S/N 12.03.05; S/N 12.03.04.

LUFKIN



MORRISON K KEYSEATER

KEYSEATER

MORRISON K, 1-1/4" cap., 9" max. length of cut, 15-40 strokes per min., 2 HP, w/related accessories, S/N K813881.

HORIZONTAL HONING MACHINE

SUNNEN MDL. MBB-1660, .06"-6.5" dia. cap. x 1/8"-16"L., S/N 4D1-96583.



SUNNEN HONING MACHINE



LARGE QUANTITY

QUALITY CONTROL EQUIPMENT

WIDE SELECTION OF LARGE CAPACITY MITUTOYO O.D. MICROMETERS AND COMPLETE SETS. SEE CATALOG FOR DETAILS!

LENGTH MEASURING & SETTING INSTRUMENT

FOWLER TRIMOS HORIZON PREMIUM MDL. HPD-1500, 59.05" I.D. cap., S/N 1434.



FOWLER TRIMOS HORIZON MEASURING AND SETTING INSTRUMENT

2 AVAILABLE



KALAMAZOO S8D INDUSTRIAL SANDER W/DUST COLLECTOR (IN CRATE)



GEO T. SCHMIDT ROLL MARKING MACHINE

INDUSTRIAL SANDERS W/DUST COLLECTORS

(2) KALAMAZOO S8D, 8" x 60", 7.5 HP, w/dust collection system, S/N 05220377; S/N 05220376 (New in crate).

ROLL MARKING MACHINE

GEO T. SCHMIDT MDL. 175-10 MPC, 7-tons max. ram pressure, 1/2" max. ram stroke, 7" max. cross slide stroke, 10" x 6" tbl. size, S/N 16994.

GLOBAL AUCTION

WEDNESDAY, JUNE 5 • 10:00 A.M. CDT. LIVE ONLINE WEBCAST (NO ONSITE BIDDING)

PRE-AUCTION OFFERS INVITED

INSPECTION: Monday & Tuesday, June 3 & 4, 9:00 A.M. to 4:00 P.M.

3 AVAILABLE



MANARAS OPERA OVERHEAD DOORS (UNUSED)



STEELMAX PIPE BEVELING MACHINE

ROTARY PARTS WASHER
TEMCO, 30" rotary tbl., wash cycle up to 60 mins.

SHOP SUPPORT EQUIPMENT

(3) MANARAS OPERA MDL. OGH 6432-0M00 OVER-HEAD DOORS, mfg. 11/ 2021, new in box, 14'H. x 14'W., 1/2 HP; **(2) LNS MDL. SPRINT 552-565**, bar feed systems, S/N 240411-2010; S/N 240620-2013; **STEELMAX PB-10 PIPE BEVELING MACHINE**; **(4) DEWALT MDL. DW758 DOUBLE END GRINDERS**; **TORQUE WRENCHES.**



TEMCO PARTS WASHER

2021

PLANT & MACHINERY INC.

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

P.O. Box 218568
Houston, TX 77218-8568

DATED MATERIAL - PLEASE DELIVER

SURPLUS TO

LUFKIN

Featuring: (7) 2012 B&K 9-Axis CNC Herringbone & Double Helical Gear Shapers; 2019 Okuma 4-Axis CNC Lathe (like new); 2013 Leistritz CNC External Whirling Lathe; (2) Savage 400 T. Horiz. Forcing Wheel Presses; Star 5-Axis Hob Sharpener; Kingston 34" x 78" HD Hollow Spindle Lathe; (2) Leistritz CNC Keyseaters; (2) Manual Herringbone Gear Shapers; Hobber; Sanders; Marker; Washer; Q.C.; Shop Support; More!



**WEDNESDAY, JUNE 5 • 10:00 A.M. CDT.
LIVE ONLINE WEBCAST (NO ONSITE BIDDING)**



**ATTENTION: PLANT MANAGER
OR EQUIPMENT BUYER**

Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17



2012

**STAR MDL. PTG-1
5-AXIS HOB
SHARPENING
TOOL GRINDER**



**2
AVAILABLE**

**LEISTRITZ POLYMAT
70/600 CNC HYD.
KEYSEATER**

2012

**DAHLIHCV-1700
CNC VERTICAL
MACHINING
CENTER**



2006

PARTIAL TERMS & CONDITIONS:

An 18% Buyer's Premium Will Apply. Live Online Webcast (No Onsite Bidding).

Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on our website.

ALL PAYMENTS MUST BE MADE BY CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.

Here is an example of what your letter should be: Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to Plant & Machinery Inc. on the account listed herein up to the amount of \$ _____. This letter is good until July 5, 2024.

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.

Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.

The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.

Buyer agrees to accept assets purchased "AS IS," WITH "ALL FAULTS"

AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE." THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE PART OF THE AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO FITNESS OR USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.

The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

These terms and conditions may be modified or supplemented by language in the catalog available online or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.

ONLINE REGISTRATION AT BidSpotter or proxibid

1. Use the link to Bidspotter.com or Proxibid.com on PMI's website calendar. www.pmi-auction.com DO IT NOW!
2. This auction will require a Cash, or credit card, or debit card, 100% refundable deposit. If by credit or debit card, it can be added through the Bidspotter.com or Proxibid.com fully secure and PCI compliant registration process and will be assessed a 100% refundable \$3,000 (US Bidder) or a \$10,000 (Foreign Bidder) deposit in order to be approved to bid online with this auction. Cash deposits can be made by wire transfer. **DON'T WAIT.** If you are unsuccessful in the auction, the refund of your credit/debit card deposit will occur within 24 hours. Cash deposits will be expedited as well.

If you need assistance, don't hesitate to call (713) 691-4401.

**ALL BIDS ARE SUBJECT TO AN
18% BUYER'S PREMIUM.**