



AUCTION

10 LOCATIONS IN TX, OK, LA & KS INCLUDING A LIVE WALK-THRU SALE WITH WEBCAST

Featuring: Peddinghaus CNC Beam Drilling & Saw Line updated 2020; CNC Pressbrakes; Shears; 2020 CNC Plasma Pipe Cutter; Bandsaws; Ironworkers; Lathes; Mills; Rollformers; Diesel & LP Forklifts new as 2014; Scrap Yard Excavator Tools; 2016 Dewatering System; 2014 Utility Trailers; Huge Qty. Pallet Rack; Large Capacity Cooling Tower; Much More!



UPDATED
2020

2011

2007

PEDDINGHAUS CNC BEAM DRILLING AND SAW LINE



BAYKAL 150 T. X 12' CNC HYDRAULIC PRESSBRAKE

Starting at
LOCATION 1:
LIVE ONSITE "Walk-Thru"
Auction w/Webcast
Surplus to the Ongoing Operations of
TRI R ERECTING
26535 FM 2978,
MAGNOLIA, TEXAS 77354

THURSDAY
NOVEMBER 10
AT 10:00 A.M.

INSPECTION:
Varies by Location -
See Inside for Details



UPDATED
CONTROL

MARVEL SPARTAN 20" X 18" CAP. AUTOMATIC HORIZONTAL BANDSAW



LARGE
CAPACITY

BUYER'S PREMIUM:
15% FOR
ONSITE BUYERS AT
LOCATION 1
18% FOR ALL
WEBCAST BUYERS
AT ALL LOCATIONS.

Read Partial Terms
& Conditions on Page 11

CATERPILLAR
25,000-LB. BASE CAP.
DIESEL FORKLIFT



LARGE
QUANTITY

SAMPLE VIEW OF LARGE QTY. PALLET RACK

FOR ONLINE BIDDING AT THIS AUCTION. Go to www.pmi-auction.com and click on BidSpotter or proxibid on our calendar page for this auction sale.

Sale Conducted By:

PLANT & MACHINERY INC.

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

Ron Moore, TX Lic. #7314 • Ronald G. Moore, LA Lic. #851 • PMI LA Lic. #AB-396

HOUSTON • DALLAS • ST. LOUIS

Headquarters:
1304 Langham Creek Drive, Suite 454
Houston, Texas 77084

PHONE: (713) 691-4401

FAX: (713) 672-7905

E-MAIL: pmi@pmi-auction.com
WEBSITE: www.pmi-auction.com

**LOCATION 1:
LIVE ONSITE
"Walk-Thru" AUCTION**

Surplus to the Ongoing Operations of

TRI R ERECTING

26535 FM 2978

MAGNOLIA, TX 77354

INSPECTION:

Open House November 8 & 9
from 9:00 A.M. to 4:00 P.M.

2007



BAYKAL 150 T. X 12' CNC HYDRAULIC PRESSBRAKE



EDWARDS 55 T. HYDRAULIC IRONWOKER

**UPDATED
2020**



PEDDINGHAUS CNC BEAM DRILLING AND SAW LINE

2011



IRON BAY MDL. FM53 SEAM WELDER



100 KVA SPOT WELDER

CNC 3-SPINDLE BEAM DRILLING & SAW LINE

PEDDINGHAUS MDL. PCD1100/3C, new 2011, 2020 mechanical and software update, Siemens Sinumerik controller, drill spds.: 50-2,250 RPM, 1-9/16" max. drilling dia., 25 HP drilling power, min. 3/4" thk. plates, max. 18" thk. plates, min. 2" width, max. 43.30" width, 64.25" length, 18,000-lbs. max. weight, 100 FPM X-axis feed rate, Peddinghaus Mdl. 1250DC saw, approx. 60' in-feed and outfeed roller conveyor, chip conveyor, S/N 96843.

CNC HYDRAULIC PRESSBRAKE

BAYKAL 150 T. X 12' MDL. APHS3706X150 COMPACT, new 2007, EC4 control, CNC backgauge, 10.2" max. stroke, S/N 11835.

HYDRAULIC SHEAR

WYSONG MDL. 1410, 14 ga. x 10' cap., pwr. squaring arm, (new) Baldor 5 HP motor, S/N P112-151.

HYDRAULIC IRONWORKER

EDWARDS JAWS IV 55 T. CAP., S/N 17785589.

COIL STRAIGHTENER

LITTELL MDL. 432D-45PD, .074 thk. x 30"W. cap., S/N 79941-73.

OBI PUNCH PRESS

ROUSSELLE MDL. 2, S/N 1065.

AUTOMATIC HORIZONTAL BANDSAWS

MARVEL SPARTAN MDL. P460HD, 20" x 18" cap., H.D. post style, 1-3/4" blade, 10 HP, hyd. clamping, roller feed conveyor, touch screen, updated control, S/N FPA460-113.

HYD-MECH MDL. H-12A, 12" x 12" cap., PLC100 control, 5 HP, (2) bundling attachs., auto. feed, S/N N.A.

HYD-MECH MDL. H-10A, 10" x 10" cap., PLC control, 5 HP motor, bundling attach., auto. feed, S/N HAS0606067.

HEM SAW MDL. DC-14HA, 14" x 14", dual column, updated controls, S/N 781001.

DOALL MDL. C-4100, 16" x 16" cap., 1-3/4" blade, hyd. clamping, infeed, S/N 504-94116 (out of service).

DOALL MDL. C-1212A, 12" x 12" cap., S/N 372-78129 (out of service).

PLASMA POWER SOURCE

HYPERTHERM MDL. HT4001.

**THURSDAY NOVEMBER 10
10:00 A.M.**

**UPDATED
CONTROL**



MARVEL SPARTAN 20" X 18" CAP. AUTOMATIC HORIZONTAL BANDSAW

WYSONG 14 GA. X 10' CAP. HYDRAULIC SHEAR





MILLER BOBCAT 250 PORTABLE WELDER



KAESER 40 HP AIR COMPRESSOR



M.J. MAILLIS AUTOMATIC SHRINK WRAPPER



SAMPLE VIEW OF HPUs



SAMPLE VIEW OF ROLLFORMING LINES



JMK (KINGSTON) 21" X 60" ENGINE LATHE



SAMPLE VIEW OF LARGE QTY. PALLET RACK

LARGE QUANTITY



SAMPLE VIEW OF CANTILEVER RACK

LOCATION 1 CONTINUED

PORTABLE WELDER/GENERATORS

MILLER BOBCAT 250, gasoline pwr., S/N LH330201H; MILLER "THE LEGEND" MDL. AEAD-200LE CONSTANT CURRENT AC/DC WELDING POWER GENSET.

SPOT WELDERS

SEEDORFF MDL. 8100-8, Type 8, 100 KVA duty cycle, S/N 962; (3) WESTERN ARCTRONICS, 30 KVA.

SEAM WELDER

IRON BAY MDL. FM53, Lincoln Squarewave TIG 175 welder, S/N 869901.

HYDRAULIC POWER UNITS

BALDOR 25 HP MOTOR, approx. 3' x 5' x 3' ht. tank; LEESON 15 HP MOTOR, inline chiller.

ROLLFORMING LINES & ACCESSORIES

YODER, (16-station) rollforming heads and dies; YODER, (8-station) rollforming heads and dies; WIDE SELECTION OF ROLLFORMING DIES, GEARS AND GUIDE RAILS (metal tubs or boxes not included).

ENGINE LATHE

JMK (KINGSTON) 21" X 60" MDL. JMK530X1500, 12" dia. 3-jaw chuck, taper attach, steadyrest, S/N K6069261.

TOOLROOM LATHE

CINCINNATI 13 X 36, 8" dia. 4-jaw chuck, taper attach., S/N 550125T-0035.

SUPER PRECISION SECOND OPERATION LATHE

HARDINGE MDL. DSM-59, collet chuck, turret, S/N N.A.

AIR COMPRESSORS & DRYERS

ATLAS COPCO MDL. GA75FF ROTARY COMPRESSOR, new 2012, 100 HP motor, 424 CFM, 128 PSIG, S/N API615873; KAESER MDL. ASD40 ROTARY SCREW COMPRESSOR, 125 PSIG, 191 CFM, 40 HP motor, S/N 1056; VERTICAL RECIPROCATING AIR COMPRESSOR; SPEEDAIRE MDL. 523998-2 RECIPROCATING COMPRESSOR, (in need of repair); PURE STREAM MDL. ACT200-UP REFRIG. AIR DRYER, S/N 140017190.

MISCELLANEOUS SHOP & WAREHOUSE EQUIPMENT

SETCO MDL. 6PL HEAVY DUTY DOUBLE END GRINDER, Type 606-292-8, approx. 6 HP motor, S/N 112070; PROCUT MILL/DRILL MDL. RL80RF311, Anilam D.R.O., S/N 93093D701; POWERMATIC DRILL PRESS MDL. 1150, S/N 4-4016-1; CUB CADET MDL. ST100 22" STRINGED TRIMMER; PREDATOR PORTABLE GENERATOR, 2,500 peak watts; CYCLONE 3000 PORT-A-COOL; CENTRAL PNEU. BLAST CABINET; YODER 6 X 10 FLOOR PLATE, w/T-slots, S/N 0999; (2) 1,000 GAL. CAP. PLASTIC WATER TANKS; B.A.C. MDL. STD32 PARTS WASHER; METAL HALIDE LIGHTS; TRUCK BED GASOLINE TANK COMBINATION SET, w/Fill-Rite pump; INDUSTRIAL AND PERSONAL HOME ITEMS – See catalog for details.

AUTOMATIC STRETCH WRAPPER

M.J. MAILLIS BY WULFTEC MDL. WSMH-150-S, S/N 53077-1-0808.

CANTILEVER & ADJUSTABLE PALLET RACKS

LARGE QTY. OF ADJUSTABLE PALLET RACKS w/inserts; (12) CANTILEVER RACK SECTIONS.

FOR ONLINE BIDDING AT THIS AUCTION. Go to www.pmi-auction.com and click on BidSpotter or proxibid on our calendar page for this auction sale.

**LARGE
CAPACITY**



CATERPILLAR 25,000-LB. BASE CAP. DIESEL FORKLIFT

2014



HYSTER 15,500-LB. BASE CAP. DIESEL FORKLIFT



CATERPILLAR AND YALE 5,000-LB. BASE CAP. LP FORKLIFTS

2008



(1 OF 2) CATERPILLAR 6,000-LB. BASE CAP. DIESEL FORKLIFTS



ZETOR MDL. 6320 FRONT END LOADER



JOHN DEERE PROGATOR 2200 UTILITY TRUCK

DIESEL FORKLIFTS

CATERPILLAR 25,000-LB. BASE CAP. MDL. DP115, new 2001, diesel engine, 162" 2-stage mast, 197" lift ht., side shift, dual drive, pneu. tires, 96" forks, S/N 4DP00122.

DOOSAN 15,500-LB. BASE CAP. MDL. D70S-5, new 2010, diesel engine, 130" 2-stage mast, 177" lift ht., side shift, dual drive pneu. tires, 48" forks, S/N P9-00529.

HYSTER 15,500-LB. BASE CAP. MDL. S155FT, new 2014, diesel engine, 123" 2-stage mast, 173" lift ht., cushion tires, 48" forks, S/N F024V02272M.

LIFT KING 8,000-LB. BASE CAP. MDL. LK8M22M, new 2011, diesel engine, 104" 2-stage mast, 120" lift ht., side shift, rough terrain tires, 60" forks, S/N 2021.

(2) CATERPILLAR 6,000-LB. BASE CAP. MDL. P600, as new as 2008, diesel engine, 99" 2-stage mast, 147" lift ht., side shift, pneu. tires, 42" forks, S/N AT14E20164 (2008), S/N AT14E10360 (2007).

LP FORKLIFTS

CATERPILLAR 5,000-LB. BASE CAP. MDL. CG23, LP pwr., 4,700-lb. cap. as eqpd., 4-stage mast, 190" lift ht., S/N 4TM07066.

YALE 5,000-LB. BASE CAP. MDL. GLC050RGNUE084, LP pwr., 4,500-lb. cap. as eqpd., 3-stage mast, 171.3" lift ht., solid tires, side shift, S/N E187V22098B.

FRONT END LOADER

ZETOR MDL. 6320, 66 HP, 2-wheel drive, S/N 10575.

UTILITY TRACTOR

JOHN DEERE MDL. 301A, John Deere engine.

UTILITY TRUCK

JOHN DEERE MDL. PROGATOR 2020, 2,837.7 H.O.M.

SIDE-BY-SIDE

BULLDOG MDL. 4WD-653, dump trailer (has been damaged).

RIDING LAWNMOWER

JOHN DEERE MDL. X320, 48" deck.

CLASSIC CAR

1957 FORD FAIRLANE MDL. 500, 4-door, Texas License Plate HTN99J, S/N C7DT216214.

LOCATION 1: LIVE ONSITE WITH WEBCAST



JOHN DEERE 301A UTILITY TRACTOR



1957 FORD FAIRLANE MDL. 500 CLASSIC CAR

LOCATION 1:

Surplus to the Ongoing Operations of

TRI R ERECTING

26535 FM 2978, MAGNOLIA, TX 77354

INSPECTION: Open House November 8 & 9
from 9:00 A.M. to 4:00 P.M.

**ITEMS AT LOCATIONS 2 THRU 10 WILL BE SOLD BY PHOTO VIA WEBCAST.
ATTENDEES AT THE LOCATION 1 WALK-THRU SALE CAN REMAIN ONSITE AT LOCATION 1
TO BID LIVE ON THE REMAINING ONLINE LOTS IN A THEATER STYLE SETTING.**



**TITAN EXPERIMENTAL
AIR CRAFT ENGINE**

LOCATION 2 – WEBCAST

Location Closing
**TEXAS ENGINE
SERVICE**
100 MEADOW DR.,
GEORGETOWN,
TX 78633

INSPECTION:
November 8 & 9 by
Appointment Only.
Contact Theresa (Hancock)
Hobratchk at
(979) 540-6916.



7 HP AIR COMPRESSOR



JET 16" X 40" ENGINE LATHE

DON'T MISS THIS SALE



**REPUBLIC LAGUN 9" X 42"
VERTICAL TURRET MILL**

EXPERIMENTAL AIRCRAFT ENGINE

**TITAN (TEXAS ENGINE SERVICE, INC.) MDL. 0360AIA, 180
HP @ 2,700 RPM, fuel. oct. min. 100LL, ignition timing, 25 deg.
BTDC, firing order 1324, S/N 51382-103, w/trailer.**

VERTICAL TURRET MILLS

**BIRMINGHAM 10" X 54" MDL. BPV1054, longitudinal pwr.
feed, right angle attach., vise, 3 HP variable spd. head, S/N
92263.**

**REPUBLIC LAGUN 9" X 42" MDL. FT.1, pwr. feed, vise, 2 HP
step pulley head, Anilam Mini Wizard D.R.O., S/N 12211.**

ENGINE LATHE

**JET 16" X 40" MDL. GH1640, geared head, 3.1" spdl. bore,
spds.: 25–1,800 RPM, steadyrest, followrest, 12" dia. 3-jaw
chuck, S/N 70110.**

PRECISION TURRET LATHE

**HARDINGE 9" X 36" MDL. DSM5, turret and toolpost, collet
chuck, spds.: 230–3,500 RPM, 1 HP motor.**

GEARED HEAD BENCH LATHE

**WHOLESALE TOOL 13" X 40" MDL. 13GH, 6" dia. 3-jaw
chuck, toolpost, S/N 221929.**

RECIPROCATING AIR COMPRESSOR

**CAMPBELL HAUSFELD MDL. CIQ71060V, 7 HP motor, 60 gal.
cap.**

SHOP SUPPORT EQUIPMENT

**BALDOR DOUBLE END GRINDER, CRAFTSMAN 10" TABLE
SAW, SPEEDWAY SERIES INDUSTRIAL PARTS WASHER,
PORTER CABLE PORTA-BAND SAW, J&L 7" X 12" METAL
CUTTING BANDSAW, TOOLING AND ACCESSORIES.**

FORKLIFTS

**CATERPILLAR 5,000-LB. BASE CAP. MDL. V500, LP pwrd.,
4,500-lb. cap. as eqpd., 2-stage mast, 126" lift ht., pneu. tires,
S/N 3EC05095.**

**TOWMOTOR 5,000-LB. BASE CAP. MDL. 502SG5024, LP
pwrd., 4,300-lb. cap. as eqpd., sgl. stage mast, 130" max. lift
ht., S/N 502S630305.**



HARDINGE 9" X 36" PRECISION TURRET LATHE



13" X 40" GEARED HEAD BENCH LATHE



**BIRMINGHAM 10" X 54"
VERTICAL TURRET MILL**



CATERPILLAR 5,000-LB. BASE CAP. LP FORKLIFT

LOCATION 3 – WEBCAST

Surplus to the Ongoing Operations of

FIVE STAR METALS

8637 WINDFERN RD., HOUSTON, TX 77041

INSPECTION: By Appointment Only. Contact Doug Stanford at (713) 466-8545.

SAWS

KASTO MDL. HBA 1060/1260 H.D. DOUBLE COLUMN HORIZONTAL BANDSAW, new 2010 and refurbished 2021, 44" max. ht., 50" max. W., 3"W. x .063" thk. x 45'10"L. blade, spds.: 40–300 SFM, block feed tbl., S/N 6037 101 003. (Located at nearby storage facility).

KASTO MDL. PBA 800 X 800 AU HORIZONTAL BANDSAW, 31-1/2" x 31-1/2" max. cutting, 2-5/8"W. x 29'2"L. x .063" thk. blade, 5 kW, S/N 6092 102 028, new 1997. (Located at nearby storage facility).

TELESCOPIC BOOM LIFT

JLG MDL. 80HX, 80' platform ht., 70'7" horiz. reach, 500-lb. rated cap., S/N 0300059946.



2010

REFURB.
2021

KASTO 44" X 50" HORIZONTAL BANDSAW



LARGE
CAPACITY

KASTO 31-1/2" X 31-1/2" HORIZONTAL BANDSAW



JLG MDL. 80HX TELESCOPIC BOOM LIFT

**THURSDAY NOVEMBER 10
AT 10:00 A.M.**

LOCATION 4 – WEBCAST METALFORMS, LTD.

7130 GARTH RD., BEAUMONT, TX 77705

INSPECTION: By Appointment Only.
Contact Jeremy Huebel (409) 679-9478.

DEWATERING SYSTEM

DEL CORPORATION TOTAL CLEAN SYSTEM MDL. TCS-350, 350 GPM, Hydro-cyclone 50 HP feed pump motor, skidded V-tank system, Delineator 4-panel scalping shaker, w/1,800 RPM motors, 20,000-lb. cap. hopper, associated pumps, augers and power supply, new 2016.



2016





FOR ONLINE BIDDING AT THIS AUCTION. Go to www.pmi-auction.com and click on BidSpotter or proxibid on our calendar page for this auction sale.

**LOCATION 5 – WEBCAST
PINPOINT MACHINE**
19995 HWY. 167, DRY PRONG, LA 71423
INSPECTION: November 8 & 9 by Appointment Only.
Contact Richard Rogers (318) 290-3296.



LABOUNTY DEMOLITION/SCRAP SHEAR



YOUNG GRAPPLE



ADVANCE RIDE-ON STREET SWEEPER



COLT UNCOILER AND STRAIGHTENER



MARATHON RJ550 YARD BALER

2006

DEMOLITION/SCRAP SHEAR

LABOUNTY MDL. MSD3000, 70,000-lb. excavator as 2nd member or 144,000-lb. excavator as 3rd member, 35" jaw opening, 38" jaw depth, 9'10" reach as 2nd member, S/N 630016R (48 hrs. needed to be ready for truck pickup) (No loading charge).

**GRAPPLE FOR KNUCKLE BOOM
LOADER**

YOUNG, 60" tip to tip jaws at max. opening, approx. 6" O.D. of cylinders (No loading charge).

YARD BALER

MARATHON MDL. RJ550, new 2006, 5.5-yard charging box, hyd. pump, Vickers valves, hopper mtd. onto body, 7" cyl. bore, 4" cyl. rod, 77,000 max. compacting force, 460 v., 3-phase, 15 HP motor, S/N 2045119 (No loading charge).

RIDE-ON STREET SWEEPER

ADVANCE MDL. 2060, propane pwrd., 60" sweeping path, 45" main boom, 15" R.H. side broom, 550-lb. hopper, 60" dump ht., 85 sq. ft. dust filter, 9.5' turning radius, 1" steel plate rear bumper, headlights, taillights, pwr. steering, parking brake, one-step broom activation (needs tank and battery) (No loading charge).

**PNEUMATIC
AIR TRACTOR
PAINT BOOTH
TROLLY SYSTEM**

SATURN AIR TRACTOR, 90–100 PSI PSI air pressure, spds.: 0–35 FPM (No loading charge).

**HYDRAULIC PLATE
SHEAR**

PACIFIC 1/2" X 12' MDL. 500R12, 40 HP motor, 220 v./440 v., 3-phase, hyd. work-piece hold-downs, backgauge, squaring arm, foot pedal, roller top infeed tbl., S/N S10506 (No loading charge).

**ADJUSTABLE
PRESSBRAKE DIES**

PROTOTYPE, 15' working length, 4-1/2" depth of tool to bottom, 10" max. width (No loading charge).

PROTOTYPE, 8' working length, 2-1/4" depth of tool to bottom, 5" max. width (No loading charge).

PROTOTYPE, 3' working length, 4-1/2" depth of tool to bottom, 10" max. width (No loading charge).

PRESSBRAKE

TENNSMITH 8' X 16 GA. MDL. HB9716, 97" actual working width, S/N 15772 (No loading charge).

SINGLE END PUNCH

PIRANHA MDL. SEP120, 120 T. punching force, 21.5" throat depth, will punch 5" holes in 1/4" thk. mild steel plate, 1.5" hold in 1" thk., 2" stroke, 230 v./460 v., 3-phase, 7.5 HP motor, S/N N.A (No loading charge).

DON'T MISS THIS SALE



PACIFIC
1/2" X 12'
HYDRAULIC
PLATE SHEAR

Inspection varies by location.

**THURSDAY, NOVEMBER 10
AT 10:00 A.M.**



TENNSMITH 8' X 16 GA. PRESSBRAKE



SAMPLE VIEW OF OF ADJUSTABLE BRAKE DIES



WHITNEY 150 T. FLANGE PUNCH



PIRAHNA SINGLE END 120 T. PUNCH



SOUTH BEND JOHNSON 27 T. OBI PRESS

LOCATION 5 CONTINUED

ITEMS AT LOCATION 2 THRU 10 WILL BE SOLD BY PHOTO VIA WEBCAST



AVEY DRILL PRESS

FLANGE PUNCH

WHITNEY 150 T. CAP., 12.5" throat, on stand (No loading charge).

INSULATED PIPE JACKET ROLLING MACHINE

TY 48"W. X 22 GA., sgl.-phase, 220 v., 1-1/2 HP motor (No loading charge).

INSULATED PIPE SHEETMETAL ROLLER

TY 48"W. X 22 GA., 3-phase, 460 v., 1/2 HP motor, on casters (No loading charge).

STRAIGHT LINE RIP SAW

NEWMAN WHITNEY MDL. K414, 4" thk., 30 HP motor, 230 v. or 460 v., 3-phase, approx. 28" depth to bottom of throat, power lift, central oiler, approx. 20" from saw blade to outside ledge of tbl., S/N 18490 (No loading charge).

OBI PRESS

SOUTH BEND JOHNSON 27 T. CAP. MDL. 27-EW-A.C., 230 v., 3-phase, motor can swap to 460 v., 5 HP motor, air clutch, 1.5" stroke, 10-3/8" shut ht., 21.5 L-R x 13 F-B bed size, 2-1/2" adj., 9 x 7-1/2" ram area, 150-lb. max. attachment weight, 300 SPM, Reeves spd. drive, palm buttons, S/N 74098 (No loading charge).

UNCOILER/STRAIGHTENER

COLT MDL. CERFPTS-25-18 STRAIGHTENER w/MDL. CR-40-18 UNCOILER, est. new 2004, 480 v., 3-phase. (No loading charge).

HOLLOW SPINDLE HEADSTOCK TAILSTOCK WELDING POSITIONER

ARONSON HEADSTOCK/TAILOCK w/STEADYREST 3 PC. SYSTEM, 12" hollow spdl. in main driven headstock, 40,000-lb. in max. rotatable torque, rated 37,000-lbs. @ 6" to 11,000-lbs. @ 60", 54" sq. face w/1-1/4" T-slots, S/N 7465 9 (No loading charge).

PLASMA POWER SOURCE

HYPER THERM MDL. HTR 260 HYPERFORMANCE, (for parts use).

HEAVY DUTY DRILL PRESS

AVEY SIZE 3, 220 v./440 v., 3-phase, 2 HP motor, Allen Bradley electrical, spds.: 95, 190, 380, 760, 570 and 1,130, 12-1/4" throat depth, #3 Morse taper, 25" x 36" tbl. work area, 8" quill stroke, 11" travel on dovetail, 18" approx. of travel, reversible drilling rotation, S/N 26448 (No loading charge).

ACORN TABLE

ACORN 5' X 5' (No loading charge).

AIR COMPRESSOR

POWEREX, 10 HP motor, 3-stage (No loading charge).



HYPER THERM MDL. HTR 260 HYPERFORMANCE PLASMA POWER SOURCE



ARONSON 30,000-LB. CAP. HEADSTOCK



ARONSON TAILSTOCK W/STEADYREST

2006



MESSER
METAL
MASTER PLUS
CNC PLASMA
CUTTING
SYSTEM

SELF
CLEANING



DUAL HEAD HIGH-DEFINITION CNC PLASMA CUTTING SYSTEM

MESSER MDL. METAL MASTER PLUS, new 2006, 8' x 20' unitized self-cleaning tbl. w/slagger pusher blade, Global Control Plus operator interface, high spd. gantry, 1,700 IPM max. positioning spd., S/N MMPLUS8-06-4545; Incl. (2) Hypertherm Mdl. HPR260XL HyPerformance plasma power sources and Messer/Donaldson Torit dust collector. (Note: machine must be removed by November 18, 2022).

REFRIGERATED AIR DRYER

ZEKS MDL. 500HSEA400, R-22 refrigerant, 5-lbs., 460 v.

LOCATION 6 – WEBCAST

Surplus to the Ongoing Operations of

HIPPO HOPPER

2707 RED FOX RD.

TOMBALL, TX 77377

INSPECTION: November 8 & 9 by Appointment Only.

Contact Barry Woods (832) 456-4561.



MESSER
DUST
COLLECTOR

LOCATION 7 – WEBCAST

FABCORP, INC.

6951 W. LITTLE YORK,

HOUSTON, TX 77040

INSPECTION:

By Appointment Only. Contact Jeff Niemann
(832) 309-4087.



2020

BEND-TECH DRAGON A250 CNC PLASMA PIPE CUTTER



2014

(1 OF 3) MAC 12,000-LB. CAP. UTILITY TRAILERS

CNC PLASMA ROUND TUBE & PIPE CUTTER

BEND-TECH MDL. DRAGON A250, new 2020, low hours, Integrated CAD/CAM software, 4-axis, .75"-4" round cap., 1/32"-5/8" thickness cap., material length: 21' full-length; 12' half-length, 3-jaw pass through chuck w/2" bore, self-centering front gate, rolling/semi-automatic material support, cutting spd. up to 250 in./min., rapid travel up to 1,100 in./min., tolerance of ±0.010", marker.

UTILITY TRAILERS

(3) MAC TRAILER 12,000-LB. CAP., as new as 2014, Mdl. 226, dual axle, 235/80/R16 tire size, VIN 1M9PT-1726EB618094 (2014), VIN 1M9PT1721EB618097 (2014), VIN 1M9PT1825DB618598 (2013).



2020

BEND-TECH DRAGON A250 CNC PLASMA PIPE CUTTER

DON'T MISS THIS SALE

LOCATION 8 – WEBCAST

Located at the

FORMER SWIFT RECON

FACILITY

20701 EAST 81ST ST.,

SUITE 202

BROKEN ARROW, OK 74014

INSPECTION:

November 8 & 9 by Appointment Only.

Contact Greg Elliot (918) 457-9863.



HEAVY DUTY COOLING TOWER

MARLEY NC SERIES MDL. NC6004GS, designed for cooling 9,640 GPM of water from 120 deg. F. to 100 deg. F. at a design entering air wet-bulb temperature of 79 deg. F. constructed w/(4)bays, Indeco controls, S/N 040291-001-93.



2010

20-1/2" ROUND CAP.

DANOBAT MDL. CP520AF HORIZONTAL BANDSAW



21-2/3" ROUND CAP.

KALTENBACH MDL. KBR550 NA HORIZONTAL BANDSAW



CF 20,000-LB. CAP. WELDING POSITIONER



(2) FRORIEP 1-1/2" X 12' PLATE ROLLS



CB HERRICK 12' X 12' MANIPULATOR



DEAN SMITH & GRACE 24" X 60" ENGINE LATHE



GUN DRILL W/HEIDENHAIN CONTROLS

10

LOCATION 9 – WEBCAST
 Building Sold. All Items Must Be Sold.
HALLMARK INDUSTRIAL SUPPLY
 5148 LOTUS ST., HOUSTON, TX 77045
 Inspection: November 8 & 9 by Appointment Only.
 Contact Eddie Roden at (713) 417-8088.



ESAB MDL. LAF1001 WELDING POWER SOURCE

LARGE CAPACITY HORIZONTAL AUTOMATIC BANDSAWS

DANOBAT MDL. CP520AF, new 2010, capacity: 20-1/2" (round) and 23-5/8" x 20-1/2" (square), band length is 25'2", band width is 2-1/8", band thickness is 0.063", S/N 0810901280.

KALTENBACH MDL. KBR550 NA, NC control, saw band dimensions: 7820 x 54 x 1.6 mm, saw motor: 9.2 kW, cutting spd.: from 15-120 mm/min., capacity: round material: 550 mm, square: 600 x 550 mm, cross section: 10 x 10 mm, drive power: hydraulic motor: 2.2 kW, material feed per stroke: 8-760 mm, S/N 300591.

PLATE ROLLS

(2) FRORIEP 1-1/2" X 12', hyd. drop end, 24" top roll, hyd. plate assist, plate feed roller conveyor system, 10'W. x 30'L. cap., (disassembled).

PRESSBRAKE

CHICAGO DREIS & KRUMP 12' X 200 T. (EST.), hyd. S/N N.A.

WELDING POSITIONER

CF MDL. 200 20,000-LB. CAP., 10 HP tilt motor, power rotation, 77" square tbl., adjustable ht., S/N 168.

WELDING HEADSTOCKS & TAILSTOCKS

PANDJIRIS HEADSTOCK MDL. HS-80, 8000-lb. cap, S/N 22058E00, w/matching tailstock.

TRACK BASE WELDING MANIPULATORS

CUSTOM 16' X 16' (EST.) MDL. CAR, w/Mdl. Z37-A-51 drive mechanism; **CB HERRICK 12' X 12' (EST.)** w/Weld Engineering flux hopper.

ENGINE LATHE

DEAN SMITH & GRACE 24" X 60", Mdl. Type 25, 15" 4-jaw chuck, taper attachment, S/N 32704.

GUN DRILL

CUSTOM, Heidenhain control, Ware Riddle pump, S/N N.A.

MISCELLANEOUS PLANT SUPPORT EQUIPMENT

ESAB MDL. LAF1001 WELDING POWER SOURCE; **HEAVY DUTY GRAVITY FEED ROLLER CONVEYOR FOR SAWS, ETC.**; **WALKER 8,000-LB. CAP. MAGNETIC LIFT**, Mdl. 8X40FL; **CUTLER HAMMER MOTOR CONTROL CABINET.**



PORTABLE HYDRAULIC POWERED MIXER



CUSTOM 8-WHEEL 2-AXLE MATERIAL HANDLING DOLLY



**KAESER 15 HP
AIR COMPRESSOR**



**CUSTOM 8-WHEEL 2-AXLE
MATERIAL HANDLING DOLLY**



**DISASSEMBLED GANTRY CRANE SYSTEM
W/(3) 2 T. BRIDGE CRANES**

**THURSDAY
NOV. 10
10:00 A.M.**

Inspection varies
by location.

PORTABLE HYDRAULIC POWERED MIXER

CUSTOM, hyd. drive motor, used w/skid steer loader for job site material mixing, requires external hyd. power source.

AIR COMPRESSOR

KAESER MDL. SIGMA PROFILE 19 ROTARY SCREW TYPE, 15 HP, approx. 47,000 hrs.

MATERIAL HANDLING DOLLIES

CUSTOM 8-WHEEL 2-AXLE, Reyco Mdl. 86AR single/tandem axle trailer, air suspension, S/N 97172; **CUSTOM 8-WHEEL 2-AXLE**, w/gin pole style trailer tongue.

GANTRY CRANE SYSTEM

INCL. (3) PHILADELPHIA TRAMRAIL 2 T. CAP. SINGLE GIRDER UNDERSLUNG BRIDGES W/I-BEAM GANTRY STRUCTURAL STEEL COMPONENTS.



**MEUSER 6' X 19" RADIAL ARM DRILL
(ROTARY TABLE NOT INCLUDED)**

LOCATION 10 – WEBCAST

Surplus to the Ongoing Operations of

IRONTIME SALES

1211 WEST 12TH ST., COFFEYVILLE, KS

Inspection: November 8 & 9 by Appointment Only.

Contact Ron Jefferson at (620) 2851-1538 or Jordan Rogers at (620) 251-1538, ext 128.

RADIAL ARM DRILLS

MEUSER & CO. 6' ARM X 19" COL., Mdl. M90R, (rotary tbl. not included), S/N 43543; **AMERICAN HOLE WIZARD 6' ARM X 17" COL.**, L-Base, box tbl., S/N 74197, 1954; **CININNATI BICKFORD SUPER SERVICE 6' ARM X 17" COL.**, large square rotary tbl., S/N 2C 1715 B; **BAILEIGH 4' ARM X 13.7" COLUMN MDL. RD-1600H**, late model, 220 v., 30 amp, 3-phase, box tbl., S/N N.A.; **CININNATI BICKFORD 4' ARM X 13" COLUMN SUPER SERVICE**, GE 10 HP motor, S/N: 3E-711, Tag #H-Q238, 1942; **CININNATI BICKFORD 3'5" ARM X 9" COL.**, S/N DPC 3A 5258 UAM 1P 2466.



BAILEIGH 4' X 13.7" RADIAL ARM DRILL

PARTIAL TERMS & CONDITIONS:

A 15% Buyer's Premium Will Apply to Onsite Bidders at Location 1. An 18% Buyer's Premium Will Apply to All Online Bidders. Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on the premises.

ALL PAYMENTS MUST BE MADE BY CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.

Here is an example of what your letter should be: Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of \$ _____. This letter is good until December 12, 2022.

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.

Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.

The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.

Buyer agrees to accept assets purchased "AS IS," WITH "ALL FAULTS"

AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE." THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE PART OF THE AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO FITNESS OR USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.

The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.

ONLINE REGISTRATION

Register to bid at

BidSpotter or **proxibid**.

1. Use the [link](#) to Bidspotter.com or Proxibid.com on PMI's website calendar. [www.pmi-auction.com](#) **DO IT NOW!**
2. This auction may require a Cash, or credit card, or debit card, 100% refundable deposit. If by credit or debit card, it can be added through the Bidspotter.com fully secure and PCI compliant registration process and will be assessed a 100% refundable \$3,000 (US Bidder) or a \$10,000 (Foreign Bidder) deposit in order to be approved to bid online with this auction. Cash deposits can be made by wire transfer. **DON'T WAIT.** If you are unsuccessful in the auction, the refund of your credit/debit card deposit will occur shortly after the auction ends. Cash deposits will be expedited as well.

If you need assistance, don't hesitate to call (713) 691-4401.

ALL BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.

10 LOCATIONS IN TX, OK, LA & KS INCL. A LIVE WALK-THRU SALE WITH WEBCAST

PLANT & MACHINERY INC.
 AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

P.O. Box 218568
 Houston, TX 77218-8568

DATED MATERIAL - PLEASE DELIVER

**10 LOCATIONS IN TX, OK,
 LA & KS INCL. A LIVE
 WALK-THRU SALE
 WITH WEBCAST**

Featuring: Peddinghaus CNC Beam Drilling & Saw Line updated 2020; CNC Pressbrakes; Shears; 2020 CNC Plasma Pipe Cutter; Bandsaws; Ironworkers; Lathes; Mills; Rollformers; Diesel & LP Forklifts new as 2014; Scrap Yard Excavator Tools; 2016 Dewatering System; 2014 Utility Trailers; Huge Qty. Pallet Rack; Large Capacity Cooling Tower; Much More!



THURSDAY, NOV. 10 AT 10:00 A.M.
INSPECTION: Varies by Location – See Inside for Details



**ATTENTION: PLANT MANAGER
 OR EQUIPMENT BUYER**

Presorted
 First Class Mail
 U.S. Postage
 PAID
 Eugene, Oregon
 Permit No. 17



KASTO 44" X 50" HORIZONTAL BANDSAW

2010
REFURB.
2021



PIRAHNA SINGLE END
 120 T. PUNCH



PACIFIC 1/2" X 12' HYDRAULIC PLATE SHEAR



DEL CORP. DEWATERING SYSTEM

2016



HYSER 15,500-LB. BASE CAP. DIESEL FORKLIFT

2014



MESSER METAL MASTER PLUS CNC
 PLASMA CUTTING SYSTEM

2006