

AUCTION CANCELLED

STRUCTURAL STEEL FABRICATION FACILITY CLOSING

Featuring: 2021 Lincoln Electric "PythonX" Structural Robotic Plasma Cutting System; 2023 Controlled Automation PlasMAX 10' x 25' Plasma Cutting System; Controlled Automation Beam & Angle Lines; Cambering Machine; Bandsaws; Drills; Pipe Bender; Welders; Air Compressors; Shop Support Equip.; (5) Late Model Hyundai & Komatsu Forklifts Up to 35,000-Lb. Cap.; Trucks; Trailers; Office Furniture & Equip.; More!



LINCOLN ELECTRIC ROBOTIC PLASMA CUTTING SYSTEM

2021



CONTROLLED AUTOMATION PLASMAX PLA

INSTALLED NEW 2023



CONTROLLED AUTOMATION MDL. ANGLE LINE RETRO ANGLE LINE

By Order of the Secured Party

HENDERSON FABRICATION
3107 NICHOLS AVE., BAY CITY, TEXAS 77414

**AUCTION CANCELLED:
COMPANY SOLD IN BULK**

YOU MUST REGISTER IN ADVANCE FOR ONLINE BIDDING AT THIS AUCTION. Go to www.pmi-auction.com and click on BidSpotter or proxibid on our calendar page for this auction sale.



HYUNDAI 35,000-LB. BASE CAP. DIESEL FORKLIFT

Read Partial Terms and Conditions on Page 4



PROSERV OVERHEAD BRIDGE AND GORBELT COLUMN MOUNTED JIB CRANES

AUCTION CANCELLED - COMPANY SOLD IN BULK

Sale Conducted By:

PLANT & MACHINERY INC.
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE
1304 Langham Creek Drive, Suite 454, Houston, Texas 77084

PHONE: (713) 691-4401

FAX: (713) 672-7905

Ron Moore, TX Lic. #7314

E-MAIL: pmi@pmi-auction.com • WEBSITE: www.pmi-auction.com

In Conjunction With:



105 Revere Drive, Suite C, Northbrook, IL 60062
www.pplauction.com
Phone: 224-927-5320 | Fax: 224-927-5311

2021



ROBOTIC PLASMA CUTTING SYSTEM

LINCOLN ELECTRIC MDL. PythonX Structural, Mfg. 2021, Lincoln Electric robotic cutting torch, infeed and outfeed material handling system, ABB plasma control, Hypertherm HPR400XD plasma pwr. source, pendent control, Sideros Engineering dust collection system, chiller unit.



BEAM LINE

CONTROLLED AUTOMATION MDL. BEAM-LINE RETRO, consisting of a HEM Mdl. DC-2038RB-1 swiveling bandsaw, pwr. feeding tbl., Controlled Automation hyd. punch and coping line, w/outfeed conveyor system, S/N 4-013.



IRONWORKERS

PIRANHA MDL. PII110, 110 T. punching cap., 1-7/16"-1" dia., 1" x 12" flat bar shear cap., 2" round bar shear cap., w/roller conveyor, S/N N.A.

PIRANHA MDL. P3, 50 T., 13/16" through 3/4" plate punching cap., S/N PE-2836.



ANGLE LINE

CONTROLLED AUTOMATION MDL. ANGLE LINE RETRO, angle punch and shear, infeed and outfeed, material handling system, S/N 04-012.



HORIZONTAL BANDSAW

HYDMECH MDL. S-20 SERIES 3, 13" x 18" cap., w/infeed and outboard conveyor, S/N 6B10141881.

INSTALLED NEW
2023



PLASMA CUTTING SYSTEMS

CONTROLLED AUTOMATION MDL. PlasMAX, Mfg. 2022, 10' x 25' tbl., 8' x 22' sharp cutting cap., Controlled Automation stand-alone Insight Windows 10 dual screen controller w/Steel Solutions Software (1 seat for office, 1 seat at controller), Made in the USA, S/N 22070. Upgraded Hypertherm XPRE300 auto gas control, Mfg. 2023, w/Hypertherm True Hold Technology (2" cap.), S/N 078632.

CONTROLLED AUTOMATION 12' X 9' TABLE, Controlled Automation control, Hypertherm HyperPerformance HPR260XC plasma pwr. source, S/N 08-061. (out of service)



HYDRAULIC CAMBERING MACHINE

CAMBCO, 25 HP hyd. pwr. source, 10' x 24'.

RADIAL ARM DRILL

6' X 14.5" SUMMIT, pwr. feed, pwr. clamping, pwr. elevation, w/box tbl., S/N N.A.



WELDING MACHINES
WIDE SELECTION OF MILLER AND LINCOLN WELDING MACHINES; TRU-WELD MDL. SC1900 STUD WELDING SYSTEM; MORE.

WELDING & FAB SHOP ACCESSORIES

TORCH LEADS; VALVES; TORCH CARTS; WELDING WIRE; PINNACLE ALLOYS .45" PREMIUM 71+ FLUX CORE; MORE.



PIPE BENDING MACHINE
ERCOLINA MDL. TOP-030, Mfg. 2002, S/N 3020142.

BELT SANDING MACHINE
CMI MDL. EN1001-V, S/N 1020021.




OVERHEAD BRIDGE & COLUMN MOUNT JIB CRANES
(7) 5 T. CAP. PROSERV CRANE AND BAY AREA CRANE OVER-HEAD BRIDGE CRANES, single girder, underslung, approx. 30' span, 5 T. Shaw Box hoists.
(12) GORBEL 1 T. COLUMN MOUNTED JIB CRANES, w/electric chain hoists.



ROTARY SCREW AIR COMPRESSOR SYSTEM
FS CURTIS MDL. FNB22CX4KXXX, 30 HP, 150 PSI, 460 v., S/N NB22E19045, w/FS Curtis refrigerated air dryer and air receiving tank.

RECIPROCATING AIR COMPRESSOR
EMAX, 20 HP, w/horizontal air receiving tank.



SHOP SUPPORT EQUIPMENT
RIDGID 535 PIPE THREADER; CENTRAL MACHINERY DRILL PRESS; WILTON DRILL PRESS; SLUGGER MAGNETIC BASE DRILLS; PITTSBURGH HYD. PWR. PACK; TITANIUM PLASMA 65 PORTABLE PLASMA CUTTER, S/N 375032213; POWER AND HAND TOOLS; SETS OF 2-WAY RADIOS; NITTO KOHKICO HPD-05 HYD. PRESS; C-CLAMPS; PLATE DOGS; MAGNETIC LIFTERS; JET PALLET JACKS; SHOP FANS; MORE.

ONLINE REGISTRATION

Register to bid at
BidSpotter or **proxibid**

1. Use the [link](#) to Bidspotter.com or Proxibid.com on PMI's website calendar. www.pmi-auction.com **DO IT NOW!**
2. This auction may require a Cash, or credit card, or debit card, 100% refundable deposit. If by credit or debit card, it can be added through the Bidspotter.com fully secure and PCI compliant registration process and will be assessed a 100% refundable \$3,000 (US Bidder) or a \$10,000 (Foreign Bidder) deposit in order to be approved to bid online with this auction. Cash deposits can be made by wire transfer. **DON'T WAIT.** If you are unsuccessful in the auction, the refund of your credit/debit card deposit will occur shortly after the auction ends. Cash deposits will be expedited as well.

If you need assistance, don't hesitate to call (713) 691-4401.

ALL BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.



MATERIAL RACKS & RAW MATERIAL
WIDE SELECTION OF CANTILEVER RACKS FOR PLATE AND BEAMS; SAWHORSES; H.D. FABRICATED STANDS; RAW MATERIAL: CHANNEL, RECTANGULAR TUBING; SQUARE TUBING; I-BEAMS; PLATE; AND MORE. SEE CATALOG FOR DETAILS.



2022



TRUCKS

2022 FORD F-350 FLATBED TRUCK, Mfg. 2022, 6.7'L. Power Stroke diesel engine, crew cab, diamond plate bed, ODO: 48,000, TX Plate: SHF8068, VIN: 1FD8X3DT9NEE66553.

2014 GMC SIERRA TEXAS EDITION PICKUP TRUCK, ODO: 182,000, TX Plate: DJC1504, VIN: 3GTP1U-EC2EG399888.

TRAILERS

BIG TEX MDL. 256NHD GOOSENECK, Mfg. 2014, 25,900-lb. cap., dual wheel, tandem axle. VIN: 16VGX402XF6078718.

UTILITY TANDEM AXLE, 18', wood deck, metal sides, electric breaks.



HYUNDAI 35,000-LB. BASE CAP. DIESEL FORKLIFT



KOMATSU 30,000-LB. BASE CAP. DIESEL FORKLIFT

DIESEL FORKLIFTS

HYUNDAI 35,000-LB. BASE CAP. MDL. 160D-7A, diesel, 2-stage mast, fork positioners, side shift, 157" max. lift ht., dual front tires, enclosed cab, reverse camera, S/N HHKHT12VE0000087.

KOMATSU 30,000-LB. BASE CAP. MDL. FD135-7, diesel, 157" ht. 2-stage mast, 150" max. lift ht., side shift, fork positioner, new pneumatic tires, enclosed cab, S/N 6681.

(2) HYUNDAI 11,000-LB. BASE CAP. MDL. 50DA-9F, diesel, 3-stage mast, side shift, diesel, dual front tires, S/N HHKHFV36CJ0000143, S/N HHKHFV36AK000025.

HYUNDAI 8,000-LB. BASE CAP. MDL. 45D-9F, diesel, 1,562 H.O.M., 2-stage mast, side shift, reverse camera, built-in digital scale, cushion tires, headlights, S/N HHKHFV35CF0001808.



OFFICE FURNITURE & EQUIPMENT


KIP MDL. 7170 36" 2-ROLL MONO WIDE LARGE FORMAT INKJET COPIER PRINTER SCANNER; BIG SCREEN TVS; CONFERENCE TABLE W/EXECUTIVE TYPE GUEST CHAIRS; RICOH COPIER; LUNCHROOM APPLIANCES; DESKS, CHAIRS, FILING CABINETS, MORE.



HYUNDAI 8,000-LB. BASE CAP. DIESEL FORKLIFT



(1 OF 2) HYUNDAI 11,000-LB. BASE CAP. DIESEL FORKLIFTS



AUCTION CANCELLED - COMPANY SOLD IN BULK

PARTIAL TERMS & CONDITIONS:

An 18% Buyer's Premium Will Apply.

Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on our website.

ALL PAYMENTS MUST BE MADE BY CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.

Here is an example of what your letter should be: Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of \$_____. This letter is good until December 19, 2024.

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.

Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.

The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.

Buyer agrees to accept assets purchased "AS IS," WITH "ALL FAULTS"

AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE." THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE PART OF THE AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO FITNESS OR USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.

The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.