



# 2-DAY AUCTION

## MAJOR OILFIELD MACHINING, FABRICATION, ASSEMBLY, DESIGN & ENGINEERING FACILITY CLOSING - EVERYTHING MUST SELL

Featuring: Mazak, G&L & ESAB CNC & Manual Machine Tools & Fab Equip.; Welding; Blast & Paint; Drilling Tool Test Equip.; Buildings for Removal; (Over 80) Bridge & Jib Type Cranes; Plant Support; More! • Time Online Only



MAZAK PALLETECH HORIZONTAL MACHINING CELL



ESAB PLASMA/OXY-FUEL/WATERJET SHAPE CUTTING SYSTEM

2003



SAMPLE VIEW OF METAL BUILDINGS FOR REMOVAL

NOV TEST DRILLING RIG

Assets at the Premises of  
**NATIONAL OILWELL VARCO**  
759 ECKOFF STREET, ORANGE, CALIFORNIA 92868  
*(See Directions on Page 7)*

**TIMED ONLINE ONLY**  
**BIDS START CLOSING 10:00 A.M. CST**

**TUESDAY,**  
**NOVEMBER 16**

**WEDNESDAY,**  
**NOVEMBER 17**



LARGE CAPACITY

DEMATIC AUTOMATIC STORAGE AND RETRIEVAL SYSTEM



BINKS DRIVE-THRU PAINT SPRAY BOOTH

**INSPECTION:** Monday, November 15,  
9:00 A.M. to 4:00 P.M. PST  
**PPE REQUIRED FOR INSPECTION**



FOR ONLINE BIDDING AT THIS AUCTION. Go to [www.pmi-auction.com](http://www.pmi-auction.com) and click on **BidSpotter** on our calendar page for this auction sale.

**BUYER'S PREMIUM:**  
**18% WEBCAST**

Read Partial Terms  
& Conditions Inside

Sale Conducted By: **PLANT & MACHINERY INC.**  
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE  
1304 Langham Creek Drive, Suite 454, Houston, Texas 77084  
PHONE: (713) 691-4401 FAX: (713) 672-7905

E-MAIL: [pmi@pmi-auction.com](mailto:pmi@pmi-auction.com) • WEBSITE: [www.pmi-auction.com](http://www.pmi-auction.com)  
HOUSTON • DALLAS • ST. LOUIS

In Conjunction With:



201 Hansen Ct., Suite 125, Wood Dale, IL 60191  
(630) 350-2200 • [www.aaronindustrialsolutions.com](http://www.aaronindustrialsolutions.com)





**GIDDINGS & LEWIS FLEXIBLE MANUFACTURING SYSTEM**



**MAZAK PALLETECH HORIZONTAL MACHINING CELL**

**FLEXIBLE MACHINING CELL**

**GIDDINGS & LEWIS "FLOW THRU", CONSISTING OF:**

**(2) GIDDINGS & LEWIS 6" MDL. MC-60 CNC HORIZONTAL BORING MILLS,** Giddings & Lewis 8000 CNC control, 6" spdl. dia., CAT-50 spdl. taper, pallet changer to accommodate 54" T-slotted rd. pallets, hi-pressure thru spdl. coolant system, H.D. 3-way column, 120-pos. ATC, spdl. chiller, large cap. coolant tank, tool touch probe, mist collector, chip conveyor, S/N 450-264-91, S/N 450-399-96.

**(2) GIDDINGS & LEWIS MDL. 48VTMC CNC VERTICAL TURNING MACHINES,** Giddings & Lewis 8000 CNC control, 54" dia. 4-jaw pallet, #60 taper, approx. 60" ht. under rail, live spdl., 48-pos. carousel tool changer, 60 HP variable frequency drive, mist collector, chip conveyor, S/N 512-310-91, S/N 512-0350-98.

**LINEAR PALLET CARRIER SYSTEM,** assorted 54" dia. 4-jaw chucks and 54" T-slotted faceplates, system length is approx. 140', (12) pallet stations; Giddings & Lewis linear transporter cell controller.

**LINEAR PALLET HORIZONTAL MACHINING CELL**

**MAZAK PALLETECH, CONSISTING OF:**

**(3) MAZAK MAZATEK MDL. FH680 HORIZONTAL MACHINING CENTERS,** new 1997, Mazatrol M Plus CNC control, (2) set-up station, 12-pos. linear pallet pool, 120-pos. ATC, CoolJet hi-pressure thru spdl. coolant systems, CAT-50 spdl. taper, S/N 129095, S/N 129096, S/N 129027.

**CNC HORIZONTAL MACHINING CENTERS**

**MAZAK MDL. FH880 4-AXIS,** new 1998, Mazatrol M Plus CNC control, hi-pressure thru spdl. coolant system, 120-pos. ATC, mist collector, S/N 136155.

**MAZAK MDL. FH680,** new 1996, Mazatrol M Plus CNC control, 24" pallet, standard thru spdl. coolant, 40-pos. ATC, S/N 125785.

**CNC MULTI-AXIS LATHES**

**MAZAK INTEGREGX 70,** Mazatrol T Plus CNC control, 36" swing over bed, 27" swing over carriage, 157" max. dist. btwn. centers, 1,300 RPM, Y-axis, 24" dia. 3-jaw hyd. chuck, 3-pt. hyd. steadyrest, hyd. tailstock, CAT-50 milling taper, 60-pos. ATC, hi-pressure coolant system, S/N 112291.

**MAZAK INTEGREGX 35,** new 1996, Mazatrol T Plus CNC control, 16" dia. 3-jaw hyd. chuck, CAT-40 spdl. taper, hyd. tailstock, 20-pos. ATC, S/N 120516.



**GIDDINGS & LEWIS 6" CNC HORIZONTAL BORING MILL**

**CNC HORIZONTAL BORING MILLS**

**GIDDINGS & LEWIS 6" MDL. G60,** MSTECH800U CNC control retrofit, GSK servo drives, 49" x 48" built-in rotary tbl., 48-pos. ATC, CAT-50 spdl. taper, H.D. 3-way column, S/N 450-103-81.

**GIDDINGS & LEWIS 6",** Giddings & Lewis 800 CNC control, 36" x 48" pallets, CAT-50 spdl. taper, 2-pos. pallet changer, 40-pos. ATC, S/N 450-105-81.

**GIDDINGS & LEWIS 5",** MSTECH800U CNC control retrofit, 48" x 74" tbl., 60" X-axis cross travel, approx. 72" Y-axis vert. travel, #50 NST spdl. taper w/pwr. drawbar, Giddings & Lewis 48" x 60" airlift rotary tbl. (to be sold separately), S/N 445-66-80.

**SACEM 4-3/8" MDL. MST-XC-110NC,** MSTECH800U CNC control retrofit, 47" x 57-1/4" built-in rotary tbl., 67" X-axis travel, 48" Y-axis travel, 31.5" Z-axis travel, #50 NST spdl. taper, 20 HP motor, S/N 110.019-60671.

**SELECTION OF GIDDINGS & LEWIS HORIZONTAL BORING MILLS** for parts or retrofit.

**TABLE TYPE HORIZONTAL BORING MILLS**

**SACEM HERCULES MDL. MST130,** new 1980, 55" x 63-3/4" built-in rotary tbl., 5-1/8" spdl. dia., spds.: 8.4-1,200 RPM, #50 NST spdl. taper w/pwr. drawbar, pendant control, 4-axis D.R.O., S/N 1143.

**WOTAN MDL. B105-S,** 43" x 55" built-in rotary tbl., 3.9" spdl. dia., S/N 40036.

**INSPECTION:** Monday, November 15, 9:00 A.M. to 4:00 P.M. PST  
**PPE REQUIRED FOR INSPECTION**



**WOTAN 4" TABLE TYPE HORIZONTAL BORING MILL**



**MAZAK INTEGREGX 35 MULTI-AXIS CNC LATHE**



**HEM AUTOMATIC HORIZONTAL BANDSAW**





**MAZAK INTEGREGX 70 MULTI-AXIS CNC LATHE**



**ESAB PLASMA/OXY-FUEL/WATERJET SHAPE CUTTING SYSTEM**

### CNC LATHES

**GIDDINGS & LEWIS MDL. 15U NUMERILATHE**, retrofitted w/ MSTEK 800U CNC control, 18" dia. 3-jaw hyd. chuck, 3-pt. manual steadyrest, dual crown turret hyd. tailstock, approx. 72" max. dist. btwn. centers, S/N 532-165-80.

**CINCINNATI MILACRON MDL. 18U1800X100**, retrofitted w/ Fanuc 18iT CNC control, 18" hyd. chuck, 3-pt. hyd. steadyrest, S/N 5305U18-80-032.

### ENGINE LATHES

**MORI SEIKI MDL. MS1250G**, 12" chuck, spds.: 32-1,800 RPM, 2-1/2" spdl. hole, 2-axis D.R.O., S/N 6857.

**WHACHEON MDL. WL435**, spds.: 32-1,800 RPM, 2-1/2" spdl. hole, 10" dia. 3-jaw chuck, steadyrest, 2-axis D.R.O., S/N 8503-11.

### TOOL & CUTTER GRINDERS

**FARREL MDL. 60A SELLERS DRILL GRINDER**, S/N 81RD2168; (2) **CINCINNATI MILACRON NO. 2 TOOL AND CUTTER GRINDERS**, S/N F4528.F78-06-53, S/N F5220-1-79-13-37; **MAKINO TYPE C40 TOOL AND CUTTER GRINDER**, S/N E42-2705; **BALDOR H.D. PEDESTAL GRINDER**, 3 HP motor, cast iron stand; **BURR KING MDL. 760 BELT SANDER**.

### VERTICAL TURRET MILLS

**LAGUN MDL. FTV-510 POWER KNEE**, 11" x 58" tbl., variable spd. head, pwr. quill, 5" riser block, S/N SE40048.

**BRIDGEPORT SERIES 2 SPECIAL**, 11" x 58" tbl., chrome ways, 2 HP head, long. pwr. feed, 2-axis D.R.O., S/N 8011S.

**BRIDGEPORT EZ-TRAK**, 2-axis tbl. motion, 9" x 48" tbl., chrome ways, S/N 271971E.

### TOOL PRESETTER

**COMMAND MDL. DIGISET 6**, digital screen.

### COMBINATION PLASMA, OXY. FUEL & WATERJET CUTTING MACHINE

**ESAB AVENGER MDL. 1LRWJVISPC**, new 2003, 14' bridge width, 30' cutting length, 11' tbl. width, waterjet cutting head, (2) plasma cutting heads, (2) oxy. fuel torches, add'l. motorized torch holder, (2) Esab Mdl. ESP600C 600 amp plasma power supplies, (2) Presto Weld coolant circulators, Mdl. Esab PCM1125 part marking unit, Ingersoll Rand Hydrocut Streamline Mdl. SL-IV-50, 50,000 PSI waterjet intensifier w/500-lb. abrasive hopper, Ebco chiller unit, S/N 0560989647.

### AUTOMATIC HORIZONTAL BANDSAW

**HEM MDL. H160LA-DC**, 30" x 24" cap., 2" blade, 15 HP motor, H.D. infeed and outfeed tbls., programmable digital input, Cut Watcher system, S/N 417094.

### BOX FURNACES

**GM INDUSTRIES**, dims: 60"W. x 72"H. x 84"D., gas fired, recirculating system, digital temp. controls, chart recorder, Eclipse gas controls, air operated door.

**BAKER FURNACE CO. MDL. B1300CG400**, 2 million BTU, gas fired, recirculating fan system, digital temp. controls, Siemens gas controls, ceramic wool lining, S/N 333.

### HYDRAULIC POWER UNITS

(2) **NATIONAL OILWELL VARCO SELF-CONTAINED**, 90 GPM, 3,000 PSI, (2) 50 HP main pressure pumps and (1) recirculating pump, large hyd. reservoir, quick connect fittings, S/N HP45DCM04D115, S/N HP45DCF30N173.

**NATIONAL OILWELL VARCO**, 90 GPM, 3,000 PSI, (2) 50 HP hi-pressure drive motors, explosion proof controls, skid mtd., S/N HP45DC/L18U/002B.

(2) **NATIONAL OILWELL VARCO (Matched Pair)**, 45 GPM, 2,500 PSI, S/N MXHP35SL15N301, S/N MXHP35SM09X619.

**HI-TECH PRODUCTS MDL. PR4830**, new 2001, 3,000 PSI, (2) 75 HP main drive pumps, explosion proof controls, recirculating pump, quick change connector fittings and direction valve, 237 gal. reservoir, skid mtd., S/N PR4830-01.

**DON'T MISS THIS SALE**



**BAKER BOX FURNACE**

**5 AVAILABLE**



**NOV HYDRAULIC POWER SUPPLY**

**2-DAY AUCTION • TIMED ONLINE ONLY**



**BRIDGEPORT SERIES II SPECIAL VERTICAL TURRET MILL**



**COMMAND TOOL PRESETTER**

**TUESDAY, NOVEMBER 16  
BIDS START CLOSING  
10:00 A.M. CST**

**WEDNESDAY, NOVEMBER 17  
BIDS START CLOSING  
10:00 A.M. CST**



2014

2 AVAILABLE



ALM WELDING HEADSTOCK AND TAILSTOCK

HOFFMAN BLAST ROOM

2012



INGERSOLL RAND 150 HP ROTARY SCREW AIR COMPRESSOR



BINKS DRIVE-THRU PAINT SPRAY BOOTH



CUSTOM SIDE BEAM SUBARC WELDING SYSTEM



AS NEW AS 2014

VIEW OF LINCOLN WELDERS

### HEADSTOCK/TAILSTOCK WELDING POSITIONERS

(2) ALM 15,000-LB. CAP. MDL. MHL2P, new 2014, fixed headstock, tailstock mtd. to 12'L. linear runway, 100" mount arms w/vert. adj., S/N 214D-01273, S/N N/A (Note: one of these units is unused in crates).

### SUBARC SIDE BEAM WELDING SYSTEM

LINCOLN SUB-ARC, NA-5 weld control unit, sub-arc weld head mtd. to sgl. axis slide, (2) Lincoln DC600 welding pwr. sources, (2) Weld Engineering flux heaters, 60'L. weld beam.

### MIG WELDERS

(3) LINCOLN FLEXTEC 650, new 2014 and 2012, LF-72 wire feeder, S/N U1120511805 (2012), S/N U1140108476 (2014), S/N U1120609365 (2012).

LINCOLN POWERWAVE S350, new 2011, Lincoln Powerfeed 10M digital wire feeder, S/N U111080-8132.

(5) LINCOLN FLEXTEC 450, new 2013 and 2011, LF-72 wire feeder, running gear cart, S/N U1130201315 (2013), S/N U110503547 (2011), S/N U1111207651 (2011), S/N U1110603371 (2011), S/N U1130200755 (2013).

### INVERTER WELDERS

(5) LINCOLN FLEXTEC 650, as new as 2013, S/N U1120301079 (2012), S/N U1120800060, S/N U0716-2012242A w/multi-process switch, S/N U1120412269 (2012), S/N U113001490 (2013).

### WELDING ACCESSORIES

(6) LINCOLN LF-72 WIRE FEEDERS; LINCOLN EZ-MIG 140 PORTABLE MIG WELDER; (2) LINCOLN TIG MODULES; (6) LINCOLN ARC TRACKERS; LINCOLN COOLARC 40 CHILLER UNIT; (2) MILLER COOLMATE 3 CHILLERS; MILLER 70 SERIES WIRE FEEDERS; BERNARD MIG GUNS; CUTTING TORCHES; ROSEBUD TORCHES; BUGO SYSTEMS TRACK TORCH w/track; (3) VICTOR TRACK TORCHES; PHOENIX DRY ROD ELECTRODE OVEN.

### BLAST FACILITY

CIRCLE R INDUSTRIES HOFFMAN BLAST II, new 2012, dbl. end entry, dims: 15'-11"W. x 28'L. x 15'H., recirculating abrasive system w/transfer screws, bucket elevator, grid separator, Axxiom 430-lb. blast pot, blast hoses, fluorescent lighting, S/N 24LX-8611, Farr Camfil dust collection unit.

### SIDE DRAFT PAINT BOOTH

BINKS 16"W. X 49'-8"L. X 14'H., has provision for crane entry, fluorescent lighting, top mtd. air intake side draft w/integrated paint kitchen, (5) man entry doors, bi-fold front and rear entry doors, bolted galvanized panel construction w/integrated support steel.

### MISCELLANEOUS PAINTING EQUIPMENT

(2) ROLLER PAINT SUPPORT RACKS, heavy steel construction, assorted hooks; DRAFTING PAINT MIXING TBL.; 55 GAL. DRUM CRUSHER; ASSORTED JUSTRITE FLAMMABLE MATERIAL STORAGE CABINETS.

### COMPRESSED AIR SYSTEMS

INGERSOLL RAND MDL. SSREP150 ROTARY SCREW AIR COMPRESSOR, 150 HP drive, 670 CFM output, air cooled, skid mtd., S/N F12743U95312.

INGERSOLL RAND MDL. TS700 REFRIGERATED AIR DRYER, S/N 2075760002.

SEVERAL LARGE AIR RECEIVER TANKS.

### COOLING TOWERS

BALTIMORE AIR COIL, galvanized panel construction, on fabricated steel frame, (2) Baldor recirculating pumps.

EVAPCO MDL. AT19-314, hot dip galvanized steel, skid mtd., currently dismounted and ready for transport, S/N 10-383069.

2-DAY AUCTION • TIMED ONLINE ONLY

TUESDAY, NOVEMBER 16 • BIDS START CLOSING 10:00 A.M. CST

WEDNESDAY, NOVEMBER 17 • BIDS START CLOSING 10:00 A.M. CST

INSPECTION: Monday, November 15, 9:00 A.M. to 4:00 P.M. PST PPE REQUIRED FOR INSPECTION



**LARGE CAPACITY**



**DEMATIC AUTOMATIC STORAGE AND RETRIEVAL SYSTEM**



**CANTILEVER STORAGE RACKING**



**NOV DRILL TEST RIG**

**AUTOMATIC STORAGE & RETRIEVAL SYSTEM**

**DEMATIC**, eqpd. w/4,500 pallet locations, 48" x 48" x 30" wire basket size, inc 1,000 empty wire baskets, fully automated conveyor transfer system for load/unload, fully automated roller conveyor system w/cross transfer, approx. dims: 60' ttl. system height x 43'W. x 245'L., (3) carriers.

**ADJUSTABLE CANTILEVER ARM RACKING**

**DOZENS OF SECTIONS**, 48" arm length, 2,500-lb. max. per level, 5-levels high, 20' ttl. ht., wire shelving.

**DRILLING RELATED ITEMS**

**NATIONAL OILWELL VARCO DRILL TEST RIG**, fabricated steel construction, heavy fabricated base, travel block.

**NATIONAL OILWELL MDL. C-275 ROTARY TABLE**.

**NATIONAL OILWELL VARCO TOP DRIVE HOUSE**, new 2007, eqpd. w/rectifier, inverter, control and PLC cubicles, in temp. controlled sealed container, Job No. 145703B.

**OMRON OILFIELD & MARINE DIVISION INVERTER POWER UNIT**, (2) banks of inverters, power supply unit, skid mtd.

**ELECTRIC PRESSURE WASHER**

**HOTSY**, 3,000 PSI, 6 GPM, 225 deg., natural gas fired, Part No. 109-663-0, S/N 11096630-100163.

**HYDRAULIC TRASH COMPACTOR**

**WASTEQUIP MDL. 245WHD**, new 2007, 56,000-lb. compacting force, S/N LC9811.

**MISCELLANEOUS SHOP & WAREHOUSE EQUIPMENT**


**TRANSFORMERS INCL. 30 KVA W/SWITCHGEAR; MAINTENANCE REPAIR PARTS INCL. BELTS, OIL FILTERS, HOUSEKEEPING GOODS, TOOL BALANCERS, AIR FILTERS, ETC.; HUGE QTY. OF TEAR DROP STORAGE RACKS w/wire grate shelves; TAYLOR DUNN ELECTRIC POWERED MAINTENANCE CART w/overhead ladder rack and flatbed; LARGE QTY. OF INFRARED GAS FIRED WALL HEATERS; WIDE ASSORTMENT OF ROLLER DRAWER TOOL CABINETS, up to 15-drawer, some w/casters, in various configurations; LETTER/NUMBER STENCILS; HAMMERS; PNEUMATIC IMPACT WRENCH; COMBINATION WRENCHES; ADJUSTABLE WRENCHES; PRYBARS; VISE GRIPS; SCREWDRIVERS; ASSORTED CUTTING TOOLS; COUNTERBORES; (2) MILWAUKEE MAGNETIC BASE DRILLS; INSERTED CARBIDE DRILLS; SPADE DRILL HOLDERS; SPADE DRILLS; TAPPING HOLDERS w/collets; PEDESTAL GRINDERS; BURR KING SANDERS; 20" DISC SANDER; PEDESTAL DRILL PRESSES; CARBIDE GRINDERS; VERTICAL BANDSAWS; LARGE QTY. OF #50 NST SPINDLE TOOLING.**

**COPPER PIPING**

**1,000'S OF FEET OF 1" AND 2" COPPER PIPE**, currently employed for oxygen and acetylene, for removal.

**OFFICE FURNITURE & EQUIPMENT**

**LARGE QTY. OF ERGONOMIC OFFICE CHAIRS; COMPLETE CONFERENCE ROOMS; MANY EXECUTIVE OFFICE SUITES; OFFICE CUBICLES; (15) ASSORTED REFRIGERATORS; SCOTCHMAN ICE MACHINE; ASSORTED MICROWAVE OVENS; ASSORTED SAMSUNG AND OTHER FLATSCREEN TELEVISIONS up to 42" dia.; (2) 5-POSITION STAINLESS STEEL SINKS w/auto. faucets**



**NATIONAL OILWELL MDL. C-275 ROTARY TABLE**



**BALTIMORE AIR COIL COOLING TOWER**



**WASTEQUIP CARDBOARD COMPACTOR**

**DON'T MISS THIS SALE**



**HOTSY STEAM CLEANER**



**ASSORTED SUPPORT MACHINES**




**HIGH QUALITY CONFERENCE ROOM FURNISHINGS**





(1 OF 2) METAL BUILDINGS FOR REMOVAL



(1 OF 4) PROSERV 10 T. X 70' SPAN OVERHEAD CRANES

4 AVAILABLE

**2-DAY AUCTION  
TIMED ONLINE ONLY**

**TUESDAY,  
NOVEMBER 16**

**WEDNESDAY,  
NOVEMBER 17**

**FREE-STANDING METAL BUILDINGS FOR REMOVAL**

**53'L. X 38'W. X 26'-8" EAVE HT. INTERIOR DIMS.,** 16'W. x 14'H. metal roll-up door, man entry door, electrification, duct work, T6 fluorescent lighting.

**48'W. X 78'L. X 20' EAVE HT. INTERIOR DIMS.,** building constructed approx. 2012, (2) 18'W. x 18'H. roll-up doors, LED lighting.

**PORTABLE OUTDOOR BUILDING**

**8'-6" X 10'-8" INTERIOR DIMS.,** insulated panel walls, multiple windows, entry door.

**SMOKING AREAS**

**(4) 10' X 6' STEEL BEAM CONSTRUCTION,** aluminum panel roof and walls.

**WASTE TREATMENT EQUIPMENT**

**WATER MAZE WASTE TREATMENT SYSTEM,** Mdl. CLP-7034 clarifier, ozone generator, related tanks and accessories incl. paper filter, 1,348 H.O.M.

**SMART SKIM CONTAINMENT COOLANT CLARIFIER SYSTEM,** (2) pneu. diaphragm pumps, cartridge filter, Order No. 7359.

**CECOR MDL. CE10-200/200TW-S SUMP SUCKER,** elec. pwrdd., S/N 42059.

**CECOR MDL. CE10-150/150TW SUMP SUCKER,** S/N 42236.

**OVERHEAD BRIDGE CRANES**

**DEMAG 27-1/2 T. CAP. MAIN HOIST AND TROLLEY UNIT WITH 5 T. AUX. HOIST AND TROLLEY UNIT,** approx. 56' span, approx. 22' ht. under rails, dbl. box girder design, pendant control, (2) Demag elec. wire rope hoists and trolley units – unit 1 is 5 T. variable frequency drive system, S/N 09112.

**FRONTIER 20 T. X 59' SPAN,** twin girder construction, approx. 18' dist. btwn. beams, low head room design, dbl. end drive, radio controlled, (2) 20 T. hoists.

**P&H 20 T. X APPROX. 56' SPAN,** dbl. girder design, low head room design, radio controlled, Crane No. 823.

**(4) PROSERV 10 T. X APPROX. 70' SPAN,** top running, dbl. girder, I-beam construction, 20' ht. under rail, Shawbox 10 T. unitized hoist and trolley, S/N P2657-A, S/N P2657-B, S/N P-2657-C, S/N N.A.

**FRONTIER 10 T. CAP.,** I-beam construction, dbl. end drive.

**KONACRANE 3 T. X APPROX. 30' SPAN,** 72' linear underhung rail way and electrification incl.

**100'S OF FEET OF LINEAR CRANE RAIL AND ELECTRIFICATION WILL BE OFFERED AT THIS SALE.**

**FREE-STANDING CRANE SYSTEMS**

**12'W. X 12' RUNNING LENGTH,** approx. 8' under hook, Loadmate 1 T. elec. chain hoist w/pendant control.

**GORBEL 2 T. CAP.,** approx. 20' ttl. length x 8'W., 6'H. under hook, (2) 2 T. bridges, (2) Kona 2 T. elec. chain hoists.



WATER MAZE WASTE TREATMENT SYSTEM



CECOR SUMP SUCKER



DEMAG 27.5 T. OVERHEAD BRIDGE CRANE



GORBEL FREE-STANDING CRANE SYSTEM




5 T. CAP. FREE-STANDING PEDESTAL JIB CRANE

**OVER 70  
JIB CRANES  
AVAILABLE**



FREE-STANDING FORKLIFT MAINTENANCE CRANE

## NATIONAL OILWELL VARCO ORANGE, CALIFORNIA



HEAVY CAPACITY SPREADER BARS

**100 T.  
CAPACITY**

### FREE-STANDING PEDESTAL JIB CRANES

5 T. X 20' REACH, approx. 18' ht. under hook, Kona 5 T. elec. chain hoist w/pwr. trolley; 5 T. X 17' REACH, approx. 13' ht. under rail, Kona 5 T. elec. chain hoist.

### FORKLIFT SERVICE CRANES

2 T. X APPROX. 12' LINEAR TRAVEL, 6' transverse travel w/2 T. elec. chain hoist, video controlled; GENERAL HOIST 2 T. X APPROX. 12' LINEAR TRAVEL, S/N 13190-2.

### COLUMN/FLOOR MOUNTED JIB CRANES

(10) 3 T. X 20' REACH, 17' ht. under hook, Zip 3 T. elec. chain hoist w/pwr. trolley; (1) CRANEVEYOR 2 T. X 18' REACH, 17' ht. under hook, Zip-V 2 T. elec. chain hoist w/pwr. trolley; (20) 2 T. X 18' REACH, 17' ht. under hook, Zip-V 2 T. elec. chain hoist w/pwr. trolley; SPANCO 1 T. X 16' REACH, 12' ht. under rail; (10) 1 T. CAP.

### COLUMN MOUNTED JIB CRANES

KONE 4 T. X APPROX. 12' REACH, 4 T. elec. chain hoist, pendant control, pwr. trolley; (4) PROSERV 3 T. X 20' REACH, Yale elec. chain hoist; (14) 3 T. X 16' REACH, Kona elec. chain hoist, pwr. trolley; (7) KONE 2 T. X APPROX. 12' REACH, Kona 2 T. elec. chain hoist, pendant control, pwr. trolley; (16) PROSERV 1 T. CAP. AND 2 T. CAP. X 20' REACH, Yale 1 T. and 2 T. elec. chain hoists.

### MATERIAL HANDLING EQUIPMENT

(3) WALKER MAGNETIC LIFT UNITS, 8,000-LB. CAP. MDL. WBM-36PB, battery pwr'd., 115 v. on-board charger; DOZENS OF COLUMN MOUNTED RETRACTABLE AIRLINE REELS; (4) 9'W. X 15'L. HEAVY CAPACITY MATERIAL HANDLING CARTS, dual non-mar cushion tire arrangement, 26-1/2" deck height w/tow bar; (2) 100 T. CAP. SPREADER BARS, 19' overall length, storage cart; 22-1/2 T. CAP. SPREADER BAR, 15' overall length, storage cart.



WALKER 8,000-LB. CAP. LIFT MAGNETS



HEAVY CAPACITY TRANSFER CARTS

**INSPECTION:** Mon., Nov. 15, 9:00 A.M. to 4:00 P.M. PST



TAYLOR DUNN SERVICE VEHICLE

### DIRECTIONS

**FROM JOHN WAYNE AIRPORT:** Exit airport using Airport Way. Turn left onto MacArthur Blvd. and proceed approx. 1-1/2 miles. Merge onto CA-55 N toward Riverside. Proceed approx. 3 miles and merge onto I-5 N via exit 10B toward Santa Ana. Proceed approx. 4 miles. Merge onto CA-57 N via exit 107A toward Pomona. Take exit 1B for Orangewood Ave. Turn right onto W Orangewood Avenue. Turn left onto N Eckhoff Street and proceed to auction site, 759 Eckhoff Street, Orange, California 92868. Watch for auction signs.

### LODGING

**EMBASSY SUITES ANAHEIM** .....  
..... (714) 938-1111  
400 N. State College Blvd.,  
Orange, California 92868

### PARTIAL TERMS & CONDITIONS:

**PPE REQUIRED FOR INSPECTION: SAFETY GLASSES, STEEL TOED SHOES, MASK!**

An 18% Buyer's Premium Will Apply.

Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on the premises.

**ALL PAYMENTS MUST BE MADE BY CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.**

Here is an example of what your letter should be: Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of \$\_\_\_\_\_. This letter is good until December 17, 2021.

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.

Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.

The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.

Buyer agrees to accept assets purchased "AS IS," WITH "ALL FAULTS"

AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE." THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE PART OF THE AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO FITNESS OR USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.

The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.

## DON'T MISS THIS SALE

### ONLINE REGISTRATION

Register to bid at **BidSpotter**

1. Use the [link](http://www.pmi-auction.com) to Bidspotter.com on PMI's website calendar. [www.pmi-auction.com](http://www.pmi-auction.com) DO IT NOW!
2. This auction may require a Cash, or credit card, or debit card, 100% refundable deposit. If by credit or debit card, it can be added through the Bidspotter.com fully secure and PCI compliant registration process and will be assessed a 100% refundable \$3,000 (US Bidder) or a \$10,000 (Foreign Bidder) deposit in order to be approved to bid online with this auction. Cash deposits can be made by wire transfer. **DON'T WAIT.** If you are unsuccessful in the auction, the refund of your credit/debit card deposit will occur shortly after the auction ends. Cash deposits will be expedited as well.

If you need assistance, don't hesitate to call (713) 691-4401.  
**ALL BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.**



**PLANT & MACHINERY INC.**  
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

P.O. Box 218568  
Houston, TX 77218-8568

**DATED MATERIAL - PLEASE DELIVER**

**TUES., NOV. 16 • BIDS START CLOSING 10:00 A.M. CST**  
**WED., NOV. 17 • BIDS START CLOSING 10:00 A.M. CST**  
**TIMED ONLINE ONLY**



**ATTENTION: PLANT MANAGER  
OR EQUIPMENT BUYER**

Presorted  
First Class Mail  
U.S. Postage  
PAID  
Eugene, Oregon  
Permit No. 17

**MAJOR OILFIELD MACHINING,  
FABRICATION, ASSEMBLY, DESIGN  
& ENGINEERING FACILITY CLOSING  
- EVERYTHING MUST SELL**

Featuring: Mazak, G&L & ESAB CNC & Manual  
Machine Tools & Fab Equip.; Welding; Blast &  
Paint; Drilling Tool Test Equip.; Buildings for  
Removal; (Over 80) Bridge & Jib Type Cranes;  
Plant Support; More! • Time Online Only

**2-DAY AUCTION**  
**ORANGE, CALIFORNIA**

**2-DAY TIMED ONLINE ONLY AUCTION**  
**BIDS START CLOSING 10:00 A.M. CST**


**TUESDAY, NOVEMBER 16**  
**WEDNESDAY, NOVEMBER 17**



**BORING MILL SPINDLE TOOLING**



**GIDDINGS & LEWIS CNC LATHE**



**(1 OF 4) PROSERV 10 T. X 70' SPAN  
OVERHEAD CRANES**

**70' SPAN**  
**4 AVAILABLE**

**INSPECTION:** Monday, November 15, 9:00 A.M.  
to 4:00 P.M. PST. **PPE REQUIRED: SAFETY  
GLASSES, STEEL TOED SHOES, MASK!**



**ROLLER DRAWER TOOL CABINETS**



**HIGH QUALITY TEARDROP PALLET RACK**



**4 T. CAP. COLUMN MOUNTED JIB CRANES**

**OVER 70  
AVAILABLE**