







HWACHEO Hi-ECO 35 CNC LATHE

CNC LATHES

CLAUSING MDL. CK104122-TT, new 2010, Fanuc 18i-TB CNC control, 104" swing over bed, 84" swing over cross slide, 122" distance btwn. centers, 33,000-lb. btwn.centers, 12.4" spdl. bore, spds. (4-ranges) 12–400 RPM, 100 HP, extended carriage w/twin 4-pos. turret arrangement, 84" dia. faceplate w/4-jaw blocks, 48" 4-jaw chuck, steadyrest, dual chip conveyors, sliding covers, S/N 09120764.

(2) MORI SEIKI MDL. NL-3000MC/1250, new 2007, MSX-850 CNC control, 27.56" swing over bed, 16.54" max. turn dia., 49.61" turn length, 4.13" spdl. bore, 10–3,000 RPM, 30 HP, 6,000 RPM live tool spds., 5.5 kW live tool motor, 12-pos. turret, 15" dia. 3-jaw hyd. chuck, tool presetter, chip conveyor, S/N NL-301GB0786, S/N NL301GB0785.

(2) HWACHEON MDL. HI-ECO 35, new 1997, Fanuc OT CNC control, 20.4" swing over bed, 14.96" turn dia., 23.6" turn length, 3.54" spdl. bore, 30-3,200 RPM, 25 HP, 10-station turret, 12" hyd. chuck, tool presetter, chip conveyor, S/N M06334505L-01, S/N N.A. (needs repair).

INSPECTION: Monday, April 19, 9:00 A.M. to 4:00 P.M. Wearing Masks and Social Distancing will be required.

MORI SEIKI NL-3000MC/1250 3-AXIS CNC LATHE



CNC SLIDING GAP BED LATHE

BINNS & BERRY MDL. DATA 90, new 1994, Fanuc OT CNC control, approx. 84" approx. sw. in gap, 33.4" swing over bed, 90" distance btwn. centers bed closed, 72" length of gap bed open, approx. 160" max. distance btwn. centers, 3-range gear box from 2-900 RPM, 4-pos. turret, 42" dia. 3-jaw air chuck, tailstock w/pressure gauge, remote operator's pendant, pedestal control, moving bed, S/N . 8041.

ABLE



C

E

N

T

U

R



REMFG

2002



NEW CENTURY 60" CNC VERTICAL BORING MILL

CNC VERTICAL BORING MILLS

FEMCO MDL. VL-25, new 11/2009, Fanuc Oi-TC CNC control, 118" swing, 70.86" max. turning ht., 8.66" x 8.66" ram cross section, 24,500 NM tbl. torque, 106" dia. tbl., 44,000-lb. max. tbl. load, tbl. spds.: 1.6-160 RPM, built-in 4-jaw chuck, 8-pos. ATC, (4) top jaws, (7) assorted toolholders, R.H. and L.H chip conveyors, 37/45 kW output spdl. drive motor, electrical cabinet air conditioning, operators platform, S/N V480003.

NEW CENTURY MDL. CENTURY TURN 60" VTC, remfg. 7/2003, Fanuc 18i-T CNC control, independent 61" dia. 3-jaw independent chuck, approx. 68" swing, approx. 48" ht. under rail, 300 RPM, 12-pos. Capto C6 ATC, chip conveyor, S/N 2239.

NEW CENTURY MDL. CENTURY TURN 46" VTC, remfg 2002, Fanuc 18i-T CNC control, 46" dia. tbl., approx. 60" swing, 3-jaw independent chuck, 12-pos. ATC, elevating rail, approx. 36" max. under rail, chip conveyor.



TUESDAY, APRIL 20 • 10:00 A.M.

FOR ONLINE BIDDING AT THIS AUCTION. Go to www.pmi-auction.com and click on BidSpotter.com or proxibid on our calendar page for this auction sale.

NEW CENTURY 46" CNC VERTICAL BORING MILL

CNC VERTICAL MACHINING CENTER

VIPER MDL. VMC-2100, new 12/2007, Fanuc 18i-MB CNC control, 83" x 41.3" tbl., 6,600-lb. load, 81" X, 40" Y, 32.2" Z-axis travels, CAT-50, 60-6,000 RPM, 25 HP, 32 ATC, thru spdl. coolant w/Chipblaster hi-pressure pump, integrated hyd. fixturing, dual chip conveyors, S/N 010675.





BULLARD 74" CUTMASTER VERTICAL BORING MILL

VERTICAL BORING MILLS

BULLARD 74" CUTMASTER, R.H. and L.H. swiveling ram, side head, plain tbl. w/top jaws, 40 HP main drive motor, spds.: 3.3–120 RPM, S/N 25986.

KING 72", 72" built-in faceplate, (4) top jaws, approx. 82" swing, L.H. swivel ram head, R.H. turret head, side head w/hyd. tracer attach., rewired pendant, 50 HP tbl. drive motor, 3-axis D.R.O.



WARNER & SWASEY 4A SADDLE TYPE TURRET LATHE



KING 72" VERTICAL BORING MILL

MILLING MACHINES

SUPERMAX SERIES 2 MDL. YC2GS HORIZONTAL/VERTICAL MILL, new 1982, horiz. and vert. spdls., variable spd. vert. to 1,500 RPM, 3-way pwr. tbl. feeds, front tbl. handle, S/N 12732.

BRIDGEPORT MDL. J VERTICAL TURRET MILL, 9" x 42" tbl., longitudinal pwr. feed, belt driven head, S/N 77521.

SADDLE TYPE TURRET LATHE

WARNER & SWASEY MDL. 4A M3550, 9" spdl. hole, crossliding turret, 28" dia. 3-jaw chuck w/pwr. wrench, assorted turret tooling, S/N 1591333.

ENGINE LATHES

AMERICAN TURNMASTER MDL. POWER FIVE 50-100 H.D. GAP BED, new 2007, 50" swing over bed, approx. 70" swing over gap, 17" length of gap, 4-way toolpost, spds.: 7–700 RPM, 40 HP motor, 6" spdl. bore, roller jaw steadyrest, inch/metric thdng., pwr. rapid traverse, Newall 2-axis D.R.O., S/N 0701047.

(2) ROMI MDL. 20-15L, new 1998, 20" swing over bed, 15" swing over crosslide, 60" distance btwn. centers, spds.: 31-1/2–700 RPM, 4-1/8" spdl. bore, Newall 2-axis D.R.O., Adjust-Tru 15" dia. 3-jaw chuck, quick change toolpost, inch/metric thdng., S/N 002-083219-143, N.A.

MAZAK 24" X 60", 3.15" spdl. hole, Newall 2-axis D.R.O., spds.: 25–1,500 RPM, inch/metric thdng., S/N 44321.

LEBLOND REGAL 17" X 60", servo shift headstock, spds.: 25– 1,000 RPM, 1-7/8" spdl. hole, Newall 2-axis D.R.O., taper attach., 18" dia. 4-jaw chuck.









TUESDAY, APRIL 20 10:00 A.M.

INSPECTION: Monday, April 19, 9:00 A.M. to 4:00 P.M. Wearing Masks and Social Distancing will be required.

FOR ONLINE BIDDING AT THIS AUCTION. Go to www.pmi-auction.com and click on BidSpater.com or proxibid on our calendar page for

this auction sale.

DAKE 25DA H-FRAME PRESS

Live Onsite w/Webcast – At the Premises of **GUNNEBO INDUSTRIES** 1240 NORTH HARVARD AVENUE TULSA, OKLAHOMA 74115

(See Directions Inside)

DON'T MISS THIS SALE!

HUGE QUANTITY OF RAW MATERIAL – SEE PAGE 7



ROMI 20" X 60" ENGINE LATHE



LEBLOND REGAL 17" X 60" ENGINE LATHE

CARLTON 3' X 11" RADIAL ARM DRILL

MISCELLANEOUS MACHINERY

BLAST SYSTEM

NATCO CARLTON 6' X 19" RADIAL ARM DRILL, H.D. steel tbl., S/N 1006 (*Note: currently in need of repair).

CARLTON 3' X 11" RADIAL ARM DRILL, pwr. head traverse, tilting box tbl., S/N 1A3233. RIDGID MDL. 1822-1 PIPE THREADER, running gear, assorted attachs., S/N EA16624C98.

EMPIRE PROFINISH MDL. PF3648 GLOVE BOX STYLE BLAST SYSTEM, recirculating media system, S/N 4802.

WHITCO MDL. 4020PED STEAM CLEANER SKID, diesel fired, S/N 22991.

PORTABLE CONCRETE MIXER w/Briggs & Stratton 1450 gas pwrd. engine.

(2) PROCUT 1" PEDESTAL DRILL PRESSES, new 2007, 12-spd., integrated metal tbl.

CUSTOM H-FRAME HYDRAULIC PRESS, 30" distance btwn. uprights, 30" x 60" heavy fabricated steel tbl., approx. 12" stroke, independent hyd. system, assorted tooling for press applications.

DAKE MDL. 25DA H-FRAME HYDRAULIC PRESS, integrated hyd. unit, 28" distance btwn. uprights, adj. ht. bed, 12" ram stroke, S/N 1122501.



ALLTRA 4-HEAD CNC OXY. FUEL SHAPE CUTTING MACHINE



ALLTRA CNC PLASMA SHAPE CUTTING MACHINE

CNC PLASMA CUTTING MACHINE

ALLTRA 10' X 20' MDL. PG-14-10, new 2006, Burny 10 LCD Plus CNC control, single plasma cutting head, aux. oxy. fuel cutting head w/electric torch elevation, down-draft tbl., S/N 5231 (*Note: The Hypertherm Plasma Power Supply to this machine is not included).



DAKE 175 T. PLATE STRAIGHTENING PRESS

HYDRAULIC PLATE STRAIGHTENING PRESS

DAKE 175 T. CAP. MDL. 175370, 84"W. btwn. columns, pwr. traveling frame, adj. ht. cross rail, integrated hyd. system, cross head motion, 84"W. x 96"D. straightening bed, S/N 919447.

AUTOMATIC HORIZONTAL BANDSAWS

HYD-MECH MDL. S20A AUTOMATIC, Series 2, 1-1/4" blade, mitering head, H.D. infeed roller conveyor, programmable infeed, variable blade spd., digital programming system, S/N 80301082.

HEM MDL. H-120LA AUTOMATIC, 1-1/2" blade, fully auto. operation, H.D. infeed roller conveyor, S/N 359491.

DOALL MDL. C916 SEMI-AUTOMATIC, 1" blade, infeed roller conveyor, outfeed tray, S/N 527-98793.

CNC OXY. FUEL CUTTING MACHINE

ALLTRA 10' X 20' MDL. G14-10, new 8/2005, Burny 10 LCD Plus CNC control, (4) oxy. fuel cutting heads w/motorized torch holders, down-draft cutting tbl., S/N 5130.

TUESDAY, APRIL 20 • 10:00 A.M.



HYD-MECH S-20A AUTOMATIC HORIZONTAL BANDSAW



HEM H-120LA AUTOMATIC HORIZONTAL BANDSAW

FOR ONLINE BIDDING AT THIS AUCTION. Go to www.pmi-auction.com and click on **BidSi@ter.com** or proxibid on our calendar page for this auction sale.



DOALL C-16 SEMI-AUTOMATIC HORIZONTAL BANDSAW



SEAMLESS STEEL TUBING MATERIAL

SEAMLESS TUBING & BARSTOCK

HUGE ASSORTMENT OF SEAMLESS TUBING of all varieties and grades, rounds up to 14" dia., seamless pipe down to 1/2"; ASSORTED CARBON STEEL AND STAINLESS STEEL BAR – Please inspect onsite.

HEAVY PLATE STEEL HUGE ASSORTMENT OF HEAVY PLATE STEEL UP TO 7" THICK, complete plates up to 8' x 20' x 2" sizes.



HEAVY PLATE STEEL





FORGED RINGS



BEARINGS

HUGE SELECTION FOR MATERIAL HANDLING APPLICATIONS, mostly roller bearings, by McGill, Rollway, Timken, NBI Bearings and SKF, wide variety of sizes up to 14" dia., 100's of bearings to be offered in this sale.

BRONZE BEARING MATERIAL

HUGE ASSORTMENT OF OIL BRONZE BEARING MATERIAL, seamless tubing, assorted brass tubular stock.

VIEW OF H.D. ROLLER BEARINGS

HUGE SELECTION OF BRONZE BEARING MATERIAL





RANSOME 4,000-LB. AND KOIKE ARONSON 2,000-LB. WELDING POSITIONERS

WELDING POSITIONERS

ARONSON MDL. HD100, 10,000-lb. @ 12" L.C., 48" rd. platen, 24" dia. thru hole 3-jaw chuck, adj. ht. base, S/N 67109.

(2) PRESTON EASTIN MDL. PA45HD-12, new 1998, 4,500-Ib. cap. @ 12", 42" sq. slotted platen, 24" dia. hollow 3-jaw chuck, adj. ht. base, S/N PB45HD-104, PB45HD-103.

KOIKE ARONSON MDL. HD45VF, new 2006, 4,500-lb. cap. @ 12" L.C., adj. ht. base, 36" sq. slotted platen, 24" dia. hollow 3-jaw chuck, pwr. control pendant, S/N 42282.

RANSOME MDL. 40P, 4,000-lb. cap. @ 6" C.G., 36" rd. slotted platen, Ransome 3-jaw welding chuck, pwr. pendant w/D.R.O., adj. ht. base, S/N 1827899.

(2) KOIKE ARONSON MDL. HD20A-PTVR2, 2,000-lb. cap. @ 6" L.C., 24" dia. rd. slotted platen, 15" dia. hollow 3-jaw chuck, adj. ht. base, pwr. control pendant, S/N 43207, 42260.

(2) PROFAX MDL. WP-1000, 1,000-lb. cap., 24.5" round platen, foot pedal controls, S/N 1917, 1915.

MIG WELDERS

(2) MILLER DIMENSION 1000 MIG WELDERS, 1,000 AMP @ 44 v. rated output, 100% duty cycle, w/Miller 70 Series dual head wire feeder, S/N LH200342C, LH200343C.

LINCOLN MDL. FLEXTEC 650 INVERTER DUAL WIRE, new 2017, 650 amps, Lincoln Mdl. 84 dual flex feed wire feeder, S/N U1170401987.

(6) MILLER MDL. DIMENSION 652 DUAL WIRE, 650 amps @ 44 v., 100% duty cycle, Miller 70 Series dual wire feeder, S/N LG240401C, KJ107141, KF839643, LH280432C, KJ076662, MC160102U.

(7) MILLER MDL. DIMENSION 652, 650 amps @ 44 v., 100% duty cycle, Miller 70 Series single wire feeder, S/N LG330125C, LG330128C, MC350034C, LH280431C, MC19485U, KJ026258, KJ189950.


(2) MILLER MDL. DIMENSION 452 DUAL WIRE, 450 amps @ 38 v., 100% duty cycle, Miller 70 Series dual wire feeder, on portable cart, S/N KJ119986, KG141471.



MILLER DIMENSION 1000 MIG WELDERS



LINCOLN FLEXTEC 650 INVERTER DUAL WIRE MIG WELDER



ARONSON 10,000-LB. WELDING POSITIONER



KOIKE ARONSON 4,500-LB. WELDING POSITIONER



PRESTON EASTIN 4,500-LB. WELDING POSITIONER





MILLER DIMENSION 652 DUAL WIRE MIG WELDER



WELD-AROUND CIRCULAR WELDER



VIEW OF WELDING CELLS

Live Onsite w/Webcast – At the Premises of GUNNEBO INDUSTRIES 1240 NORTH HARVARD AVENUE TULSA, OKLAHOMA 74115

(See Directions Inside)

TIG WELDERS

MILLER MDL. SYNCROWAVE 250, TIG torch, foot pedal, S/N JK534890.

LINCOLN PRECISION TIG 225 TIG, new 2015, TIG torch, foot pedal S/N U1150202504.

PORTABLE WELDER

MILLER MDL. BOBCAT 225NT, 225 amps, 8,000 watt generator, Onan Performer Mdl. 16 LPG pwrd. engine, tank, leads, skid mtd., 576 H.O.M., S/N KH517603.

MISCELLANEOUS WELDING EQUIPMENT

(5) CUSTOM WELDING MANIPULATORS, for circular welding, Gullco 2-axis slides, some equipped w/flux pot, wire feed system and Weld Engineering flux heater.

WELD-AROUND MDL. 300 CIRCULAR WELDER, 30" dia. slotted tbl., pwr. rotation, variable spd. welding head, fabricated stand.

48" X 120" H.D. WELDING TBL., 1" thk. steel top; 106" DIA. H.D. WELD-ING TBL., 2-1/2" thk. steel top, heavy fabricated base; 60" DIA. H.D. WELDING TBL., 1" thk. steel top, heavy fabricated base; 72" ROUND H.D. WELDING TBL., 2-1/2" thk. steel top; 10' DIA. H.D. WELDING TBL., 2" thk. steel top; 45" x 72" WELDING TBL., 1-1/2" thk. steel top, heavy fabricated base; 100" DIA. WELDING TBL., 2" thk. steel top, heavy fabricated base; 0XY./ACY. TORCH KIT w/cart, hoses and gauges; CENTRAL MULTI-SMART FLEX ARM WELD FUME VACUUM SYSTEM; ASSORTED TIG WIRE; WELDING ROD; ASSORTED WELDING WIRE; MILLER MDL. SUITCASE X-TREME 12VS WIRE FEEDER.



CUSTOM BUILT HYDRAULIC PULL TESTER, heavy fabricated frame, adjustable crosshead, Forney digital gauges, operators control pulpit, heavy safety shields.

TUESDAY, APRIL 20 • 10:00 A.M.



HYSTER 12,000-LB. BASE CAP. FORKLIFT

(17) FORKLIFTS AVAILABLE -SEE PAGE 11

INSPECTION: Monday, April 19, 9:00 A.M. to 4:00 P.M. Wearing Masks and Social Distancing will be required.



9

WHITCO STEAM CLEANER SKID

> AVERY WEIGH-TRONIX 5,000-LB. CAP. PLATFORM COUNTING SCALE







ABELL-HOWE 2 T. PEDESTAL JIB CRANE



MATERIAL HANDLING EQUIPMENT

(2) WALKER 11,000-LB. CAP. MAGNETIC LIFTS; (2) WALKER 4,000-LB. CAP. MAGNETIC LIFTS; (2) WALKER 2,400-LB. CAP. MAGNETIC LIFTS; (3) WALKER 1,000-LB. CAP. MAGNETIC LIFTS; CAS 10,000-LB. CAP. MDL. 5THD DIGITAL CRANE SCALE; (2) ROURA 2 CU. YD. SELF-DUMPING HOPPERS; ROURA 1-1/2 CU. YD. HOPPER; (2) ROURA 1 CU. YD. HOPPERS; ASSORTED BANDING CARTS w/tools; ALUMINUM DOCK PLATE; (2) AVERY WEIGH-TRONIX 5,000-LB. CAP. MDL. DSL4848-05 DIGITAL PIECE COUNT SCALE, pedestal w/digital count scale, large 48" platform, S/N 67271, S/N N.A.; (7 SETS) DOUBLE SIDED CANTILEVER MATERIAL STORAGE RACKS, 18" adj. arms; (162) PALLET RACK SECTIONS; HUGE ASSORTMENT OF CHAINS AND SLINGS for lifting; VESTIL EXTENDABLE FORKLIFT BOOM w/fork attach.

MISCELLANEOUS SHOP & WAREHOUSE EQUIPMENT

LARGE QTY. OF PEDESTAL FANS up to 24"; 36" AIR CIRCULATORS; PORTABLE PORT-A-COOL EVAPORATIVE COOLERS; PORT-A-COOL CYCLONE 2000 EVAPORATIVE COOLERS; BINKS 2 GAL. AIR SPRAY POT w/spray gun; RED DEVIL CLASSIC PAINT SHAKER; (3) ASSORTED FLAMMABLE MATERIAL STORAGE CABINETS; LARGE QTY. OF PLASTIC DUNNAGE BOXES, stackable and nesting, some hopper front, rugged plastic construction; ROLLING SHOP STAIRS up to 10' ht.; LISTA ROLLER DRAWER TOOL STORAGE CABINET, 11-drawer; ASSORTED MAPLE TOP STEEL BASE WORKBENCHES; WILTON 6" H.D. BENCH VISE; (200+) RIDGID DROP FRONT METAL BASKETS, 33"W. x 40"D. x 17"H., stacking lugs, extra H.D.

ROLLER DRAWER TOOL CABINET



DROP-FRONT RIDGID STACKING WIRE BASKETS

COMPLETE MAINTENANCE SHOP

CONSISTING OF: BELT SANDERS; DRILL PRESSES; DAKE 50 T. CAP. H-FRAME HAND HYDRAULIC PRESS; ASSORTED REPAIRS PARTS of all sizes and descriptions; ROLLER DRAWER TOOL CABINETS; HUGE ASSORTMENT OF HAND AND POWER TOOLS; FASTENERS; FUSES; LIGHT BULBS; FITTINGS; CONDULETS; SWITCHES; BEARINGS; HOSES; ROLLER CHAIN; COPPER TUBING; BRAIDED STAINLESS HOSES; DIRECTIONAL VALVES.

COLUMN MOUNTED JIB CRANES

(5) ABELL-HOWE 1 T. X 10' REACH, Harrington 1 T. cap. electric chain hoist.

(4) ABELL-HOWE 1/2 T. CAP., Harrington 1/2 T. cap. electric hoist.

(3) 1/4 T. CAP., electric chain hoist.



TOYOTA CNG 5,000-LB. BASE CAP. FORKLIFT



INGERSOLL RAND NATURAL GAS COMPRESSOR SYSTEM



KOMATSU CNG 5,000-LB. BASE CAP. FORKLIFTS

FREE STANDING PEDESTAL JIB CRANES

GAFFEY 5 T. X APPROX. 13' REACH, 13' ht. under rail, pwr. rotation, Coffing 5 T. cap. electric chain hoist, pwr. trolley, S/N 9810154-1.

GAFFEY 2 T. x 14' REACH, 15' ht. under arm, Yale 2 T. cap. electric chain hoist, pwr. trolley.

ABELL-HOWE 2 T. X 14' REACH, Harrington electric chain hoist.

SPANCO 2 T. X APPROX. 12' REACH, currently approx. 10' ht. under rail, fabricated steel riser block, Harrington 2 T. cap. electric chain hoist.

(6) ABELL-HOWE 1 T. X APPROX. 14' REACH, w/Budgit, Harrington, or Ingersoll Rand 1 T. cap. chain hoist.

GAFFEY 1 T. CAP., Ingersoll Rand 1 T. cap. air hoist.

(3) CUSTOM 1 T. X 14' REACH, w/Budgit, or Harrington 1 T. cap. electric chain hoist.

GAFFEY 1/2 T. X 11' REACH, 10' ht. under rail, Budgit 1/2 T. cap. electric chain hoist.

AMERACRANE 1/2 T. CAP., Harrington electric chain hoist.

CNG FORKLIFTS

(8) KOMATSU 5,000-LB. BASE CAP. MDL. FG25ST-14, 4,450-lb. cap. @ 24" L.C., currently arranged for compressed natural gas fuel (may be converted to propane), 188" max. lift, cushion tire, side shift, load grate, dock lights, S/N 586864A, 586860A, 586861A, 51929A, 58686A, 580564A, 86862A, 586457A.

TOYOTA 5,000-LB. BASE CAP. MDL. 8FGCU-25, 4,500-lb. cap. @ 24" L.C., currently arranged for compressed natural gas fuel, 189" max. lift, side shift, load grate, dock lights, S/N 20442.

TUESDAY, APRIL 20 10:00 A.M.

FOR ONLINE BIDDING AT THIS AUCTION. Go to www.pmi-auction.com and click on BidSignature.com or proxibid on our calendar page for this auction sale.

PARTIAL TERMS & CONDITIONS: A 15% Buyer's Premium Will Apply Onsite. An 18% Buyer's Premium Will Apply Online. Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on the premises.

ALL PAYMENTS MUST BE MADE BY CASH, CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.

Here is an example of what your letter should be: Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of \$______. This letter is good until May 20, 2021.

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.

Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.

The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.

Buyer agrees to accept assets purchased "AS IS," WITH "ALL FAULTS" AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE." THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE PART OF THE AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO FITNESS OR USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.

The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.

NATURAL GAS COMPRESSOR SYSTEM

INGERSOLL RAND MDL. 05H25NGSX, new 2000, 1,000 RPM, 1–5 PSIG inlet pressure, 5,000 PSIG max. discharge pressure, Murphy Selectronic micro-controller, spherical storage receiver, S/N 964738.

LPG FORKLIFTS

HYSTER 12,000-LB.CAP. MDL. S120FT, LPG, new 2015, 83" triple stage mast, 163" lift ht., cushion tires, forks, S/N J004V01822N.

CAT 10,000-LB. BASE CAP. MDL. GC45KS1, LPG, 100" triple stage mast, 210" lift ht., cushion tires, sideshift, 72" forks, S/N AT87A01492.

CAT 8,000-LB. BASE CAP. MDL. GC40K, new 2015, 93" triple stage mast, 201" lift ht., sideshift, cushion tires, 48" forks, S/N AT87B00754.

(2) YALE 8,000-LB. BASE CAP. MDL. GLC080, new 2014, 94" triple stage mast, 204" lift ht., LPG, box car special, sideshift, cushion tires, 48" forks, S/N F818V02554M, 02260M.

TOYOTA 6,500-LB. BASE CAP. MDL. 8FGCU32, new 2016, 86" triple stage mast, 187" lift ht., rotating forks, cushion tires, S/N 66304.

KOMATSU 5,000-LB. BASE CAP. MDL. FG25ST-14, 4,450-lb. cap. @ 24" L.C., arranged for LP gas, 188" max. lift, cushion tire, side shift, load grate, dock lights, S/N 591138A.

DON'T MISS THIS SALE

INSPECTION:

Monday, April 19, 9:00 A.M. to 4:00 P.M. Wearing Masks and Social Distancing will be required.

DIRECTIONS

FROM TULSA INTERNATIONAL AIRPORT: Exit airport using Airport Drive. Merge onto OK-11 W. toward downtown Tulsa and proceed approx. 3 miles. Take the Harvard Exit and turn left onto N. Harvard Ave. Proceed approx. 2 miles to auction site, 1240 N. Harvard Ave., Tulsa, OK 74115. Watch for auction signs.

LODGING

HILTON GARDEN INN – TULSA AIRPORT 7728 E Virgin Court, Tulsa, OK 74115 1 (918) 838-1444 (9 minutes from sale site).

ONLINE REGISTRATION

Register to bid at BidSpotter.com or proxibid.

1. Use the <u>link</u> to Bidspotter.com or

Proxibid.com on PMI's website calendar. www.pmi-auction.com DO IT NOW!

2. This auction may require a Cash, or credit card, or debit card, 100% refundable deposit. If by credit or debit card, it can be added through the Bidspotter.com or Proxibid.com fully secure and PCI compliant registration process and will be assessed a 100% refundable \$3,000 (US Bidder) or a \$10,000 (Foreign Bidder) deposit in order to be approved to bid online with this auction. Cash deposits can be made by wire transfer. DON'T WAIT. If you are unsuccessful in the auction, the refund of your credit/debit card deposit will be refund of your credit/debit card deposit will

box twint, in you are unsuccessful in the addution the refund of your credit/debit card deposit will occur shortly after the auction ends. Cash deposits will be expedited as well. If you need assistance, don't hesitate to call

(713) 691-4401. ALL BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.



DATED MATERIAL - PLEASE DELIVER

LATE MODEL LARGE CAPACITY **MACHINE TOOLS, FABRICATING & WELDING** EQUIPMENT, WIDE SELECTION OF **RAW MATERIAL, MATERIAL HANDLING** & SHOP SUPPORT EQUIPMENT





PUBLIC INVITED

TUESDAY, APRIL 20 • 10:00 A.M.



ATTENTION: PLANT MANAGER

OR EQUIPMENT BUYER

Presorted First Class Mail U.S. Postage PAID Eugene, Oregon Permit No. 17

