



# 2-DAY AUCTION

## LANGHAM CREEK MACHINE WORKS, INC.

Equipment may be inspected at the following sites;

**LOCATION #1: 4408 JOYCE BLVD., HOUSTON, TX 77084**

**LOCATION #2: 37470 FM 529, BROOKSHIRE, TX 77423**

**INSPECTION: Mon. & Tues., August 9 & 10, 9:00 A.M. to 4:00 P.M.**

## HUGE OFFERING OF LATE MODEL MACHINE TOOLS & SUPPORT EQUIPMENT

Climate Controlled Facilities Featuring: (50+) Major CNC Machine Tools new as 2018 w/low hours; (11) EDM Machines new as 2019; (6) CNC Boring, Gun Drilling & Honing Machines new as 2014; (3) Laser Welding Machines new as 2019; Heat Treat Dept.; 300 T. Straightening Press; Grinders; Bandsaws; Welding Machines; Q.C. & Measuring Tools; Tooling & Precision Machine Accessories; Pedestal & Gantry Cranes; Forklifts; Trucks; MORE!



**2014**

UNISIG CNC  
COUNTER-ROTATING  
DEEP HOLE DRILL

CHARMILLES  
CUT350P 5-AXIS  
CNC WIRE EDM

**TOOLING  
INCL.**



**2019**

**DAY ONE: WEDNESDAY, AUGUST 11**  
**LIVE THEATER-STYLE DIGITAL PHOTO AUCTION**  
at the **OMNI HOUSTON HOTEL AT WESTSIDE**  
**13210 KATY FREEWAY, HOUSTON, TX 77079**  
BUYER'S PREMIUM: 15% ONSITE at the SLIDE SALE • 18% WEBCAST

**DAY TWO: THURSDAY,**  
**AUGUST 12 • 10:00 A.M.**  
**TIMED ONLINE ONLY**  
**BIDS START CLOSING AT 10:00 A.M.**  
BUYER'S PREMIUM: 18% TIMED ONLINE

**2012**



**12-1/2"  
BORE**

MAZAK  
SLANT  
TURN  
NEXUS 550  
HOLLOW  
SPINDLE  
CNC LATHE

HAAS  
VF7/50  
4-AXIS  
VERTICAL  
MACHINING  
CENTER

**2018**



**784  
CUTTING  
HRS.**

**YOU MUST REGISTER IN ADVANCE FOR ONLINE BIDDING AT THIS AUCTION.**  
Go to [www.pmi-auction.com](http://www.pmi-auction.com) and click on [BidSpotter.com](http://BidSpotter.com) on our calendar page for this auction sale.

Read Partial Terms  
& Conditions on Back Page

Sale Conducted By:

**PLANT & MACHINERY INC.**  
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

Ron Moore, TX Lic. #7314  
**HOUSTON • DALLAS • ST. LOUIS**

Headquarters:  
**1304 Langham Creek Drive, Suite 454**  
**Houston, Texas 77084**

**PHONE: (713) 691-4401**

**FAX: (713) 672-7905**

**E-MAIL: [pmi@pmi-auction.com](mailto:pmi@pmi-auction.com)**  
**WEBSITE: [www.pmi-auction.com](http://www.pmi-auction.com)**

# DAY ONE: WEDNESDAY, AUGUST 11



HAAS EC1600 4-AXIS HORIZONTAL MACHINING CENTER

2  
AVAILABLE



HAAS ES5 X-AXIS HORIZONTAL MACHINING CENTER

2012

2  
AVAILABLE



HAAS EC1600 4-AXIS HORIZONTAL MACHINING CENTER

715  
H.O.M.

## 4-AXIS HORIZONTAL MACHINING CENTERS

(2) HAAS MDL. EC1600, 64" x 36" tbl., 30" built-in rotary, 64" X, 40" Y, 32" Z-axis travels, CAT-50, 10,000 RPM, 30 HP, 30-pos. ATC, hi-pressure thru spdl. coolant, 14" x 30" x 5" drilled and tapped sub-plate, programmable coolant nozzle, wireless probing, tool touch probe, S/N 2053925 (new 10/2012, 3,650 hrs. cycle start time, 2,717 hrs. feed cutting time), S/N 2053794 (new 6/2012, 815 hrs. cycle start time, 616 hrs. feed cutting time).

HAAS MDL. EC1600-4X, new 1/2009, 64" x 36" tbl., 30" built-in rotary, 64" X, 40" Y, 32" Z-axis travels, CAT-50, 7,500 RPM, 30 HP, 30-pos. ATC, hi-pressure thru spdl. coolant, 30" dia. x 5" ht. drilled and tapped sub-plate, programmable coolant nozzle, tool touch probe, Renishaw wireless probing, hi-pressure thru spdl. coolant, dual auger style chip conveyors, 30-pos. ATC, 1,129 hrs. cycle start time, 785 hrs. feed cutting time, S/N 2053020.

(2) HAAS MDL. ES5-4AX, 20" x 52" fixed tbl. w/12" integrated platen rotary tbl., 40" X, 18" Y, 22" Z-axis travels, CAT-40, 8,000 RPM, 20 HP, 20" dia. drilled and tapped sub-plate, hi-pressure thru spdl. coolant, 24-pos. ATC, S/N 2053712 (new 4/2012, 945 hrs. cycle start time, 786 hrs. feed cutting time), S/N 2053572 (new 10/2011, 946 hrs. cycle start time, 715 hrs. feed cutting time).

## 5-AXIS VERTICAL MACHINING CENTERS

HAAS MDL. VF5/50, new 9/2011, 54" x 24" tbl., 50" X, 26" Y, 25" Z-axis travels, CAT-50, 7,500 RPM, 30 HP, 30-pos. ATC, Haas 8" dia. Mdl. TR210 trunnion style 2-axis tbl., 170 hrs. cycle start time, 138 hrs. feed cutting time, Renishaw wireless probing arrangement, hi-pressure thru spdl. coolant, programmable coolant nozzle, S/N 1089165.

HAAS MDL. VF2, new 12/2017, 36" x 14" tbl., 30" X, 16" Y, 20" Z-axis travels, CAT-40, 8,100 RPM, 30 HP, 24-pos. ATC, hi-pressure thru spdl. coolant system, Haas 6" dia. Mdl. TR160 2-axis trunnion tbl., programmable coolant nozzle, 1,474 hrs. cycle start time, 1,241 hrs. feed cutting time, S/N 1144865.

2011

138  
CUTTING  
HRS.



HAAS VF5 5-AXIS VERTICAL MACHINING CENTER

1,241  
CUTTING  
HRS.



HAAS VF2 5-AXIS  
VERTICAL  
MACHINING CENTER

2017

INCREDIBLE  
LOW HOUR  
MACHINERY!



2018



784 CUTTING HRS.

HAAS VF7/50 4-AXIS VERTICAL MACHINING CENTER

AS NEW AS 2017



6 AVAILABLE

VIEW OF HAAS VF2 4-AXIS VERTICAL MACHINING CENTERS

### 4-AXIS VERTICAL MACHINING CENTERS

**HAAS MDL. VF7/50**, new 12/2018, 84" x 28" tbl., 4,000-lb. load, 84" X, 32" Y, 30" Z-axis travels, CAT-50, 7,500 RPM, 30 HP, 30-pos. ATC, Haas rotary tbl. w/tailstock, FMX 6-jaw precision chuck, extended X-axis cover, 868 hrs. cycle start time, 784 hrs. feed cutting time, S/N 1157773.

**HAAS MDL. VF5/50/XT**, new 3/2012, 62" x 23" tbl., 60" X, 26" Y, 25" Z-axis travels, CAT-50, 7,500 RPM, 30 HP, hi-pressure thru spdl. coolant, glass scale feedback, Tsudakoma 12" dia. 4th axis rotary tbl. and tailstock w/4" thru hole, programmable coolant nozzle, Renishaw wireless probing arrangement, 3,196 hrs. cycle start time, 2,906 hrs. feed cutting time, S/N 1093368.

**(2) HAAS MDL. VF5/50**, 54" x 24" tbl., 50" X, 26" Y, 25" Z-axis travels, CAT-50, 7,500 RPM, 30 HP, 30-pos. ATC, Haas Mdl. HR310 rotary tbl. w/6-jaw precision Adjust-Tru chuck and tailstock, hi-pressure thru spdl. coolant, programmable coolant nozzle, S/N 1097708 (new 8/2011, 2,931 hrs. cycle start time, 2,675 hrs. feed cutting time), S/N 47590 (new 3/2006, 3,554 hrs. cycle start time, 2,947 hrs. feed cutting time).

**DAHLIH MDL. DL-MCV1500**, new 12/2009, Fanuc 18i-MB, 67" x 26.7" tbl., 59" X, 25" Y, 27.5" Z-axis travels, CAT-50, 4,500 RPM, 15 HP, 24-pos. ATC, Koma Mdl. RBA-400R rotary w/6" spdl. thru hole and steadyrest, S/N 3001060065/4500RPM.

**(5) HAAS MDL. VF2**, 36" x 14" tbl., 30" X, 16" Y, 20" Z-axis travels, CAT-40, 8,100 RPM, 30 HP, 24-pos. ATC, hi-pressure thru spdl. coolant, Haas Mdl. HRT210 rotary tbl., 3-jaw Adjust-Tru chuck, programmable coolant nozzle, S/N 1142773 (new 9/2017, 2,123 hrs. cycle start time, 1,866 hrs. feed cutting time), S/N 1142770 (new 9/2017, 2,519 hrs. cycle start time, 2,217 hrs. feed cutting time), S/N 1136521 (new 2/2017, 2,630 hrs. cycle start time, 2,342 hrs. feed cutting time), S/N 1088900 (new 9/2011, 3,103 hrs. cycle start time, 2,609 hrs. feed cutting time), S/N 1088851 (new 9/2011, 372 hrs. cycle start time, 388 hrs. feed cutting time).

**HAAS MDL. VF2**, new 9/2000, 36" x 14" tbl., 3,000-lb. load, 30" X, 16" Y, 20" Z-axis travels, CAT-40, 10,000 RPM, 20 HP, 20-pos. ATC, Haas rotary tbl., programmable coolant nozzle, S/N 21915.

**(2) HAAS MINI MILLS**, new 2001, 40 taper, 7.5 HP, 10 ATC, 28.75" x 12" tbl., 6,000 RPM, 600 IPM feed, travels: 16" X, 12" Y, 10" Z, cycle start time 120 hr., cutting time 105 hr., power on 10,444, S/N 24378, cycle start time 164 hr., cutting time 156 hr., power on 20,799, S/N 24379.

### CNC ROTARY TABLES

**TSUDAKOMA MDL. RB-400R**, Adjust-Tru 16" dia. 3-jaw chuck, S/N 010759; **HAAS MDL. SHRT310**, Adjust-Tru 12" dia. 6-jaw chuck, S/N 314027;

**HAAS MDL. HA5C COLLET STYLE FOLDER**, S/N 50692; **HAAS MDL. HRT210**, 8" dia. platen, S/N 228339;

**HAAS MDL. HRT210**, S/N N.A.

**HAAS MDL. TR160 2-AXIS TRUNNION TBL.**, S/N 905371.



2009

DAHLIH 4-AXIS VERTICAL MACHINING CENTER



HAAS TR160 2-AXIS TRUNNION TABLE

2012



HAAS VF5/50/XT 4-AXIS VERTICAL MACHINING CENTER

GLASS SCALES

AS NEW AS 2011



HAAS VF5/50 4-AXIS VERTICAL MACHINING CENTER

2 AVAILABLE

2001



HAAS MINI MILL

2 AVAILABLE



# DAY ONE: WEDNESDAY, AUGUST 11



MAZAK SLANT TURN NEXUS 550 HOLLOW SPINDLE CNC LATHE



SUNFIRM CST442120 HOLLOW SPINDLE CNC LATHE



WEILER E70 ELECTRONIC LATHE

## CNC HOLLOW SPINDLE LATHES

**MAZAK SLANTURN MDL. NEXUS 550 SLANT BED**, new 5/2012, Mazatrol Matrix Nexus CNC control, 40.94" swing, 36" turning dia., 123" max. machining length, 12-1/2" spdl. bore, 25" dia. 4-jaw front and rear chucks, SMW Autoblok Mdl. K51-ZSW 3 pt. pass-thru steadyrest on independent programmable slide, 12-pos. turret, hyd. tailstock on programmable slide, chip conveyor, 7,445 hrs. auto. operation time, 6,061 hrs. auto. cutting time, 5,796 hrs. ttl. cutting time, S/N 238612.

**SUNFIRM 42" X 120" MDL. CST42120-12A FLAT BED**, new 6/2006, Fanuc Oi-TC, 42" swing, 27" sw. over cross slide, 120" turn length, 12-1/2" bore, 1-400 RPM, 30 HP, front and rear 25" 4-jaw chuck, 12-pos. vert. turret, S/N 26009.

## ELECTRONIC LATHE

**WEILER MDL. E70X3000**, new 2007, 28" swing over bed, 16.9" swing over cross slide, 120" btwn. centers, 8.5" spdl. hole, 900 RPM, 50 HP, 24" dia. 4-jaw front and rear mtd. chucks, steadyrest, chip conveyor, H.D. 4-way tool post, S/N CH01.

## CNC LATHES

**(3) HAAS MDL. ST40**, 34.5" swing over front apron, 25.5" turning dia., 44" max. turning length, 4" bar cap., 2,400 RPM, 40 HP, 18" dia. 3-jaw hyd. chuck w/6" thru hole, 12-pos. turret, belt type chip conveyor, S/N 3093325 (new 8/2012, hyd. steadyrest, 2,036 hrs. cycle start time, 917 hrs. feed cutting time), S/N 3094595 (new 1/2013, 1,271 hrs. cycle start time, 1,188 hrs. feed cutting time), S/N 3091492 (new 4/2012, 710 hrs. cycle start time, 651 hrs. feed cutting time).

**(3) HAAS MDL. ST30**, 31.5" swing over apron, 21" turning dia., 30" btwn. centers, 12" dia. 3-jaw hyd. chuck, 12-pos. turret, hyd. tailstock, belt style chip conveyor, S/N 3092258 (new 6/2012, 567 hrs. cycle start time, 472 hrs. feed cutting time), S/N 3087843 (new 2/2011, 639 hrs. cycle start time, 574 hrs. feed cutting time), S/N 3088329 (new 4/2011, 3,423 hrs. cycle start time, 3,116 hrs. feed cutting time).

**HAAS MDL. SL30TB BIG BORE**, new 10/2000, 30" max. swing, 27" turning dia., 40" turning length, 4" bar cap., 3,000 RPM, 40 HP, 12" dia. 3-jaw hyd. chuck, tool pre-setter, 12-pos. turret, hyd. tailstock, belt style chip conveyor, Royal Filtermist mist collector, S/N 63357.

**(2) HAAS MDL. SL20TB CHUCKER**, new 8/2006, 20" swing over front apron, 9.5" turning dia., 15" max. turning length, 2.5" spdl. bore, 3,400 RPM, 30 HP, 10" dia. 3-jaw hyd. chuck, tool presetter, 10-pos. turret, hyd. tailstock, chip conveyor, S/N 3074401, S/N 3074562.


**HAAS MDL. SL20 CHUCKER**, new 5/2002, 20" swing over front apron, 9.5" turning dia., 15" max. turning length, hyd. collet chuck, tool presetter, parts catcher, 10-pos. vert. turret, S/N 65143.

**(2) HAAS MDL. SL10T**, new 2006 and 2005, 16.25" swing over apron, 11" turning dia., 14" turning length, 1.75" bar cap., 6,000 RPM, 15 HP, hyd. collet chuck, parts catcher, tailstock, 12-pos. vert. turret, S/N 70894 (8/2005), S/N 72369 (1/2006).





HAAS ST40 CNC LATHE



HAAS ST30 CNC LATHE

### CNC BED TYPE VERTICAL TURRET MILLS

**(3) TRAK MDL. DPMSX5P**, Prototrak SMX CNC control, 50" x 12" tbl., 40" X, 20" Y, 23.5" Z-axis travels, No. 40 NST, 5,000 RPM, 5 HP, Microdrop mist coolant system, pulse coder handles, S/N 142DM666, S/N 152DM796, S/N 103CG62945.

**(3) TRAK MDL. DPM5**, 10" x 50" tbl., No. 40 NST spd., 5 HP variable spd. drive, Prototrak Mdl. SM programmable control, pwr. drawbar, Microdrop Mdl. MD1200 mist coolant system, S/N 032AS121, S/N 02CG15418, S/N 072CG15419.

**TRAK MDL. DPM**, 10" x 50" tbl., 5 HP variable spd. spd., pwr. drawbar, Prototrak Mdl. MX2 2-axis CNC control, hardened and ground ways, S/N 99-4768.

**(3) TRAK MDL. DPM**, Trak Mdl. AGE3 CNC control, Microdrop mist coolant system, pwr. drawbar, No. 40 NST spd. taper, S/N 011BF10611, S/N 972803, S/N 013BF11345.

### CNC KNEE STYLE MILLS

**TRAK MDL. K4SX**, Prototrak SMX CNC control, 6" riser block, 10" x 50" tbl., pwr. knee, pwr. drawbar, S/N 072CL1557.

**(2) TRAK MDL. K3**, Prototrak SMX CNC control, programmable spd., 10 x 50" tbl., pwr. knee, pwr. drawbar, mist coolant system, S/N 084CK62178, S/N 084CK62178.

**BRIDGEPORT**, 9" x 48" tbl., Trak Mdl. AGE2 control, 2-axis pwr. feed, S/N 261683.

### GUN DRILL


**ELDORADO MDL. M751041**, 40" stroke, adj. thrust, Mdl. F18-1101 hi-pressure coolant system and chip recovery unit, 3 HP drive motor, S/N 1661.

**(2) ELDORADO GUN DRILL BASES AND ASSORTED ELDORADO ACCESSORIES.**



TRAK MDL. DPMSX5P 3-AXIS CNC BED MILL

RIP STEADYREST  
FOR HAAS ST30  
CNC LATHES



**LIVE THEATER-STYLE DIGITAL PHOTO AUCTION**  
**at the OMNI HOUSTON HOTEL AT WESTSIDE**  
**13210 KATY FREEWAY, HOUSTON, TEXAS 77079**

**BUYER'S PREMIUM:**  
**15% ONSITE**  
**at the OMNI HOTEL**

**18% WEBCAST**



HAAS SL30 BIG BORE CNC LATHE



HAAS SL20 CNC LATHE





**KINGSTON  
HOLLOW  
SPINDLE  
LATHE**

**2008**  
**12-1/2" BORE**



**CLAUSING  
COLCHESTER  
15" X 50"  
V/S LATHE**

**HOLLOW SPINDLE ENGINE LATHE**

**KINGSTON MDL. HI29120**, new 11/2008, 12-1/2" hole, front and rear 25" 4-jaw manual chucks, inch/metric thdng., spds.: 6-500 RPM, taper attach., (2) steadyrests, pwr. rapid traverse, 2-axis D.R.O., S/N LA202909446.

**ENGINE LATHE**

**(3) KINGSTON 17" X 60" GAP BED**, new 2003, spds.: 52-1,350 RPM, 10" dia. 3-jaw chuck, 4-jaw chuck, Sony 2-axis D.R.O., taper attach., steadyrest, inch/metric thdng., S/N CH02152, S/N CH99456, S/N N.A.

**CLAUSING COLCHESTER 15" X 50"**, new 2001, electronic variable spd., 2,000 RPM spdl. spds., 2-axis D.R.O., taper attach., steadyrest, inch/metric thdng., collet closer, 12" dia. Adjust-Tru 3-jaw chuck, S/N VT1321-1443.

**PRECISION TOOLROOM LATHES**

**(2) HARDINGE MDL. HLVH**, 10" swing, 20" dist. btwn. centers, cabinet base, assorted collets and accessories, lever type collet closer, S/N N.A.'s, (1) w/taper attach.

**FEELER MDL. FTL-618E**, new 1985, 1-1/2 HP motor, lever type collet closer, 2-axis D.R.O., cabinet base, collets and accessories, S/N TL84221.

**VICTOR MDL. 618E**, variable spd. spdl. drive from 130-3,000 RPM, variable carriage feeds, inch/metric thdng., Trak 2-axis D.R.O., collet closer, assorted collets and accessories, S/N 8512104.

**STRAIGHTENING PRESS**

**DAKE 300 T. CAP. MDL. 19-251**, 34" dist. btwn. rolling frame, 24"W. x 21"L. stationary bed, pwr. frame traverse, pneu. roller hold-down unit, approx. 18" spdl. stroke, 9" dia. ram w/14" dia. rd. flanged ram adapter, 14-1/2" sq. ram adapter plates, large V-blocks rests, S/N 154050.

**H-FRAME HYDRAULIC PRESSES**

**DAKE 50 T. CAP. MDL. 909250**, elec. driven hyd. pump, adj. ht. bed, S/N 1319827; **POWERTEAM 25 T. CAP.**, 30" dist. btwn. uprights, adj. ht. bed, elec. driven hyd. system.

**HORIZONTAL BANDSAWS**

**DOALL MDL. 500S MITERING**, new 2008, 14.17" rd. cap., 14.17" X 19.69" rect. cap., hyd. vise, swivel base, 1-1/4" blade size, V/S, 4 HP, S/N 580-06172.


**W.F. WELLS MDL. W-914A-CNC AUTOMATIC**, 9" x 14" rect. cap., 1" blade size, V/S, bundle attach., programmable feed, 3 HP S/N A3098/WA0667.

**DOALL MDL. C1213A AUTOMATIC**, 1-1/2" blade size, auto. index, S/N 412-82136.

**KALAMAZOO MDL. H9AW**, 9" rd. cap., 9" x 14" rect. cap., coolant system, S/N 12.383.



**DAKE 300 T. ROLLING FRAME  
STRAIGHTENING PRESS**



**W.F. WELLS CNC HORIZONTAL BANDSAW**

**INSPECTION:** Monday & Tuesday,  
August 9 & 10, 9:00 A.M. to 4:00 P.M.



**VIEW OF  
HARDINGE  
PRECISION  
LATHES**

**2  
AVAILABLE**



**KINGSTON 17"  
X 60" GAP BED  
ENGINE LATHE**

**3  
AVAILABLE**



2014

CALYPSO 6.4



ZEISS CONTURA 10/12/6RDS  
COORDINATE MEASURING MACHINE

2002



ZEISS CONTURA 7/10/6HTG  
COORDINATE MEASURING MACHINE

CALYPSO 6.4



FARO MEASURING ARM



SHERR TUMICO 16"  
OPTICAL COMPARATOR

### TOOL & CUTTER GRINDERS

**CINCINNATI NO. 2**, rebuilt by Triple R Systems, motorized tbl. travel, tilt spdl., motorized work head, 44" extended length tbl., S/N 1D2T6R-295.

**CINCINNATI NO. 2 MDL. 2MT**, tilt spdl., centers, assorted accessories, S/N 1DF-1ACF-23.

**CINCINNATI NO. 2**, tilt spdl., work head, tailstock, assorted accessories, S/N 31512T5U-332.

**CINCINNATI NO. 2**, assorted accessories, S/N 1D2T1L-323.

**K.O. LEE MDL. BA960**, universal work head, centers, assorted accessories, radius tangent attach., S/N 24580-UB.

**K.O. LEE MDL. B6060H535**, hyd. tbl. travel, tilt spdl., S/N 27249 (missing hydraulics).

**CUTTERMASTER GUN DRILL SHARPENER**, Eldorado gun drill sharpening fixture, on portable stand.

**WIDE ASSORTMENT OF VARIOUS GRINDING ATTACHMENTS** incl. Eldorado gun drill grinding attaches., air bearing endmill grinding attaches., 2-axis gun drill fixtures.

### COORDINATE MEASURING MACHINES

**ZEISS CONTURA MDL. 10/12/6RDS**, new 2014, refurbished in 2017, last calibrated in 2020, Vast XXT tilting probe system, Zeiss Kalypso 6.4 software, MSR mini multi-sensor rack, computer control, S/N 201411530143.

**ZEISS CONTURA MDL. 7/10/6HTG**, new 4/2002, last calibrated in 12/2019, Vast XT probe system, Zeiss Kalypso 6.4 software, rack style probe changer, Dell computer, assorted accessories, S/N 200204521202.

**FARO GAGE MDL. F04L2 PORTABLE MEASUREMENT ARM**, new 2009, S/N F04L20605044.

### GRANITE SURFACE PLATES

**ROCK OF AGES**, 10' x 20' x 20" thk., fabricated steel base (Note: This is the biggest surface plate in the state of Texas!); **VELSEY**, 48" x 72" x 8" thk., rose granite, last certification in 2020; **HERMANSTONE**, 36" x 72" x 12" thk., Grade B, 4-ledge, on fabricated steel stand, last certified 2013, S/N 25128; **DOALL**, 36" x 48" x 6" thk., .001 accuracy, 2-ledge, on fabricated steel stand.

### QUALITY CONTROL EQUIPMENT

**SHERR TUMICO MDL. 20-3700 OPTICAL COMPARATOR**, 16" dia. screen, Quadra-Chek D.R.O., surface illumination, 20X and 10X lenses, S/N LC1462.



VIEW OF TOOL AND  
CUTTER GRINDERS

**TWO BIG DAYS • TWO LOCATIONS:  
HOUSTON & BROOKSHIRE, TX**



SAMPLE VIEW OF PRECISION  
GRINDING ACCESSORIES



ROCK OF AGES 10' X 20' X 20"  
GRANITE SURFACE PLATE

**DAY ONE: WED.,  
AUGUST 11  
LIVE THEATER-STYLE  
DIGITAL PHOTO  
AUCTION at the  
OMNI HOUSTON  
HOTEL AT WESTSIDE  
13210 KATY FREEWAY,  
HOUSTON, TEXAS 77079**





**2019**

**CHARMILLES CUTP350 5-AXIS CNC WIRE EDM**



**3 AVAILABLE**

**CHARMILLES ROBIFIL 330F 5-AXIS CNC WIRE EDM**



**CHARMILLES ROBIFIL 240CC 5-AXIS CNC WIRE EDM**

**TWO BIG DAYS • TWO LOCATIONS:  
HOUSTON & BROOKSHIRE, TEXAS**

**YOU MUST REGISTER IN  
ADVANCE FOR ONLINE BIDDING  
AT THIS AUCTION.**

**Go to [www.pmi-auction.com](http://www.pmi-auction.com)  
and click on [BidSpotter.com](http://BidSpotter.com) on our  
calendar page for this auction sale.**



**CHARMILLES ROBOFORM 35  
CNC RAM TYPE EDM**

**5-AXIS CNC WIRE EDM  
MACHINES**

**CHARMILLES MDL. CUTP350**, new 2019, 39.37" x 21.65" x 15.75" max. workpiece, 1,653-lb. max. weight, 26.77" x 17.72" tbl. size, ±45 deg. max. taper, glass scales, Dielectric system, S/N 591.062.060.0247.

**(3) CHARMILLES ROBIFIL MDL. 330F**, new 2000, refurbished by Charmilles, Fanuc CNC control system, auto. wire feed, S/N 390382, S/N 390560, S/N 390215.

**CHARMILLES ROBIFIL MDL. 240CC**, new 2003, Charmilles CNC control, auto. wire threader, submerged operation, S/N 921101.

**CNC EDM DRILL**

**CHARMILLES MDL. HD30CNC**, new 2006, 300mm x 400mm work tbl., 300mm x 200mm x 300mm tank, .3mm to 3mm dia. machining of hole, S/N 030-007.

**RAM TYPE EDM MACHINE**

**GENSPARK AMERICA MDL. CY20**, new 1996, 50 amp pwr. supply, 3-axis D.R.O., 32" x 19" x 12" tank size, S/N 601086.

**CNC RAM TYPE  
EDM MACHINES**

**CHARMILLES ROBOFORM MDL. 550**, new 2004, 23-1/2" x 29-1/2" work tbl., 34-1/2" x 49" x 17-1/2" drop down work tank, Mdl. 3R 20mm shank holder, S/N 13-088-400.

**CHARMILLES ROBOFORM MDL. 55P**, new 2003, 19-1/2" x 29-1/2" work tbl., 47" x 30" x 17" drop style work tank, 3R 20mm shank tool system, 6-pos. rack style tool changer, S/N 666161.

**CHARMILLES ROBOFORM MDL. 40**, 20" x 29-1/2" work tbl., 31-1/2" x 48" x 19-1/2" work tank, 20mm shank style ATC w/24-pos., flex arm changer, Dielectric system w/filtration, Advantage chiller unit, S/N 5.5249.

**CHARMILLES ROBOFORM MDL. 35**, new 2000, 19-1/2" x 15-1/2" work tbl., 36" x 23-1/2" x 12" drop down work tank, 20mm shank tool system, 6-pos. rack style ATC, S/N 0-5454/640372.

**WELDING POSITIONERS**

**1,500-LB. CAP. MDL. AS15**, manual tilt, variable spd. rotation, 24" circular platen w/16" dia. 3-jaw chuck, outboard roller steady, foot pedal control, S/N 0602145.

**PROFAX MDL. WP250 BENCH TOP**, 440-lb. horiz./250-lb. vert., manual tilt, variable spd. rotation, 14" dia. platen, S/N WP2301.

**MBC 200-LB. CAP. MDL. BP2**, manual tilt, variable spd. rotation, foot pedal control, 12" dia. platen.



**CHARMILLES ROBOFORM 550  
CNC RAM TYPE EDM**



**CHARMILLES ROBOFORM 55P  
CNC RAM TYPE EDM**



**CHARMILLES ROBOFORM 40  
CNC RAM TYPE EDM**



**CHARMILLES EDM  
DRILLING MACHINE**



**AS NEW AS 2019**  
**3 AVAILABLE**



VIEW OF ALPHA LASER LASER WELDING MACHINES



VIEW OF MILLER TIG WELDING MACHINES

**AS NEW AS 2014**

**6 AVAILABLE**

**DON'T MISS THIS SALE!**

**LASER WELDING MACHINES**

**ALPHA LASER MDL. ALM300**, new 2019, 300-watt YAG laser, articulated microscopic welding arm, rotary axis, foot pedal control, Fumex fume exhaust system, S/N 06920219-11.19.

**ALPHA LASER MDL. ALM250**, new 2013, 250-watt YAG laser, articulated microscopic welding arm, rotary axis, foot pedal control, fume exhaust system, S/N 02881212-12.13.

**ALPHA LASER MDL. ALM200**, new 2012, 200-watt YAG laser, articulated microscopic welding arm, rotary axis, foot pedal control, fume exhaust system, S/N 02271104-09.12.

**TIG WELDERS**

**(4) MILLER SYNCROWAVE MDL. 350LX**, as new as 2014, 350 amps @ 17.2 v., 40% duty cycle, mobile cooler base, foot pedal, TIG torch, S/N LG190060L (2006), S/N LG310715L (2006), S/N MD430093L (2013), S/N ME030424L (2014).

**MILLER DYNASTY MDL. 700**, new 2012, 600 amps @ 44 v., 60% duty cycle, Coolmate 3.5 chiller, running gear, foot pedal, TIG torch, S/N MC240301L.

**MILLER DYNASTY MDL. 350**, new 2014, 300 amps @ 32 v. 60% duty cycle, S/N ME451098L.

**INTEGRATED MIG WELDER**

**MILLER MILLERMATIC MDL. 350**, new 2007, 350 amps, running gear base, MIG torch, S/N LH080064B.

**WELDING ACCESSORIES**

**LARGE ASSORTMENT OF TIG WELDING WIRE; CHASE CHILLERS PROGRAMMABLE SELF-CONTAINED CHILLER UNIT** (to be offered separately).

**PORTABLE PLASMA CUTTER**

**MILLER SPECTRUM MDL. 2050**, new 2008, 25 amps @ 110 v., roller stand, plasma torch, S/N LJ190328P.

**FINISHING EQUIPMENT**

**VAPOR BLAST MDL. VBLH6048 ABRASIVE BLAST SYSTEM LIQUID HONING MACHINE**, S/N 7077;  
**ECONOMY GLOVEBOX ABRASIVE BLAST MACHINE; SWECCO 2 CU. FT. VIBRATORY TUMBLER.**

**HORIZONTAL LAPPING MACHINE**

**LAPMASTER MDL. 15**, (3) conditioning rings, abrasive feed system, 12 x 12 manual lap tbl., on roller stand, S/N 221602.



MILLER MIG WELDER AND PLASMA CUTTER

**DAY ONE:**  
**ITEMS LOCATED AT LOCATION #1 LANGHAM CREEK MACHINE WORKS**  
**4408 JOYCE BLVD., HOUSTON, TX 77084**

**INSPECTION:** Monday & Tuesday, August 9 & 10, 9:00 A.M. to 4:00 P.M.



ALPHA LASER ALM300 LASER WELDING MACHINE

**2019**



LAPMASTER 15" LAPPING MACHINE



VAPOR BLAST LIQUID HONING MACHINE





**CRESS ELECTRIC  
HEAT TREAT FURNACE**

**12" X 12"  
X 48"**



**F.S. CURTIS ROTARY SCREW  
AIR COMPRESSOR**

**DAY ONE:  
ITEMS LOCATED AT  
LOCATION #1  
LANGHAM CREEK  
MACHINE WORKS  
4408 JOYCE BLVD., HOUSTON, TX 77084**



**2012**

**KENWORTH DIESEL FLATBED TRUCK**



**2016**

**FORD F-450 FLATBED TRUCK**

**DIESEL**

**TOYOTA  
11,000-LB.  
DIESEL  
FORKLIFT**



**DON'T  
MISS  
THIS  
SALE!**

**TOYOTA  
5,000-LB.  
DIESEL  
FORKLIFT**



**INSPECTION:  
Monday &  
Tuesday,  
August 9 & 10,  
9:00 A.M. to  
4:00 P.M.**

**ELECTRIC FURNACES**

**CRESS MDL. C122012/942**, internal dims: 12 x 12 x 18, 25 amps, 230 v., 1,300 deg. max. temp., digital temp. controls, S/N 9504.

**MOORE MDL. MTC-18 KILN**, internal dims: 13 x 13 x 18, 27 amps, 240 v., 2,000 deg. max. temp., S/N 89-2369.

**CRESS MDL. C1250/SD4**, interior dims: 12 x 48, 36 amps, 240 v., 3-phase AC, 1,800 deg. max. temp., S/N 0601.

**ROTARY SCREW AIR COMPRESSORS**

**F.S. CURTIS MDL. NXB22C1X3KXXX**, 150 PSI, 30 HP motor, dual horiz. air receivers, low hrs., S/N NB22E16011.

**F.S. CURTIS MDL. RS24A-AEB101**, new 2006, RS Series, 125 PSI, 25 HP motor, 90 gal. horiz. tank, S/N 01M060002.

**INGERSOLL RAND MDL. SSR-EP25**, new 2000, 97 CFM, 25 HP motor, 90 gal. horiz. receiver, S/N JX2417U00241.

**KAISER SIGMA MDL. AIRCENTER SM10**, new 2008, 42 CFM, 125 PSI, integrated air dryer, approx. 40 gal. horiz. receiver, S/N 1300.

**SULLAIR**, 25 HP motor, 90 gal. horiz. receiver, tank mtd., S/N N.A.

**PICKUP TRUCK**

**2001 FORD MDL. 550 SUPER DUTY CREW CAB**, Powerstroke 7.7 liter diesel engine, ODO: 160,000 miles, VIN 1FDDAW56F9YEE04811.

**FLATBED TRUCKS**

**2012 KENWORTH**, 26,000-lb. G.V.W.R., Perkins diesel engine, 24' diamond plate bed w/drop down side kit, toolbox, ODO: 100,000 miles, TX License No. BHO2641, VIN 2NKHHM6X2CM308767.

**2016 FORD MDL. F-450**, Powerstroke 6.7 liter diesel engine, auto. trans., 14' diamond plate bed w/drop down side kit, ODO: 86,000 miles, TX License No. MVM8294, VIN 1FDUF4GT1HEB37871.

**2012 ISUZU MDL. NPR-HD SUPER DUTY CAB OVER**, auto. trans., 15-1/2' diamond plate bed w/drop down side kit, ODO: 159,000 miles, TX License No. BS49823, VIN JALC4W166D7000877.

**FORKLIFTS**

**YALE 12,000-LB. BASE CAP. MDL. GLC120MJN**, new 2005, 84" triple mast, 163" lift ht., LPG, cushion tires, 48" forks, S/N D818V02289C.

**TOYOTA 11,000-LB. BASE CAP. MDL. 6FDU45**, 11,000-lb. @ 24" L.C., large dia. solid tires, diesel engine, 157-1/2" max. lift, S/N 60017.

**TOYOTA 8,000-LB. BASE CAP. MDL. 8FGC35U-BCS**, new 2018, 105" triple stage mast, 237" lift ht., LPG, side shift, cushion tires, 42" forks, S/N 13334.

**YALE 8,000-LB. BASE CAP. MDL. GLC080VXN**, new 2014, 94" triple stage mast, 200" lift ht., side shift, LPG, cushion tires, 48" forks, S/N F818V02255M.

**KOMATSU 5,000-LB. BASE CAP. MDL. FG25ST-14**, new 2005, 83" triple stage mast, 188" lift ht., side shift, LPG, cushion tires, 48" forks, S/N 586861A.

**TOYOTA 5,000-LB. BASE CAP. MDL. 7FDU25**, 3,950-lb. @ 24" L.C., 189" max. lift ht., large dia. cushion tires, dock lights, S/N 60243.





# 2-DAY AUCTION

## LANGHAM CREEK MACHINE WORKS, INC.

Equipment may be inspected at the following sites;

**LOCATION #1: 4408 JOYCE BLVD., HOUSTON, TX 77084**

**LOCATION #2: 37470 FM 529, BROOKSHIRE, TX 77423**

**INSPECTION: Mon. & Tues., August 9 & 10, 9:00 A.M. to 4:00 P.M.**

**DAY ONE: WEDNESDAY, AUGUST 11  
LIVE THEATER-STYLE  
DIGITAL PHOTO AUCTION at the  
OMNI HOUSTON HOTEL AT WESTSIDE  
13210 KATY FREEWAY, HOUSTON, TEXAS 77079  
BUYER'S PREMIUM:  
15% ONSITE at the SLIDE SALE • 18% WEBCAST**

**DAY ONE:  
ITEMS LOCATED AT LOCATION #2  
LANGHAM CREEK MACHINE WORKS  
37470 FM 529, BROOKSHIRE, TEXAS 77423**



### CNC DEEP HOLE COUNTER ROTATING DRILLING & BORING MACHINE

**UNISIG MDL. B500-4M**, new 2014, 4" max. drilling dia. from solid, 6" counter boring dia., 6" trepanning dia., 20" sw. over bed, 157" max. workpiece length, 9,634-lb. drilling force, 144 IPM drill headstock rapid traverse, drilling spds.: 0-1,100 RPM, 90 HP drill drive motor, headstock spds.: 0-275 RPM, 40 HP headstock motor, Siemens Simatic programmable control system w/touch screen panel and fully programmable spds. and feeds, (2) 21" dia. 4-jaw independent chucks, (2) damper rests w/interchangeable damper heads, 3 pt. roller steady-rest, Turbo chip conveyor, Koolant Koolers coolant refrigerant system, (4) Global Filter cartridge filters, (14) boring bars in sizes: 806, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819 and 821, (4) meters in length, 18'-8" overall bar length, machine accessories incl. split bushings, Phenolic inserts and assorted custom machining pieces, S/N 1851.



ELDORADO M75-48 CNC GUN DRILL SYSTEMS

**3 AVAILABLE**

**AS NEW AS 2019**

### CNC GUN DRILLING MACHINES

**(3) ELDORADO MDL. M75-48**, Eldorado programmable control, 48" stroke, 3 HP spdl. drive motor, 22" x 120" machine base w/96" tailstock extension, Eldorado Mdl. F18 hi-pressure coolant system, Autocollimator borescope w/Olympus light source and video camera system, manual pulse coder handle, Flowminder coolant gauge, 6-jaw chuck, S/N 969RB (new 3/2019), S/N 1010 RB (2019), S/N 993RB (2018).

**ELDORADO MDL. M75-48**, Eldorado programmable control, 48" stroke, 3 HP spdl. drive motor, 22" x 120" machine base w/96" tailstock extension, Eldorado Mdl. F18 hi-pressure coolant system AB Panelview PLC, S/N N.A.

**DEHOFF**, new 1997, 18"W. x 58"L. tbl., 60" stroke, 10 HP drill drive motor, 2" drill cap., Allen Bradley PC electronics w/touch screen, DeHoff hi-pressure coolant system, feed rate: .1-30 IPM, 150 IPM rapid retraction, spds.: 750-4,000 RPM, 30 HP drive motor, (2) cartridge filters, reservoir, Koolant Koolers refrigeration system, 300 gal. coolant system, large assortment of timing pulleys, bed plates, guides and accessories, 8' tailstock extension, Forkardt 6-jaw precision chuck on outboard side, S/N DH1893.



DEHOFF CNC GUN DRILL

**60" STROKE**





OHIO CNC HORIZONTAL HONING MACHINE

**DAY ONE:  
ITEMS LOCATED AT  
LOCATION #2  
LANGHAM CREEK  
MACHINE WORKS  
37470 FM 529  
BROOKSHIRE, TX 77423**

**HORIZONTAL GUN DRILLS**

(2) **ELDORADO MDL. M75-1041**, approx. 36" stroke, 22" x 70" machine base w/48" tailstock extension, 2 HP drive, Eldorado Mdl. F18 hi-pressure coolant system, motorized counter-rotating attach., S/N 486, S/N 837.

**ELDORADO MDL. M75-1071 2-SPINDLE**, approx. 36" stroke, Eldorado Mdl. F18 hi-pressure coolant system, (2) 3 HP spdl. drives, 22" x 70" machine base w/(1) 48" tailstock extension w/counter-rotating drive, S/N 1097.

**DRILLING MACHINE ACCESSORIES**

**BTA STYLE CARBIDE DRILL HEADS**, some new in sleeves.

**VERTICAL HONING MACHINE**

**NATCO**, 35" stroke, 22" sq. fixture tbl. w/12" dia. 3-jaw hollow spdl. chuck, 10 HP unitized hyd. system w/chiller, rotary drum switches, cycle timers, assorted honing mandrels, S/N A62H-122.

**HORIZONTAL HONING MACHINES**

**OHIO TOOL WORKS VERSAHONE MDL. OTW1000**, new 2008, 2" to 22" I.D. cap., 24" O.D. cap., 177" stroke length, 5 HP hone drive motor, spdl. spds.: 20-300 RPM, reciprocation rate: 0-90 FPM, part program storage, Maple Systems programmable control system, auto. tool expansion, universal chain type fixturing, (7) honing mandrels, S/N 7146.

**WIDE ARRAY OF HONE HEADS FOR OHIO HONE**, from 8" dia. to 1" dia., various lengths, stone configurations and large amount of OTW honing stones.

**SUNNEN MDL. HTA-2100**, new 2011, Siemens Simatic PLC control, 2.5" to 21" hone dia., 82" stroke, 20-300 RPM, 3 HP, 5-90 FPM stroke spd., 8,000-lb. max. weight, paper filter coolant system, S/N 1K1-1098.

(2) **SUNNEN MDL. NBB1660K**, oil base, 1/2 HP drive, S/N 4A1-94984, S/N 1U1-93985.

**SUNNEN HONE ACCESSORY CABINET** w/large qty. of assorted Sunnen honing mandrels and stones.



NATCO VERTICAL HONING MACHINE



TOOLING FOR UNISIG CNC DEEP HOLE DRILLING MACHINE



SUNNEN MDL. HTA-2100 HORIZONTAL HONING MACHINE




LARGE SELECTION OF NEW AND USED BTA HEADS

**INSPECTION:** Monday & Tuesday, August 9 & 10, 9:00 A.M. to 4:00 P.M.





17" X 120" KINGSTON GAP BED ENGINE LATHE



NATCO BTA DRILLING MACHINE

### HORIZONTAL EJECTOR DRILL

**NATCO**, 30 HP spd. head drive, (2) roller drill suppts., 16" dia. 3-jaw pressure head, 16" dia. 3-jaw drive chuck, approx. 60" drill stroke, high cap. coolant system w/cartridge filter, belt style chip conveyor, 30 HP high cap. coolant pump, (14) BTA style drilling mandrels, Allen Bradley Panelview PLC digital spd. RPM load and coolant RPM, feed IPM, feed load % digital indicators, pwr. headstock traverse w/gear motor drive, spare headstock, spare roller tool suppt.

### CNC BED TYPE MILLING MACHINE

**TRAK MDL. DPM5**, 10" x 50" tbl., pwr. drawbar, variable spd. head, 5 HP drive motor, No. 40 NST spd. taper, S/N 041AS12564 (currently missing the Trak control on it but operable as manual machine).

### GAP BED ENGINE LATHE

**KINGSTON 22" X 120"**, new 2000, steadyrest, taper attach., 16" dia. 3-jaw chuck, 2-axis D.R.O., inch/metric thdng., spds.: 13-1,200 RPM, 4.1" spd. hole, S/N CH00808.

### PLATE STRAIGHTENING PRESS

**PRESSMASTER 100 T. CAP. MDL. HFP-100T**, sliding ram arrangement, adj. bed ht., approx. 8" ram stroke, elec. driven hyd. system w/2 HP unitized hydraulics, S/N 050121151T.

### OPTICAL COMPARATOR

**MITUTOYO MDL. PH-A14**, last calibrated in 2020, 10X lens, surface illumination, QM Data 200 geometric D.R.O., micro adjust stage, S/N 007971208.



MITUTOYO PH-A14  
OPTICAL COMPARATOR



PRESSMASTER 100 T. PLATE  
STRAIGHTENING PRESS

### FLATBED TRUCK

**FORD MDL. F-550 SUPER DUTY**, Powerstroke diesel engine, 18' dia. plate bed w/drop down side kit.

### FORKLIFT

**TOYOTA 9,000-LB. BASE CAP. MDL. 7FDU45**, 7,600-lb. @ 30" L.C., diesel engine, 8,500-lb. @ 24" L.C., 187" max. lift ht., 72"L. forks, large dia. cushion tires, side shift, S/N 60365.



TRAK BED TYPE MILLING MACHINE

**DAY ONE: WEDNESDAY, AUGUST 11**  
**LIVE THEATER-STYLE DIGITAL PHOTO AUCTION** at the  
**OMNI HOUSTON HOTEL AT WESTSIDE**  
**13210 KATY FREEWAY, HOUSTON, TEXAS 77079**



FORD F-550 FLATBED TRUCK



TOYOTA  
9,000-LB. CAP.  
DIESEL  
FORKLIFT

**DON'T MISS THIS SALE!**





SAMPLE VIEW OF ELECTRONIC HEIGHT GAUGES

**LANGHAM CREEK MACHINE WORKS**  
**DAY TWO: THURSDAY, AUGUST 12**  
**TIMED ONLINE ONLY**  
**BIDS START CLOSING AT 10:00 A.M.**  
**BUYER'S PREMIUM: 18% TIMED ONLINE**

**DAY TWO:**  
**ITEMS LOCATED AT LOCATION #1**  
**LANGHAM CREEK MACHINE WORKS**  
**4408 JOYCE BLVD., HOUSTON, TEXAS 77084**

**2**  
**AVAILABLE**



GAGEMAKER THREAD PITCH GAUGES

**QUALITY CONTROL EQUIPMENT**

NEW AGE INDUSTRIES VERSITRON DIGITAL ROCKWELL HARDNESS TESTER; KING BRINELL TESTER; TOSHNIWAL ROCKWELL HARDNESS TESTER; (3) OLYMPUS I-PLEX VIDEO INSPECTION SYSTEMS; (4) HAWKEYE BORESCOPES; GAGEMAKER MIC-TRAK MDL. MT2024E-50, digital count box, S/N E413; (2) GAGEMAKER MDL. IT6000 PITCH DIA. GAUGES; LARGE QTY. OF SUNNEN BORE GAUGES w/Sunnen gauge setting fixture; MICROMETERS; GAUGE BLOCK SETS; PRECISION BALLS; VERNIER CALIPERS up to 60"; EDM WIRE TENSION GAUGES, MITUTOYO MICROMETER SET.

**MACHINE SHOP ACCESSORIES**

(100's) OF CAT-40 AND CAT-50 TAPER TOOLHOLDERS of all descriptions incl. collet style holders, endmill holders, extended length end and shell mill holders; JACOBS DRILL CHUCKS; TAP HOLDERS; LARGE QTY. OF SPRING COLLETS; (20) KURT 6" H.D. MILLING VISES; (7) KURT 4" H.D. MILLING VISES, some w/swivel base; (6) KURT 4" DOUBLE MILLING VISES; (3) KURT 8" H.D. MILLING VISES; LARGE QTY. OF ASSORTED PRECISION GROUND V BLOCKS; 3-JAW AND 6-JAW PRECISION CHUCKS; DEVI 3" DIA. X 48"L. BORING BARS; 2" DIA. X 24"L. BORING BARS; 3" DIA. X 55"L. BORING BARS; 3" DIA. X 36" BORING BARS; ASSORTED ALORIS TOOLPOST HOLDERS AND POSTS; NO. 40 NST Spdl. TOOLING; CARBIDE BORING BARS; ROLLER BURNISHING TOOLS; 1-2-3, 3-4-5 AND 2-4-6 SET-UP BLOCKS; HYDRAULIC THREAD COLD ROLL FIXTURE SET w/pwr. supply, mandrels and assorted accessories, on roller stand.

**MISCELLANEOUS SHOP & WAREHOUSE EQUIPMENT**

CRIBMASTER PROSTOCK CAROUSEL VENDING MACHINE; MAKITA 12" ABRASIVE CUT-OFF SAW; COMBINATION 12" DISC/6" BELT SANDER on stand; (2) CRAFTSMAN 8" VARIABLE SPD. BENCH GRINDERS on stands; TORIT CABINET STYLE DUST COLLECTOR; SINGLE AND DOUBLE SIDED CANTILEVER MATERIAL RACKS w/adj. arms; SCREW TYPE ADJUSTABLE HT. DIE TBL.; SLOTTED PALLET RACK; (2) ROLLER DRAWER TOOL CABINETS w/cutting tools; ASSORTED HIGH QUALITY STAINLESS STEEL ROLLER DRAWER TOOLBOXES; HUOT PORTABLE TOOL CARTS; MANITOWOC MDL. QB0212A ICE MACHINE; ROLLER DRAWER TOOL CABINET, 11-drawer, w/large qty. of turning inserts, drills, endmills and assorted tooling; FLAMMABLE MATERIAL STORAGE CABINETS; STAINLESS STEEL WIRE RACK on casters; PALLET JACKS; DIE LIFTERS; WOOD PLATFORM CARTS; HUOT TOOL CARTS (2) CROWN 1,500-LB. CAP., ELECTRIC DIE LIFTS built-in battery charger, (1) w/boom attach.; HOSHIZAKI MDL. DM-2008 COMBINATION ICE AND WATER MACHINE, S/N J557665E.


**3**  
**AVAILABLE**



OLYMPUS I-PLEX BORE SCOPE

**JIB CRANES**

ABELL-HOWE 2 T. X 18' REACH, 10' ht. under rail, Little Mule 2 T. elec. chain hoist; ANCHOR 2 T. X 18' REACH, approx. 10' ht. under rail (currently dismantled); UNKNOWN MFG. 1 T. X 14' REACH (currently dismantled); ABELL-HOWE 1 T. X 8' REACH, 10' ht. under rail, Budgit elec. chain hoist; ANCHOR 1 T. X 18' REACH, 12' ht. under rail, Budgit elec. chain hoist; ABELL-HOWE 1 T. X 8' REACH, 10' ht. under rail, Budgit elec. chain hoist; KRANCO 1/2 T. X 12' REACH, 8' ht. under rail, elec. chain hoist; ANCHOR 1/2 T. X 12' REACH, 8' ht. under rail, Budgit 1/2 T. chain hoist; ANCHOR 1/2 T. X 8' REACH, 8' ht. under rail, P&H elec. chain hoist; ANCHOR 1/4 T. X 10' REACH, 8' ht. under rail, Budgit elec. chain hoist.



PARTIAL VIEW OF KURT MILLING VISES

CRIBMASTER PROSTOCK CAROUSEL VENDING MACHINE



HIGH QUALITY SPINDLE TOOLING

**INSPECTION:** Monday & Tuesday,  
 August 9 & 10, 9:00 A.M. to 4:00 P.M.





LARGE QUANTITY OF GAUGING

**DAY TWO:  
ITEMS LOCATED AT LOCATION #2:  
LANGHAM CREEK MACHINE WORKS  
37470 FM 529, BROOKSHIRE, TEXAS 77423**

**ROCKWELL HARDNESS TESTER**

WILSON MDL. 40UR, w/accessories, S/N 679.

**PRECISION INSTRUMENTS**

48" X 144" X 12" THK. 4-LEDGE GRANITE SURFACE PLATE, Grade A, w/fabricated steel stand, last calibrated in 2020 by Mighty Flat Co.; MICROFLAT 48" X 12' X 12" THK. 4-LEDGE GRANITE SURFACE PLATE, Grade A, last certified in 2020 by Mighty Flat Co.; VERMONT GAUGE 8-DRAWER PIN GAUGE SET; CUSTOM ADJ. ROLLER STEADYRESTS; GAUGE BLOCK SETS; ASSORTED HARDENED AND GROUND V BLOCKS; 2-3-4 BLOCKS; MITUTOYO MICROMETERS; MITUTOYO 1" TO 6" MICROMETER SET; MITUTOYO BORE GAUGE SETS w/interchangeable anvils; MITUTOYO PIN MICROMETERS; TEST INDICATORS; MAGNETIC BASES for test indicators; 48" VERNIER CALIPER; FOWLER 24" DIGITAL CALIPER; MITUTOYO 12" DIGITAL CALIPER; (3) MITUTOYO 8" DIGITAL CALIPERS; (3) MITUTOYO 6" DIGITAL CALIPERS; BINOCULAR MICROSCOPE on stand; BROWN & SHARPE MICRO-HITE 600 MDL. 3Y1055106, last calibrated in 2020, S/N 07.90013; (3) DIGITAL HT. GAUGES; ASSORTED PLUG GAUGES up to 7" dia.; ASSORTED FLEX HONES; SUNNEN SERIES 2000 DIAL BORE GAUGES; SUNNEN SERIES 9000 DIAL BORE GAUGES; SUNNEN GAUGE SETTING FIXTURE.

**H-FRAME HYDRAULIC PRESS**

DAKE MDL. 75H, 36" dist. btwn. uprights, adj. ht. bed, assorted accessories, S/N 178300.

**HORIZONTAL BANDSAW**

DAKE MDL. SE912, 7" x 12" cutting cap., portable base, S/N 17E0584.

**MISCELLANEOUS SHOP & WAREHOUSE EQUIPMENT**

FIREPROOF CABINETS; NYLON AND CHAIN STRAPS; HYDRAULIC PALLET JACKS; DEWALT COMPOUND MITER CUT-OFF SAW; DEWALT RECHARGEABLE ELECTRIC DRILLS; CIRCULAR AND RECIPROCATING SAWS; MILWAUKEE DIE GRINDERS; DEWALT PISTOL DRILLS; PORTA-CABLE BELT SANDER; (2) BANDING CARTS; STEEL AND NYLON STRAP BANDING CART; HAMMERS; WRENCHES; PLIERS; CLAMPS; FORGED C-CLAMPS; (3) BOTTLE CARTS w/acy. torches and gauges; BARREL DOLLY; COMBINATION DOLLY PLATFORM TRUCK AND DIE LIFTER; PORTABLE FANS; (5) U.S. GENERAL ROLLING TOOLBOXES w/locking roller drawers; ROLLER DRAWER TOOL CABINETS; ASSORTED PEDESTAL GRINDERS; MAKITA ABRASIVE CHOP SAW; WILTON BENCH VISE on stand; PLASTIC ROLLER CARTS; FABRICATED ALUMINUM ROLLER PARTS STANDS; GUN DRILLS; ADJUSTABLE PALLET RACKING; MACHINE PARTS.

**ROLLING GANTRY CRANES**

(2) CALDWELL 2 T. CAP., approx. 8' ht. under rail, 10' dist. btwn. uprights, on casters; CALDWELL 3 T. CAP., approx. 8' ht. under rail, 10' dist. btwn. uprights; CALDWELL 1 T. CAP., approx. 8' ht. under rail, 10' dist. btwn. uprights.

**FREE STANDING CRANE SYSTEMS**

GORBEL 2 T. CAP., 4,000-lb. cap., 18'W., approx. 12' travel, DeMag 2 T. cap. elec. chain hoist; GORBEL 1 T. CAP., 20'W., approx. 20' travel, DeMag 1 T. cap. elec. chain hoist.

**FREE STANDING JIB CRANE**

HANDLING SYSTEMS 1 T. X 8' REACH, 6' ht. under hook.

YOU MUST REGISTER IN ADVANCE FOR ONLINE BIDDING AT THIS AUCTION. Go to [www.pmi-auction.com](http://www.pmi-auction.com) and click on [BidSpotter.com](http://BidSpotter.com) on our calendar page for this auction sale.

2 AVAILABLE



GORBEL CRANE SYSTEMS

4 AVAILABLE



CALDWELL ROLLING GANTRY CRANES



FREE STANDING PEDESTAL JIB CRANE



SUNNEN HONING STONES



# PLANT & MACHINERY INC.

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE


P.O. Box 218568  
Houston, TX 77218-8568

**DATED MATERIAL – PLEASE DELIVER**

## HUGE OFFERING OF LATE MODEL MACHINE TOOLS & SUPPORT EQUIPMENT

Climate Controlled Facilities Featuring:

(50+) Major CNC Machine Tools new as 2018 w/low hours; (11) EDM Machines new as 2019; (6) CNC Boring, Gun Drilling & Honing Machines new as 2014; (3) Laser Welding Machines new as 2019; Heat Treat Dept.; 300 T. Straightening Press; Grinders; Bandsaws; Welding Machines; Q.C. & Measuring Tools; Tooling & Precision Machine Accessories; Pedestal & Gantry Cranes; Forklifts; Trucks; MORE!



**DAY ONE: LIVE THEATER-STYLE**  
**DAY TWO: TIMED ONLINE**

**DAY 1: LIVE ONLINE ON-SITE: WED., AUG. 11 • 10:00 A.M.**

**DAY 2: TIMED ONLINE AUCTION: THURS., AUG. 12 • 10:00 A.M.**

**PUBLIC AUCTION**



**ATTENTION: PLANT MANAGER OR EQUIPMENT BUYER**

Presorted  
First Class Mail  
U.S. Postage  
PAID  
Eugene, Oregon  
Permit No. 17



# 2-DAY AUCTION

**DAY 1: LIVE ONLINE ON-SITE: WED., AUGUST 11 • 10:00 A.M.**

**DAY 2: TIMED ONLINE AUCTION: THURS., AUGUST 12 • 10:00 A.M.**

## LANGHAM CREEK MACHINE WORKS, INC.

Equipment may be inspected at the following sites;

**LOCATION #1: 4408 JOYCE BLVD., HOUSTON, TX 77084**

**LOCATION #2: 37470 FM 529, BROOKSHIRE, TX 77423**

**INSPECTION: Mon. & Tues., August 9 & 10, 9:00 A.M. to 4:00 P.M.**

### LODGING

**LOCATION OF THE DAY #1 THEATER STYLE AUCTION**  
**OMNI HOUSTON HOTEL AT WESTSIDE ..... (281) 558-8338**  
13210 Katy Freeway, Houston, TX 77079

#### **PARTIAL TERMS & CONDITIONS:** A 15% Buyer's Premium Will Apply Onsite. An 18% Buyer's Premium Will Apply Online.

Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on the premises.

**ALL PAYMENTS MUST BE MADE BY CASH, CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.**

Here is an example of what your letter should be: Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of \$\_\_\_\_\_. This letter is good until September 13, 2021.

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.

Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.

The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.

Buyer agrees to accept assets purchased "AS IS," WITH "ALL FAULTS" AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE." THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE PART OF THE AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO FITNESS OR USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.

The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.

### ONLINE REGISTRATION

Register to bid at



1. Use the link to Bidspotter.com on PMI's website calendar. [www.pmi-auction.com](http://www.pmi-auction.com) DO IT NOW!

2. This auction may require a Cash, or credit card, or debit card, 100% refundable deposit. If by credit or debit card, it can be added through the Bidspotter.com fully secure and PCI compliant registration process and will be assessed a 100% refundable \$3,000 (US Bidder) or a \$10,000 (Foreign Bidder) deposit in order to be approved to bid online with this auction. Cash deposits can be made by wire transfer. **DON'T WAIT.** If you are unsuccessful in the auction, the refund of your credit/debit card deposit will occur shortly after the auction ends. Cash deposits will be expedited as well.

If you need assistance, don't hesitate to call (713) 691-4401.

**ALL BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.**