



AUCTION

ULTRA-MODERN TANK CAR MFG. FACILITY!

Featuring: Late Model Davi 4-Roll Hyd. Plate Roll, High Quality Late Model Subarc Welding Equipment, 2018 High Volume Tank Shell Handling System, Gas Fired Roller Hearth Normalizing Furnace, Blast & Paint Equipment, Huge Assortment of Power Turning Roll Sets, Welding Equipment, Wide Span Overhead Bridge Cranes Up to 40 T. Cap., Forklifts New as 2016, and Much, Much More.



2006

DAVI 1-1/4" X 12' MDL. MCB4050 4-ROLL DESIGN PLATE ROLL



2018

PANDJIRIS MDL. INT WELD CL (3A) I.D. WELDING MANIPULATOR



11 AVAILABLE

P&H ENGINEERING 40 T. X 90' SPAN OVERHEAD BRIDGE CRANE

At the Premises of
UTLX MFG., LLC
16923 OLD BEAUMONT HWY. 90,
HOUSTON, TEXAS 77049

INSPECTION: Monday & Tuesday, February 1 & 2
9:00 A.M. to 4:00 P.M. Wearing Masks & Social
Distancing Will Be Required.

WEDNESDAY, FEBRUARY 3 • 10:00 A.M.
LIVE ONLINE WEBCAST (NO ONSITE BIDDING)



REFURB.
2016

CONSOLIDATED
ENGINEERING CO.
ROLLER HEARTH
PLATE NORMALIZING
FURNACE

Read Partial
Terms and
Conditions
on Page 7

GLOBAL
FINISHING SOLUTIONS
MDL.
CDG-2020PDT-80-R-S



2016

LIVE ONLINE BIDDING ONLY (NO ONSITE BIDDING): YOU MUST REGISTER IN ADVANCE FOR ONLINE BIDDING AT THIS AUCTION.
Go to www.pmi-auction.com and click on BidSpotter.com or proxibid on our calendar page for this auction sale.

**18% BUYER'S PREMIUM
WILL APPLY**

Sale Conducted By:

PLANT & MACHINERY INC.
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

Ron Moore, TX Lic. #7314
HOUSTON • DALLAS • ST. LOUIS

Headquarters:
**1304 Langham Creek Drive, Suite 454
Houston, Texas 77084**

PHONE: (713) 691-4401 FAX: (713) 672-7905

**E-MAIL: pmi@pmi-auction.com
WEBSITE: www.pmi-auction.com**



2006

DAVI 1-1/4" X 12' MDL. MCB4050 4-ROLL DESIGN PLATE ROLL

PLATE ROLLS

DAVI 1-1/4" X 12' MDL. MCB4050 4-ROLL DESIGN, new 2006, 72 HP motor, infeed/outfeed table, overarm hyd. plate assist, hyd. table plate assist, S/N 20640110.

(2) FRORIEP MDL. DBH 1" x 12' DOUBLE PINCH, hyd. drop end, 26.77" top roll, 94 HP, backup rolls, hyd. plate assist, plate feed roller conveyor system, 10' W. x 30' L. cap., S/N 31985, S/N N/A.

WEBB 1/4" X 8' MDL. R3L-8008 INITIAL PINCH, new 2019, 230 v., pendant, like new never installed, S/N 8008..

FRORIEP SPARE PARTS

CONSISTING OF: Motors, Plate Assist Arms, Gear Boxes, Rollers, Etc.

TUBE-LINE CONVEYOR SYSTEM

LAUYANS & COMPANY, new 2017, consisting of (2) 39' loading stations, (2) 39'6" shuttle transfer cars, (3) 45' I.D. welding stations w/pwr'd. infeed and rotation, (3) 45' O.D. welding stations w/pwr'd. infeed and rotation, Flux belt lift system, (2) 39' staging stations, (7) clean-up and inspection stations, (2) hyd. pwr. sources. (*See our website for complete factory drawings*).

VERTICAL PLATE BLASTING MACHINE

WHEELABRATOR, new 2011, (6) 24" direct drive blast wheels, 45 deg. construction, 12' W. cap., tilting pwr'd. infeed and outfeed conveyor system, 32' L., additional 30' L. infeed and outfeed, approx. 40' gravity roller conveyor per side, dust reclamation system, Schematic No. A3-62195, S/N 3870.

O.D. WELDING MANIPULATORS

PANDJIRIS MDL. 1600MANIP (4C), new 2/2018 by Pandjiris, linear guide ways, Rockwell Automation control, 20' H. x 16' L. travel, 5' W. track mtd. gauge w/30' of travel, pwr'd. car, Weld Engineering "The Mighty-Mac X" Mdl. MM-3000X H.D. Flux recovery system, 4 HP motor, FTV-3000 auto. flux vacuum valve, S/N 18720X03-1.

PANDJIRIS MDL. 30565VSTC (4B), new 2018, Rockwell Automation control, 20' H. x 14' L. travel, 5' W. track mtd. gauge w/30' of travel, Weld Engineering "The Mighty-Mac X" Mdl. MM-3000X H.D. Flux recovery system, S/N 121375.

PANDJIRIS MDL. 14X50C (4C), remfg. 2018, 14' H. x 10' L. travel, 5' W. track mtd. gauge w/30' of travel, Rockwell Automation control, S/N 6003852-1.

I.D. WELDING MANIPULATORS

PANDJIRIS MDL. INT WELD CL (3A), new by Pandjiris, installed 2018, 460 v., 3-phase, 45' boom stroke, approx. 10" vertical adjustment, Rockwell Automation control, Ethernet ports, Weld Engineering "The Mighty-Mac X" Mdl. MM-3000X, 4 HP motor, FTV-3000 auto. flux transfer valve, S/N 20535E00.

RANSOME MDL. IDGW (3B), new 1980, remfg. 2018, 32' horiz. travel, Weldwire feeder, approx. 10" vertical adjustment, Rockwell Automation control, Weld Engineering "The Mighty-Mac X" Mdl. MM-3000X, FTV-3000 auto. flux transfer valve, S/N 9026234.

RANSOME MDL. IDGW (3C), new 1980, remfg. 2018, 32' horiz. travel, approx. 10" vertical adjustment, Rockwell Automation control, ethernet port, S/N 9026235.



2019

WEBB 1/4" X 8' MDL. R3L-8008 PLATE ROLL

(1 OF 2)
FRORIEP
MDL. DBH
1" x 12'
PLATE ROLLS



2011



WHEELABRATOR PLATE BLASTING MACHINE



2017

LAUYANS & COMPANY TUBE-LINE CONVEYOR SYSTEM



2018

PANDJIRIS MDL. INT WELD CL (3A) I.D. WELDING MANIPULATOR

WEDNESDAY, FEBRUARY 3 • 10:00 A.M.



2018

9 AVAILABLE



NEW 2015

SAMPLE VIEW OF TANK TURNING ROLL SETS

SAMPLE VIEW OF TIRE TYPE IDLERS



23 AVAILABLE

SAMPLE VIEW OF LINCOLN DC 602 WELDERS



57 AVAILABLE

SAMPLE VIEW OF MILLER DIMENSION 652 WELDERS



PANDJIRIS CONVEYOR STYLE FLUX RECOVERY HANDLING SYSTEM

SAMPLE VIEW OF PANDJIRIS AND RANSOME WELDING MANIPULATORS

WELDING MANIPULATORS

- PANDJIRIS 16' X 20' MDL. E-16X20**, Flux recovery system, S/N 25-3583.
- PANDJIRIS 14' X 14' MDL. 140014X14**, Arcowand Flux recovery system, Lincoln Mdl. NA-3S control, S/N 800-2902-2.
- PANDJIRIS 14' X 10'**, Weld Engineering "The Mighty-Mac X" Mdl. MM-3000X H.D. Flux recovery system, S/N 116835, Allen Bradley control, 20' of travel x 5'W., rail mtd., S/N 600-3938.
- RANSOME MDL. 1212RF**, 14' vert. travel, 14' horiz. travel, 460 v., Flux recovery system, S/N 623649..
- RANSOME 12' X 12' MDL. 12X12**, Lincoln Mdl. NA-3N control, Arcowand Flux recovery system, S/N 626310.
- PANDJIRIS 12' X 10'**, Weld Engineering "The Mighty-Mac X" Mdl. MM-3000X H.D. Flux recovery system, S/N 116836W, 11' of travel x 5'W., rail mtd., S/N 600-3938-2.

WELDING MACHINES

- (5) **LINCOLN MDL. IDEALARC DC1000 POWER SOURCE**, as new as 2019;
- LINCOLN MDL. POWERWAVE 1000 POWER SOURCE**;
- LINCOLN MDL. DC655 POWER SOURCE**;
- (57) **MILLER MDL. DIMENSION 652 POWER SOURCES**, as new as 2016;
- (23) **LINCOLN MDL. IDEALARC DC600 POWER SOURCES**, as new as 2015.

WIRE FEEDERS

- (3) **LINCOLN ELECTRIC**, double head;
- (8) **LINCOLN ELECTRIC**, single head.
- (10) **LINCOLN MDL. ELECTRIC LN-10**.

TANK TURNING ROLL SETS

- (7) **KOIKE ARONSON 60,000-LB. CAP.**, new 2015, Mdl. CPRR driver, Mdl. CIRR idler, S/N 50056, S/N 50055, S/N 50052, S/N 50058, S/N 50054, S/N 50053, S/N N.A.
- KOIKE ARONSON 6,000-LB. CAP. DRIVER**, new 2015, S/N 50057.
- (2) **PANDJIRIS MDL. PR100 2-ROLL DESIGN**, S/N 16405X08-1, S/N 16405X07-2;
- ARONSON 60 T. CAP. MDL. RD60**;
- ARONSON 60 T. CAP.**;
- RANSOME 60 T. CAP.**;
- LARGE QTY. OF H.D. IDLERS AND DRIVERS.**

TIRE TYPE DRIVER & IDLER TURNING ROLL SETS

- (3) **KOIKE ARONSON 45,000-LB. CAP. MDL. CPBR-TR**, S/N 50070, S/N 50069, S/N N.A.;
- (7) **RANSOME 45,000-LB. CAP.**, S/N's N.A.;
- LARGE QTY. OF ASSORTED DRIVERS AND IDLERS.**

FLOUROSCOPE BOOM

PANDJIRIS, 36' throat depth, 4' ht. under rail.

POWERED TANK FIT-UP JIG

CONSISTING OF: hyd. fit-up arms, Pandjiris Mdl. DPRR approx. 45 T. cap. set of power tank turning rolls on rails, approx. 50'L. cap. rails, S/N 392192.

CONVEYOR STYLE FLUX RECOVERY HANDLING SYSTEMS

PANDJIRIS, w/roller conveyor, pot, Arcowand recovery unit; **PANDJIRIS**, w/ conveyor belt, hopper, Gardner Denver Flux recovery unit.

LIVE ONLINE WEBCAST (NO ONSITE BIDDING)



ENERGY SERVICES GROUP CAR BOTTOM FURNACE

(2) 35'L. CARS



GLOBAL FINISHING SOLUTIONS MDL. CDG-2020PDT-80-R-S

2016



FD DOUBLE SIDED CAR BOTTOM FURNACE

LARGE CAP.



CONSOLIDATED ENGINEERING CO. ROLLER HEARTH PLATE NORMALIZING FURNACE

REFURB. 2016



QUINCY MDL. QB25 ROTARY SCREW AIR COMPRESSOR

CAR BOTTOM FURNACES

FD DOUBLE SIDED, 71' per side, 142'L. ttl. x 27'W., (2) 22'W. x 66'L. cars, updated controls, Allen Bradley Panelview Plus 1250 w/Honeywell Multi-Trend SX control, cool wool insulation, car shuttle, updated electrics, (17) burners per side, approx. 12'H. cap.

ENERGY SERVICES GROUP, 14,000,000 BTU's max. cap., 480 v., 3-phase, 72 amps, (14) burners, pass through style, double sided doors, (2) 81" x 35'L. x approx. 6'H. cap. carts, Allen Bradley Panelview Plus 700 w/Honeywell Multi-Trend FX display. (See Video Online).

ROLLER HEARTH PLATE NORMALIZING FURNACE

CONSOLIDATED ENGINEERING CO., refurbished 2016, Allen Bradley Panelview Plus 1250 control panel w/Honeywell Multi-Trend SX display, cool wool insulation, 165° operating temperature, 1,850° max. temperature, approx. 70'L. x 12'W. cap., 5'H. door opening, infeed and outfeed pwr'd. roller conveyor, 70'L. pwr'd. outfeed roller conveyor, plate handling system w/pwr'd., cooling roller conveyor 200'L. x 13'W. cap. 18" cap. x 12'L. nickel alloy rollers, (6) new spare rollers.

PAINT BOOTH

GLOBAL FINISHING SOLUTIONS MDL. CDG-2020PDT-80-R-S, new 2016, specialized drive thru cross draft truck/auto. booth, 80'L., 14' door opening width, 15' ht., balcony platforms for top down painting capability, S/N U61910A.

PLASMA CUTTING SYSTEM

MESSER MDL. MPC-2018 HYPER THERM HPR260XD POWER SOURCE, S/N MPC2018-13-5811. (No cutting table included).

PMI HANDHELD ANALYZER

INNOV-X SYSTEMS XRF TECHNOLOGIES MDL. A-2000AS, QL Series printer, S/N 6901 (out of service).

ROTARY SCREW AIR COMPRESSOR

QUINCY MDL. QGB25, 25 HP, Quincy air dryer.

VERTICAL TURRET MILL

BRIDGEPORT J HEAD STEP PULLEY STYLE, 9' x 42" table, long. pwr. feed, Baldor 1 HP motor, S/N BR36780.

MISCELLANEOUS SHOP SUPPORT EQUIPMENT

APPROX. (150) JOBOX MDL. 650990 TOOLBOXES; DUMP HOPPERS; LADDERS; ASSORTED STEP LADDERS; RIDGID 36" PIPE WRENCHES; BOLT CUTTERS; CONDUIT BENDERS; HAND TOOLS; CHANNEL LOCKS (new in box); ECHO MDL. PB580T BLOWER; (2) SHOP VACUUMS; PLATE DOGS; PNEUMATIC TOOLS; DRILL SHARPENER; HEIGHT GAUGE; DEPTH GAUGE; O.D. MICROMETERS; LEVELS; RIDGID MANUAL PIPE THREADER; TRIPODS; PEDESTAL FANS.

ELECTRIC MOTOR

TOSHIBA QUARRY DUTY MDL. 01258FLF4BMQ, 2,750-lb., 125 HP, 460 v., 890 RPM, Nima Code G.

SECURITY CAMERA SYSTEM

SWANN, (5) cameras.

2013



**HYSTER 80 FORTIS
8,000-LB. BASE CAP. FORKLIFT**

INSPECTION:

Monday & Tuesday,
February 1 & 2
9:00 A.M. to
4:00 P.M.
Wearing Masks
& Social Distancing
Will Be Required.

**TOYOTA 7,000-LB BASE CAP.
AND TOYOTA 5,600-LB. BASE CAP.
FORKLIFTS**



PMI AUCTION

FORKLIFTS

HYSTER 12,000-LB. BASE CAP. MDL. S120FT, new 2015, LPG, 90" 3-stage mast, 163" lift ht., cushion tires, 48" forks, S/N H004V3717N.

YALE 8,000-LB. BASE CAP. MDL. GLC080, new 2016 LPG, 200" max. lift ht., 94" 3-stage mast, side shift, cushion tires, 48" forks, S/N F818V02264P.

HYSTER 80 FORTIS 8,000-LB. BASE CAP. MDL. H80FT, new 2013, LPG pwr., 2-stage mast, 143.7" load ht., side shift, pneu. style tires, S/N S005V02296L.

DAEWOO 8,000-LB BASE CAP MDL G40S, LPG, 89" 3-stage mast, 185" lift ht., side shift, pneu. style wheels, 48" forks, S/N B1-00038.

TOYOTA 7,000-LB. BASE CAP. MDL. 7FDU35, diesel pwr., 3-stage mast, 187" lift ht., side shift, solid tires, S/N 70969.

(2) TOYOTA 6,500-LB BASE CAP MDL. 8FGCU32, new 2014, LPG, 88" 2-stage mast, 131" lift ht., cushion tires, forks, S/N 64400, S/N 64387.

(2) HYSTER 6,000-LB. BASE CAP. MDL. S60FT, new 2015, LPG, 89/192" 3-stage mast, side shift, cushion tires, 42" forks, S/N H187V03865N, S/N H187V03867N.

TOYOTA 5,600-LB CAP. MDL. 8FDU30, diesel pwr. 3-stage mast, 187" lift ht., side shift, solid tires, S/N 31558.

TRAILER JOCKEY

2009 CAPACITY OF TEXAS MDL. TJ5000, 33,200-lb. G.V.W.R., VIN 4LMBF2117AL021128, odometer reads 26,656.

YARD USE ONLY TRAILERS

(8) 40'L., tandem axle, wood or metal grated decks (no title – for yard use only).

TRACK TYPE SKIDSTEER LOADER

CATERPILLAR MDL. 259D, new 2015, diesel, 2-speed, rubber tracks.



**BRIDGEPORT J HEAD STEP PULLEY
STYLE VERTICAL TURRET MILL**



**NICKEL ALLOY ROLLER SPARES
W/PLATE FURNANCE**



LARGE QTY. OF JOBOXES

**LIVE ONLINE
BIDDING ONLY
(NO ONSITE BIDDING):
YOU MUST REGISTER
IN ADVANCE FOR
ONLINE BIDDING AT
THIS AUCTION. Go to
www.pmi-auction.com
and click on
BidSpotter.com or
proxibid on our
calendar page for this
auction sale.**

**WEDNESDAY, FEBRUARY 3
10:00 A.M.
LIVE ONLINE WEBCAST
(NO ONSITE BIDDING)**



HYSTER 12,000-LB. BASE CAP. FORKLIFT



CATERPILLAR MDL. 259D FRONT END LOADER



CAPACITY OF TEXAS MDL. TJ5000 TRAILER JOCKEY



DEMAG 40 T. X APPROX. 109' SPAN OVERHEAD BRIDGE CRANE

WIDE SPAN



P&H ENGINEERING 40 T. X APPROX. 90' SPAN OVERHEAD BRIDGE CRANE

WIDE SPAN



PROSERV SINGLE LEG 11 T. GANTRY CRANE



17 AVAILABLE

SAMPLE VIEW OF WORK PLATFORMS



2 T. X APPROX. 12' SPAN ROLLING GANTRY CRANE SYSTEM

LIVE ONLINE BIDDING ONLY (NO ONSITE BIDDING): YOU MUST REGISTER IN ADVANCE FOR ONLINE BIDDING AT THIS AUCTION.
 Go to www.pmi-auction.com and click on BidSpotter.com or proxibid on our calendar page for this auction sale.

WIDE SPAN OVERHEAD BRIDGE CRANES

DEMAG 40 T. X APPROX. 109' SPAN, 40 T. cap. main hook, auxiliary hook, 38' ht. under hook, radio controlled.

P&H ENGINEERING 40 T. X APPROX. 109' SPAN, approx. 40' under hook, (Asset No. 17758), radio controlled, S/N 3462996.

P&H ENGINEERING 40 T. X APPROX. 90' SPAN, approx. 40' under hook, double girder, top running, 5 T. cap. auxiliary hoist, radio controlled, S/N 26943.

P&H ENGINEERING 40 T. X APPROX. 90' SPAN, approx. 38' under hook, double girder, top running, 5 T. cap. auxiliary hoist, radio controlled, (Asset No. 16133).

P&H ENGINEERING 20 T. X APPROX. 109' SPAN, double girder, underslung, approx. 39' under hook, radio controlled, (Asset No. 16128), S/N 26944.

P&H ENGINEERING 10 T. X APPROX. 106' SPAN, S/N 36464-ZZ.

(3) P&H ENGINEERING 5 T. APPROX. X 62' SPAN, approx. 26' under hook, double girder, top running, pendant controls, S/N 26948, S/N 26947, S/N 26946.

(2) KRANCO 5 T. X 62' APPROX. SPAN, approx. 26' under hook, double girder, top running, radio controlled, (Asset No. 16154, Asset No. 16155).

GANTRY CRANE SYSTEMS

PHOENIX 10 T. X APPROX. 38' SPAN, approx. 15' under hook, S/N CE-26954, pendant controls.

10 T. X APPROX. 20' SPAN, approx. 100'L. dual I-beam runway, single girder, (Application No. 14).

7-1/2 T. CAP. X APPROX. 19' SPAN, 19'W., approx. 100'L. dual I-beam runway, 18' under hook, single girder, underslung, one-way cross travel, (2) P&H electric hoists fixed on (1) traveling bridge.

DOUBLE LEG GANTRY CRANES

(3) 2 T. X 12' APPROX. SPAN, 12' ht. under hook, G&H Mdl. GHA12 hoist.

SINGLE LEG GANTRY CRANES

PROSERV 11 T. X APPROX. 36' SPAN, approx. 18' under hook, 480 v., 76'L. rails, S/N 20222.

(3) P&H 7-1/2 T. X APPROX. 35' SPAN, double girder, top running, 27' under hook, S/N 26955, S/N 26957, S/N 26959.

(2) 5 T., approx. 25'W., approx. 16' under hook, 28' under hook, single girder, underslung, Wright 5 T. cap. hoist, Anver vacuum plate lifter, (Application No. 13).

3 T. X APPROX. 50' SPAN, double girder, top running, G&H Mdl. GHA12 hoist.



SAMPLE VIEW OF PEDESTAL JIB CRANES



2 AVAILABLE

APPROX. 20' X 10' PORTABLE BUILDING

PEDESTAL FLOOR TYPE JIB CRANES

(2) **ABELL-HOWE 1 T. CAP.**, approx. 12'L. reach, approx. 12' under rail, Coffing 1/2 T. cap. electric chain hoist; **1/4 T. X APPROX. 15'L.**, approx. 12' under boom, Harrington 1/4 T. cap. chain hoist.

WALL MOUNTED JIB CRANES

JLC 1 T. X APPROX. 18' REACH, Coffing 1 T. cap. hoist; **GORBEL 1/2 T. X APPROX. 15' REACH**, Harrington 1/2 T. cap. hoist; **1/2 T. X APPROX. 20' REACH**, Coffing 1/2 T. cap. hoist; **APPROX. 18' REACH**, no hoist.

WORK PLATFORMS

(10) **STEEL CONSTRUCTION**, 30'L. x 10'W. x 11' ht., w/stairs; (7) **STEEL CONSTRUCTION**, approx. 40'L. x 5'W. x 5' ht., grated floors.

PORTABLE BUILDINGS

(2) **APPROX. 20' X 10'**, on wheels.

PLATE LIFTER SPREADER BARS

BUSHMAN 6 T. CAP. MDL. M420-T, 12,000-lb. rated cap., Wright electric trolley, S/N 2966; **BUSHMAN MDL. MR420T**, new 2012, 12,000-lb. rated cap., Wright electric trolley, S/N 33505; **12,000-LB. CAP. PLATE LIFTER**; **CM 1 T. CAP. CHAIN HOIST**; **CM 1/2" MDL. HA1000 SHACKLES** (new in package); **APPROX. (6) HY-DRAULIC BOOM HOISTS**, approx. 10' reach, 250-lb. cap.

MATERIAL LIFTS

GENIE SUPER LIFT ADVANTAGE MDL. SLC12 CONTRACTORS.

(2) **GENIE SUPER LIFT ADVANTAGE MDL. SLA10 LIFTS.**

VACUUM PLATE LIFTER

PERMADUR MDL. SERIES 408 SYSTEM, 1,500 pwr. pack, 388" max. length and 106" max. width @ 3/16", (8) 24" dia. vacuum stations, 12,500-lb. rated cap., 1,565-lb. rated cap. each pad vacuum pads, S/N 063014VAC/14-20740.

MAGNETIC PLATE LIFTERS

PERMADUR 28,000-LB. CAP., (14) Mdl. TP-2000 magnets, 22'L. x 10', pendant control, S/N 3368; **PERMADUR 24,000-LB. CAP.**, (12) Permador Mdl. TP-2000 magnets, 25'L. x 6'W., pendant control, S/N 2754; **WALKER 20,000-LB. CAP. MDL. SPREADER BEAM**, (3) Walker magnets, 6' x 12", 16'L., Part No. AXM-12858-1.



SAMPLE VIEW OF BUSHMAN SPREADER BARS



LIFT ADVANTAGE MDL. SLC12 CONTRACTOR MATERIAL LIFTS

PARTIAL TERMS & CONDITIONS

An **18% Buyer's Premium** will apply for this sale. All bidders must register before bidding. All bidders are required to provide the following information when registering:

(full) **Name of Individual**

(full) **Company name and address**

Telephone and fax numbers

Email address

Banking information will be required when registering. If successful bidder is exempt from applicable sales taxes, then the proper sales tax exemption form(s) for the physical location of the item sold at the auction will be required prior to removing the tax from the buyer's invoice. The exemption form(s) must match the buyer information on the invoice.

This auction may require a credit or debit card 100% refundable deposit. Your credit/debit card added through the Bidspotter.com or Proxibid.com fully secure and PCI compliant registration process will be assessed a 100% refundable \$3000 (US Bidder) or a \$10,000 (Foreign Bidder) deposit in order to be approved to bid online within this auction. If you are unsuccessful in the auction, your card will be refunded of your deposit within 24 hours post auction.

AUCTIONEER DOES NOT TAKE CREDIT CARDS FOR AUCTION INVOICE PAYMENTS. All invoice payments must be made by Wire Transfer, Cashier's Check, or Company Check with letter from Bank guaranteeing unqualified payment of your check to Plant & Machinery, Inc. (PMI). Here is an example of what your letter should say:

Mr. "Individual's Name" representing "Company Name" is a customer of this bank. This bank will guarantee unqualified payment to Plant & Machinery, Inc. on the account listed herein up to the amount of \$_____. This letter is good until March 3, 2021.

All checks for deposits and balances due shall be payable to the order of PLANT & MACHINERY, INC. unless instructed otherwise. In some cases, payments may be taken direct to the auction site. Otherwise, all payments must be paid to the Houston headquarters offices of the Auctioneer at 1304 Langham Creek Drive, Suite 454, Houston, TX, 77084, or, by wire transfer directly to the bank specified in the wire transfer instructions provided for this on-line auction, or, if by check, sent via overnight delivery service with associated letter of Bank guarantee **before removal of any of the goods takes place.**

NOTE: ALTHOUGH ALL INFORMATION HAS BEEN OBTAINED FROM SOURCES DEEMED RELIABLE, AUCTIONEER AND SELLER MAKE NO WARRANTY OR GUARANTEE EXPRESSED OR IMPLIED, AS TO THE ACCURACY OF THE INFORMATION CONTAINED IN OUR ADVERTISING OR SALE CATALOG. THE AUCTIONEER AND SELLER SHALL NOT BE RESPONSIBLE FOR THE CORRECT DESCRIPTION, GENUINENESS, AUTHENTICITY OF, OR DEFECT IN ANY LOT, AND MAKES NO WARRANTY IN CONNECTION THEREWITH. BIDDER, OR THEIR REPRESENTATIVE, AGREE TO PHYSICALLY INSPECT THE LOT(S) AND MAKE THEIR OWN VERIFICATION OF THE CONTENTS.

NOTE: NO SALE SHALL BE SET ASIDE NOR ALLOWANCE MADE ON ACCOUNT OF ANY INCORRECTNESS, ERROR IN CATALOGING, OR ANY IMPERFECTION NOT NOTED. NO DEDUCTION WILL BE ALLOWED ON DAMAGED ARTICLES, ALL ARTICLES BEING EXPOSED FOR PUBLIC EXHIBITION, AND SOLD "AS IS" AND WITHOUT RECOURSE. ARTICLES ARE NOT WARRANTED AS MERCHANTABILITY OR FIT FOR ANY PARTICULAR PURPOSE, AND NO CLAIM MAY BE MADE BY PURCHASER RELATING TO THE CONDITION OR USE OF ARTICLES PURCHASED, OR FOR PROXIMATE OR CONSEQUENTIAL DAMAGES ARISING THEREFROM.

The Auctioneer is acting as agent only and is not responsible for the acts of its principals. Purchaser acknowledges, as an inducement to Seller to commit Purchaser to bid, that Purchaser has independently inspected the goods bid upon by the Purchaser, and acknowledges to the Seller that Purchaser is acquiring all goods **"AS IS, WITH ALL FAULTS"** and **"WITH REMOVAL AT PURCHASERS' RISK AND EXPENSE"** and agrees to protect, indemnify and hold harmless the Seller from any and

all claims, demands, causes of actions, liabilities and judgments relating to the conditions or use of the goods.

All purchases must be removed within two weeks after the bids have closed, or, within the timeframe posted on the sale web page or contained in the confirmation email sent to successful bidder. No lot can, on any account, be removed prior to PMI having been paid in full. Removal shall be at the expense, risk and liability of the Purchaser. Purchases will be delivered only on presentation of paid bill. Auctioneer shall not be responsible for goods not removed within the aforesaid time.

Riggers, movers, electricians or buyer performing work at the Auction Site(s) must provide Auctioneer with evidence of insurance. The insurance coverage must be at a level acceptable to Auctioneer and to the Seller. Auctioneer and Seller must be added as additional insured on the Certificate of Insurance.

Articles purchased may not incorporate approved activating mechanisms, operating safety devices or safety guards, as required by OSHA or otherwise. It is Purchaser's responsibility that articles purchased be so equipped and safeguarded to meet OSHA and any other requirements before placing such articles into operation.

Purchaser agrees to indemnify and hold Auctioneer harmless from and against all claims and liabilities relating to the condition or use of the articles purchased or failure of user to follow instructions, warnings or recommendations of the manufacturer, or to comply with federal, state and local laws applicable to such articles, including OSHA requirements, or for proximate or consequential damages, costs or legal expenses arising therefrom.

No claims will be allowed after removal of goods from premises.

Auctioneer shall not, in any event, be liable for non-delivery or any other matter or thing, to any Purchaser of any lot other than for the return to the Purchaser of the deposit or sum paid on said lot, should the Purchaser be entitled thereto.

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. Lots not paid for and removed within the time allowed herein may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charges of re-sale, will be charged to the defaulting Purchaser.

Persons attending during exhibition, sale or removal of goods assume all risks of damage of or loss to person and property and specifically release the Auctioneer from liability therefor. Neither the Auctioneer nor his principal shall be liable by reason of defect in or condition of the premises on which the sale is held.

The Auctioneer reserves the right to withdraw from sale any of the property listed or to sell at this sale property not listed, and also reserves the right to group one or more lots into one or more selling lots or to subdivide into two or more selling lots. Whenever the best interest of a Seller will be served, the Auctioneer reserves the right to sell all the property listed, in bulk. Some items may be auctioned with reserve. Auctioneer reserves the right to accept bids from the Seller. This auction may contain consignments. The Auctioneer reserves the right to alter the order of sale. All bids are visible to the auctioneer. Auctioneer is not responsible for internet lags, delay, blackouts, or disconnects. Auctioneer shall determine the bidding increments used in this auction.

Where items are sold by estimated weight, count or measure, the Purchaser will be billed for and required to pay for the estimated weight, count or measure. If, upon delivery, any shortage exists, the Purchaser will receive a refund at the rate of purchase. If there be an excess, the Purchaser will be required to pay for such excess, at the rate of purchase.

The record of sale kept by the Auctioneer will be taken as final in the event of any dispute.

Seller, if not the same as the Auctioneer, shall have the rights, protections and benefits afforded to the Auctioneer as set forth herein.

Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact Auctioneer in advance of your travel to verify the current details about this auction.

ANY ADDITIONAL PROVISIONS OR AMENDMENTS TO THE ABOVE LISTED TERMS WILL BE POSTED TO THE ON-LINE SALE WEB PAGE BY THE AUCTIONEER PRIOR TO THE START OF BIDDING.

PLANT & MACHINERY INC.
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

P.O. Box 218568
Houston, TX 77218-8568

DATED MATERIAL - PLEASE DELIVER

WEDNESDAY, FEBRUARY 3 • 10:00 A.M.
LIVE ONLINE WEBCAST (NO ONSITE BIDDING)

PUBLIC AUCTION



Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17

**ULTRA-MODERN TANK
CAR MFG. FACILITY!**

Featuring: Late Model Davi 4-Roll Hyd. Plate Roll, High Quality Late Model Subarc Welding Equipment, 2018 High Volume Tank Shell Handling System, Gas Fired Roller Hearth Normalizing Furnace, Blast & Paint Equipment, Huge Assortment of Power Turning Roll Sets, Welding Equipment, Wide Span Overhead Bridge Cranes Up To 40 T. Cap., Forklifts New as 2016 and Much, Much More.

**ATTENTION: PLANT MANAGER
OR EQUIPMENT BUYER**



HYSTER 12,000-LB. BASE CAP. FORKLIFT



YALE 8,000-LB. BASE CAP. FORKLIFT



PERMADUR VACUUM PLATE LIFTER



WEBB 1/4" X 8' MDL. R3L-8008 PLATE ROLL



WHEELABRATOR PLATE BLASTING MACHINE



ENERGY SERVICES GROUP CAR BOTTOM FURNACE

**WEDNESDAY,
FEBRUARY 3
10:00 A.M.**
**LIVE ONLINE WEBCAST
(NO ONSITE BIDDING)**

REGISTRATION

Bid on-line at: BidSpotter.com OR proxibid.com

1. Register to bid at BidSpotter.com or Proxibid.com. Use the link to BidSpotter or Proxibid on PMI's website calendar. **DO IT NOW.**
2. This auction may require a credit or debit card 100% refundable deposit. Your credit/debit card added through the Bidspotter.com or Proxibid.com

fully secure and PCI compliant registration process will be assessed a 100% refundable \$3,000 (US Bidder) or a \$10,000 (Foreign Bidder) deposit in order to be approved to bid online within this auction. **DON'T WAIT.** If you are unsuccessful in the auction, your card will be refunded of your deposit within 24 hours post auction. **If you need assistance, don't hesitate to call (713) 691-4401. ALL BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.**