

# **RUBBER & THERMOSET PLASTIC MOLDING & MACHINING FACILITY**

Featuring: (5) Remco Thermoset Strip Builders; Summit 47" x 480" 12" Bore Hollow Spindle Lathe; (2) Stewart Bolling Rubber Mills; Mold Presses up to 950 T.; (4) Autoclaves; Frac Ball Molds & Ball Grinders; Summit CNC Flat Bed Lathe; (7) Other Engine Lathes up to 30" x 200"; Plastic Injection Molder; Wheelabrators; Steel Pipe; Pipe Blaster; Q.C. Equip.; Forklifts; Vehicles; Sea Containers; Crane Systems; Offices; More!







REMCO MDL. TSB3100T/SS150X540 THERMOSET STRIP REBUILDER



STEWART BOLLING & CO. 150 HP RUBBER MILL



STEWART BOLLING & CO. 150 HP RUBBER MILL

**CLOSE UP VIEW** OF (1 OF 5) REÌNCO MDL. TSBS3100 THERMOSET STRIP BUILDERS

# THERMOSET STRIP BUILDERS

REMCO MDL. TSB3100T/SS150TX140. new 2011. 50" max. dia., 40' max. length cap., 90 RPM headstock spdl., SS150 spin station, 480 v., S/N 1904-460-90-K11 (Machine No. 1).

REMCO MDL, TSB3100T/SS150TX540, new 2009, 50" max. dia. cap., 30' max. length cap., 90 RPM headstock spdl., SS150 Series spin station, S/N 1870-460-90-109 (Machine No. 2).

REMCO MDL. TSB3100T/SS150TX120, new 2010, 50" max. dia. cap., 20' max. length cap., 90 RPM headstock spdl., SS150 Series spin station, S/N 1874-460-90-C10E10 (Machine No. 3).

(2) REMCO MDL. TSB3100T/SS150TX240, new 2011 and 2010, 50" max. dia. cap., 20' max. length cap., 90 RPM headstock spdl., SS150 Series spin station, S/N 1877A-460-90-E10/ G10, (2010), (Machine No. 4), S/N 1880A-460-90-G10/F11, (2011), (Machine No. 5) (these machines are out of service and require repair).

# RUBBER MILLS

STEWART BOLLING & CO., size 16.24DBI, Heli-Cal spd. reducer, 42.6:1 ratio, General Electric 150 HP drive motor, (2) 60"L. x 22" dia. rolls, S/N 10079.

STEWART BOLLING & CO., Western OD60M gear reducer, Reliance 150 HP motor, (2) 60"L. x 22" dia. rolls 440 v.

## AUTOCLAVES

ANCHOR MCIVER & SMITH FABRICATION, new 2008, 47" I.D. x 48', 90 PSI @ 400 deg., electric fired, 4,000-lb. weight, redesigned and rerated 2016 by Korfab, Rapidoor, rail system w/internal and external rails, S/N 230.

CEDCO, 48" I.D. x 24'L., 100 PSI @ 450 DEG., electric fired, Rapidoor, rail system w/internal and external rails, S/N 2026.

HERCULES INDUSTRIES, Mdl. 1523C, 48" I.D. x 21', 100 PSI @ 450 deg., electric fired, Rapidoor, rail system w/internal rails. S/N 1039.

ANCHOR AUTOCLAVE SYSTEM, 48" I.D., bolt-up door, no heat system, 48' rail system w/internal and external rails.



ANCHOR MCIVER & SMITH FABRICATION AUTOCLAVE



HERCULES INDUSTRIES MDL. 1523C AUTOCLAVE



(2) TUNG-YU 950 T. CAP. COMPRESSION MOLDING PRESSES

#### **COMPRESSION MOLDING PRESSES**

(2) TUNG-YU 950 T. CAP., new 2008, 51.25" x 43.5" heated platens (Machine Ref. No.'s 61, 62).

#### **COMPRESSION MOLDING PRESS CELLS**

TUNG-YU MDL. TYC/10/3/S/PCS 3-CELL, (3) 100 T. presses, mfg. date 11/2002, 26.28 kW heating cap., 22.5 kW motor, 480 v., 18" x 17-1/2" platen, S/N C359 (Machine Ref. No.'s 63, 64, 65).

TUNG-YU MDL. TCY/8/6/S/PCD 6-CELL, (6) 80 T. presses, 52.56 kW heating cap., 22.5 kW motor, 480 v., 16" x 16" platen, S/N C459 (Machine Ref. No.'s 66, 67, 68, 69, 71, 71).

# **RADIO FREQUENCY PREHEATERS**

NEMETH ENGINEERING MDL. 910, 17" x 23" tbl., 15 kW, 460 v., S/N 1117N; NEMETH ENGINEERING MDL. LE550, 14" x 14" tbl., 5 kW, 480 v., S/N 1209N; FDC FDP MDL. 1023M, Mfg. No. 43302, S/N 1023M; NEMETH ENGINEERING MDL. 300, 5 kW, 480 v., S/N 1211N.

## **CLICKER PRESS**

**USM MDL. B**, 40" x 20-1/2" tbl., 230 v., 60-cycle, 3-phase, S/N 4171.

VERTICAL RUBBER INJECTION PRESS DESMA MDL. D956.050, new 2002, upacting design, Desma Mdl. DRC1210 control, Neslab Mdl. HX150 recirculating chiller, S/N 802951.

HYDRAULIC PRESS

PHI 70 T. MDL. S70-253C-Y3, 1-1/2 HP press motor.

INJECTION MOLDING MACHINE KRAUSS MAFFEI 175 T. MDL. 175-1400 C2, new 2005, Type KM, S/N 61007014.

**RUBBER EXTRUDER PRECISION PREFORMER** BARWELL TYPE C3GP, 10" I.D., swing away end section, 5,000 PSI, 30 in/Hg vacuum pressure, 0–400 PSID differential pressure, S/N R31094037J.

#### **ELASTOMER CUTTING SYSTEMS**

(3) PROSCO MDL. 200 ROLLER GROOVING TYPE, w/electric heated cutter, s/n PRO-233J, PRO-245J, S/N N/A



DESMA MDL. D956.050 VERTICAL RUBBER INJECTION PRESS



(1 OF 3) NEMETH RF PREHEATERS



VERTISPHERE MDL. 16/24 BALL GRINDER



KRAUSS MAFFEI 175 T. MDL. 175-1400 C2 INJECTION MOLDING MACHINE



TUNG-YU MDL. TCY/8/6/S/PCD 6-CELL COMPRESSION MOLDING PRESS CELLS



# FRAC BALL MOLDS & GRINDERS

**BALL MOLDS:** (11) Large Molds from 1-3/4"–2-3/4" dual cavity; (13) Small Molds from 3/4"–1-3/4"; <u>PLUS</u> VERTISPHERE MDL.

**16/24 BALL GRINDER,** variable spd. control, 0–100 FPM w/several grinding plates; **BALL SHAPER** w/3head design, 1/5 HP per head, custom.



BALL SHAPER W/3-HEAD DESIGN



SAMPLE VIEW OF BALL MOLDS



SUMMIT 47" X 480" LARGE CAPACITY HOLLOW SPINDLE LATHE



LEBLOND 32" X 264" MDL. 3220 H.D. ENGINE LATHE



SUMMIT SMARTCUT 30 MDL. SC30-6X200M CNC FLATBED LATHE



SUMMIT 30" X 200" GAP BED ENGINE LATHE

# LARGE CAPACITY HOLLOW SPINDLE LATHE

SUMMIT 47" X 480" MDL. 47-12X480, new 2014, 12-1/2" spdl. bore, 32.6" swing over cross slide, 22,000-lbs. btwn. centers, spds. 5–300 RPM, 30 HP, Newall D.R.O., pwrd. tailstock, steadyrest, 28" dia. 4-jaw chuck, taper attach., inch/metric threading, S/N 14029.

# **ENGINE LATHES**

MAUSER 44" X 30' GAP BED, 27-1/2" dia. 4-jaw chuck, custom rack and pinion pwr. feed control, tailstock, steadyrest, no leadscrew or feed screw, S/N 44229.

**LEBLOND 32" X 264" MDL. 3220 HEAVY DUTY**, 32" swing over ways, 20" swing over cross slide, approx. 264" dist. bwtn. centers, taper attach., S/N 3NFL1280.

SUMMIT 30" X 200" GAP BED MDL. 30-6X200, new 2014, 22" swing over cross slide, 6.1" spdl. bore, spds. 11–700 RPM, 20 HP, taper attach., 16" dia. 3-jaw chuck, S/N 13082.

**SUMMIT 28" X 160" GAP BED MDL. 28X160B**, new 2014, 19.6" swing over cross slide, 36.5" swing in gap, 4.1" spdl. bore, spdl. spds: 12.5–1,250 RPM, Newall D.R.O., taper attach., 19-1/2" dia. 4-jaw chuck, S/N 408478.

(2) SUMMIT 24" X 80" GAP BED MDL. 24X80B, new 2014, 17" swing over cross slide, 33" swing in gap, 4.1" spdl. bore, spds: 12.5–1,250 RPM, Newall 2-axis D.R.O., 24" dia. 4-jaw chuck, taper attach., S/N 40560, S/N 40559.

(2) SUMMIT 24" X 60" GAP BED MDL. 24X60B, new 2014, 17" swing over cross slide, 33" swing in gap, 4.1" spdl. bore, spds: 12.5–1,250 RPM, Newall 2-axis D.R.O., taper attach., Bison 19-1/2" dia. 3-jaw chuck, S/N 40557, S/N 40536.

LEBLOND REGAL 24" X 120", 12" dia. 4-jaw chuck, spds: 13-1,000 RPM.

## **CNC FLATBED LATHE**

SUMMIT SMARTCUT 30 MDL. SC30-6X200M, new 2014, Fagor 8055TC CNC control, 30" swing over bed, 22" swing over cross slide, 200" btwn. centers, 6.125" spdl. bore, spds: 11–800 RPM (in four ranges), 20 HP, 16" dia. 3-jaw chuck, steadyrest, S/N 14030.

# BENCHTOP LATHES

CLAUSING 6" X 24", collet chuck; JET 9" X 20" MDL. BD-920W.

LATHE TOOLING AND ACCESSORIES ALORIS TOOLPOSTS AND HOLD-ERS; LIVE AND DEAD CENTERS; BULLNOSE CENTERS; PRISMONT MDL. MST-SBH4.0 4" AND (4) PRISMONT 2" LATHE SANDING BELT HOLDERS.

# 

SUMMIT SMART CUT MDL. EVS-350B-CNC, new 2014, Fagor CNC control, 10" x 58" tbl., Troyke Mdl. DL-12-B rotary tbl. w/12" dia. 3-jaw chuck, pwr. drawbar, Grizzly dual cartridge dust collection system, S/N 84.



SUMMIT SMARTCUT MDL. EVS-350B-CNC VERTICAL MILL



(1 OF 2) SUMMIT 24" X 60" GAB BED MDL. 24X60B ENGINE LATHES



WHEELABRATOR RUBBER BELT TUMBLEBLAST ABRASIVE BLAST SHOTBLASTING MACHINE



WHEELABRATOR MDL. SLT3.0 SMART LINE RUBBER BELT TUMBLEBLAST ABRASIVE BLAST SHOTBLASTING MACHINE

# **VERTICAL TURRET MILLS**

**CLARK MDL. 2VS**, new 2011, 9" x 49" tbl., Seno Mdl. SDS6-2V 3-axis D.R.O., spds: 60–4,200 RPM, long. pwr. feed, pwr. elevation, S/N 111965.

KONDIA POWERMILL MDL. G, 9" x 42" tbl., power feed, step pulley head, S/N H-116.

#### BANDSAWS

MARVEL SERIES 81-A, vertical, S/N D-325778; KALAMAZOO 12" round cap. horizontal.

# ABRASIVE BLAST SHOTBLASTING MACHINES

WHEELABRATOR MDL. SLT3.0 SMART LINE RUBBER BELT TUMBLEBLAST, new 2008, 3 cu. ft. cap., 11 HP direct drive wheel, recovery and charge system, S/N 63653.

WHEELABRATOR RUBBER BELT TUMBLEBLAST, 3 cu. ft. cap., dust collection system, (1) blast wheel, S/N A116844.

WHEELABRATOR PIPE BLAST, skew roller infeed and outfeed, dust collection system, 25 HP direct drive blast wheel, custom configured.

#### **DOWNDRAFT TABLES**

(5) DUAL DRAW 30" X 96" MDL. FT3096AL, 2 HP motor, S/N 101047.

STYLUS MARKING MACHINE SCHMIDT STYLE LINER.



(1 OF 5) DUAL DRAW 30" X 96" DOWNDRAFT TABLES

#### WATER PUMPS

GARDNER DENVER WATER JETTING SYSTEMS MDL. 35-22M-ES PISTON PUMP, new 2013, 2,200 PSI, skid mtd., Baldor 40 HP motor, S/N 8923; (2) BALDOR 15 HP MOTOR PUMPS; CATERPILLAR PUMP.

# QUALITY CONTROL LABORATORY EQUIPMENT

ALPHA TECHNOLOGIES MDL. MDR-2000 RHEOMETER, new 2014, S/N 3AAAD4700; INSTRON MDL. 4411 TENSILE TESTER, S/N 1292; BROWN & SHARPE MDL. 7-6-5, CMM, new 2008, PC-DMIS software, S/N 084210; ROCKWELL MDL. 5JR-BB HARDNESS TESTER, Tester No. 5JR-BB-533; MITUTOYO DIGITAL HEIGHT GAUGE; 36" X 48" X 6" GRAN-ITE SURFACE PLATE; AUTOMATION DR. QNIX 8500 COAT-ING THICKNESS GAUGES; EXTECH 475055 DIGITAL FORCE GAUGE; EXTECH RH520 HUMIDITY & TEMP. RECORDERS; DIGITAL THERMOMETERS; DUROMETERS; OD MIC SETS; HEIGHT GAUGES; BORE GAUGES; DIGITAL & VERNIER CALIPERS; MORE.

#### **OVENS**

PRECISION QUINCY MDL. 40B-3500, 48" x 26" x 48", 228 v., 74 full load amps, 0-400 deg. F. max. temp., S/N 23298; BLUE M, 21" x 21" x 18"; BLUE M, 36" x 24" x 48", S/N 04B33006W926009; DESPATCH, 36" x 60" x 36", S/N 9G0504T; BLUE M MDL. DV-18SA, S/N RPA-6554; ACE 240RT, 48" x 54" x 36" DP burn off type.



GARDNER DENVER WATER JETTING SYSTEMS MDL. 35-22M-ES PISTON PUMP



INSTRON MDL. 4411 TENSILE TESTER



ALPHA TECHNOLOGIES MDL. MDR-2000 RHEOMETER

# TUESDAY, DECEMBER 8 LIVE ONLINE WEBCAST (NO ONSITE BIDDING)



(1 OF 3) BLUE M OVENS



SAMPLE VIEW OF Q.C. EQUIPMENT



BROWN & SHARPE MDL. 7-6-5 COORDINATE MEASURING MACHINE



TRUSS STYLE PORTABLE CANVAS COVERED BUILDING





APPROX. 15'W. X 40'L. BLAST BOOTH



TRUSS STYLE 55'W. X 60'L.

S/N 05H100001; SULLIVAN PALATEK MDL. HH40UD, 40 HP motor; SULLIVAN PALATEK MDL. HH40UD, air receiving tank, S/N 11K032; SULLAIR MDL. LS20-100H, 20 HP motor, air receiving tank, S/N 03-117925.

**PORTABLE CANVAS COVERED BUILDING** 

# **BLAST BOOTH**

**APPROX. 15'W. X 40'L.,** Zero blast cabinet, hopper and reclamation system, American Fan Co. blast reclamation system, blast hose, Clemco blast pot.

#### **PAINT BOOTH**

APPROX. 72" X 48" WORK AREA, rear exhaust, open face.

#### WELDING MACHINES

MILLER MDL. MILLERMATIC 252, S/N MD301048N; MILLER MDL. TRAILBLAZER 275 DC PORTABLE WELDER/GENERATOR, S/N MB410021H.

#### WALK-IN REFRIGERATORS

PENN, front door operated, dims.: 7' x 8' x 7'H.; MASTERBUILT, dims.: 6' x 7' x 6'H.

# SHOP SUPPORT EQUIPMENT

(6) DAYTON 12" MDL. 1FYX2 DOUBLE END BENCH GRINDERS, S/N 01140030, S/N's N.A. (6) DEWALT DOUBLE END GRINDERS; DOUBLE END GRINDERS; CRAFTSMAN 6" BELT/9" DISC GRINDER; JET STEP PULLEY MDL. JDP-20MF, S/N 14097214; PALMGREN 33" RADIAL ARM AND DELTA DRILL PRESSES; GLOBAL 2 T. CAP. ENGINE HOIST; MACHINE VISES; DAYTON DUST COLLECTOR; STORAGE CABINETS; METAL TBLS.; LADDERS; BIG ASS FAN; (10) PORTABLE AIR CHILLER WATER COOLED FANS; PALLET JACKS; DAYTON 3 T. CAP. MDL. 1UH14J ARBOR PRESS; HOMAK 24" OPENING BLAST CABINET; 18" OPENING BLAST CABINET; MINUTEMAN MDL. SCV2832 FLOOR SWEEPER; AMERICAN BRAND BRASS HAMMERS; TOOLBOXES; SHOP VERTICAL AIR COMPRESSORS; **DEWALT 3,800 PSI PRESSURE WASHER; SPEEDAIRE SPRING DRIVEN HOSE** REELS (new in box); RYOBI MINI VERTICAL BANDSAW; FIRST AID KITS; LIGHTS; PORTA-COOL EVAPORATING COOLERS; AIR GRINDERS; SHOP FANS; HEATERS; MASTERBUILT SIGNATURE SERIES SMOKERS; (2) CRAFTSMAN 10" RADIAL ARM SAW, (1) w/laser track; BOSCH MDL. RA1171 ROUTER; RIDGID MDL. JS-UV SAW; HOSE REELS; HEAVY DUTY STEEL CONSTRUCTION WORK PLATFORMS, diamond plate floor, stairs; SALTER BRECKNELL 2,500-LB. CAP. 48" DIGITAL SCALE; HEIGHT GAUGES; FLAMMABLE MATERIAL STORAGE CABINETS; BAND-ING CART w/tools; BOTTLE CARTS.







PENN & MASTERBUILT WALK-IN REFRIGERATORS

BIG ASS FAN



SAMPLE VIEW OF SHIPPING/STORAGE CONTAINERS

LIVE ONLINE BIDDING ONLY (NO ONSITE BIDDING): YOU MUST REGISTER IN ADVANCE FOR ONLINE BIDDING AT THIS AUCTION. Go to www.pmi-auction.com and click on BidSignature.com or proxibid. on our calendar page for this auction sale.





HYSTER 8.000-LB. BASE CAP. MDL. H80FT DIESEL FORKLIFT

**GANTRY CRANE SYSTEMS** 

3 T. CAP., 10'W. x 21'L., R&M Loadmate Mdl. LM16 electric chain hoist; OMI

**3 T. CAP.**, 20'L. x 10'W., Coffing 2 T. electric chain hoist, S/N 15201-2; **2 T. CAP. DUAL SYSTEM**, 8'W. x 42'L., (2) Dayton 2 T. cap. electric chain hoist; **2T. CAP.**, 12'W. x 16'L. x approx. 12' ht., Coffing 2 T. cap. electric chain hoist;

**DRILL PIPE** 

STRETCH PALLET WRAPPER

TRACTOR

**MISCELLANEOUS MATERIAL** 

HANDLING EQUIPMENT

A-FRAME 1 T. CAP., portable crane w/Harrington 1 T. cap. electric chain hoist

APPROX. 10'L. A-FRAME SET-UP WORK RACKS; CUSTOM APPROX. 4'W.

X 10'L. HEAVY DUTY ROLLER CARTS: NON-ADJUSTABLE WELDED CON-

STRUCTION HEAVY DUTY PALLET RACK; HEAVY DUTY ROLLER CARTS; Plastic Roller Carts; (5) 20' and 40' sea containers; adjustable

**FLATBED TRUCK** 

2012 FORD MDL. F-350 SUPER DUTY, auto. trans., A/C, leather seats, dia-

mond plate bed, toolbox, ODO: 26,171 miles, Texas License No. AJ9 6932,

APPROX. 150-TONS OF 4" DRILL PIPE (to be offered as a single lot).

SYNERGY 48" X 48" MDL. LTH1/6, 4,000-lb. cap., foot pedal control.

MASSEY FERGUSON MDL. 2402WD, Brush Hog attach., S/N G24040.

2 T. CAP., 10'W. x 30'L., 2 T. cap. Coffing electric chain hoist.

FORD MDL. F-350 SUPER DUTY FLATBED TRUCK

# LPG FORKLIFTS

YALE 8,000-LB. BASE CAP. MDL. GLC080, new 2014, LPG, 200" max. lift ht., 94" 3-stage mast, side shift, cushion tires, 48" forks, S/N F818V02534M.

YALE 7,000-LB. BASE CAP. MDL. GLC070, new 2013, LPG, 104" 3-stage mast, 229" max. lift ht., cushion tires, 48" forks, S/N A910V23376L.

HYSTER 6,000-LB. BASE CAP. MDL. S60FT, new 2016, LPG, 89" 3-stage mast, 192" max. lift ht., side shift, cushion tires, 42" forks, S/N H187V04120P. CATERPILLAR 3,000-LB. CAP. MDL. GC15, LPG, 2-stage mast, 130" lift ht., S/N AT81E00425.

#### DIESEL FORKLIFTS

COMBILIFT 10,000-LB. BASE CAP. SIDELOADER MDL. CL22100DA48, new 2012, diesel, 10,000-lb. cap. @ 24" L.C., S/N 18753.

HYSTER 8,000-LB. BASE CAP. MDL. H80FT, new 2015, diesel, 83" 2-stage mast, 120" max. lift ht., pneumatic style tires, 48" forks, S/N U005V02320N.

KOMATSU 8,000-LB. BASE CAP. MDL. FD40ZT-8, diesel, 185" max. lift ht., 85" 3-stage mast, side shift, pneumatic tires, 48" forks, S/N 131749A.

TOYOTA 8,000-LB. BASE CAP. MDL. 7FDKU40, diesel, 159" max. lift ht., 2-stage mast, side shift, pneumatic tires, 48" forks, S/N 61631.

# **ORDER PICKER LIFT TRUCK**

YALE 4,500-LB. CAP. ELECTRIC MDL. NR045AENL36TE095, 212" max. ht. @ 4,100-lbs., 4,500 @ 154" lift ht., w/charger, S/N C815N06491D.

## **OFFICE FURNITURE & EQUIPMENT**

GRANITE TOP CONFERENCE TABLE; EXECUTIVE DESKS & CHAIRS; CUBI-CLES; FILING CABINETS; LG FLATSCREEN TV; VIEWSONIC PROJECTOR; SHRED-IT SHREADER; MORE!

# TUESDAY, DECEMBER 8 • 10:00 A.M. • LIVE ONLINE WEBCAST (NO ONSITE BIDDING)

# **PARTIAL TERMS & CONDITIONS**

An 18% Buyer's Premium Will Apply. See Rules for Participation.

PALLET RACK SECTIONS.

VIN 1FDRF3GT8CEB18808.

Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on the premises.

ALL PAYMENTS MUST BE MADE BY CASH, CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.

Here is an example of what your letter should be: *Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of* **\$\_\_\_\_\_\_**. *This letter is good until January 5, 2021.* 

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.

Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser. The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.

Buyer agrees to accept assets purchased "AS IS," WITH "ALL FAULTS" AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE." THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE PART OF THE AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO FITNESS OR USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.

The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.

# REGISTRATION Bid on-line at:

# BidSpotter.com OR

- 1. Register to bid at BidSpotter.com or Proxibid.com. Use the link to BidSpotter or Proxibid on PMI's website calendar. DO IT NOW.
- This auction may require a credit or debit card 100% refundable deposit. Your credit/debit card added through the Bidspotter.com or Proxibid.com fully secure and PCI compliant registration process will be assessed a 100% refundable \$3,000 (US Bidder) or a \$10,000 (Foreign Bidder) deposit in order to be approved to bid online within this auction.

DON'T WAIT. If you are unsuccessful in the auction, your card will be refunded of your deposit within

24 hours post auction. If you need assistance, don't hesitate

to call (713) 691-4401. ALL BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.



DATED MATERIAL - PLEASE DELIVER

# **RUBBER & THERMOSET PLASTIC MOLDING &** MACHINING FACILITY

Featuring: (5) Remco Thermoset Strip Builders; Summit 47" x 480" 12" Bore Hollow Spindle Lathe; (2) Stewart Bolling Rubber Mills; Mold Presses up to 950 T.; (4) Autoclaves; Frac Ball Molds & Ball **Grinders: Summit CNC Flat Bed Lathe:** (7) Other Engine Lathes up to 30" x 200"; Plastic Injection Molder; Wheelabrators; Steel Pipe; Pipe Blaster; Q.C. Equip.; Forklifts; Vehicles; Sea Containers; Crane Systems; Offices; More!



# TUESDAY, DECEMBER 8 • 10:00 A.M. LIVE ONLINE WEBCAST (NO ONSITE BIDDING)

**PUBLIC AUCTION** 





ATTENTION: PLANT MANAGER **OR EQUIPMENT BUYER** 

Presorted First Class Mail U.S. Postage PAID Eugene, Oregon Permit No. 17



COMBILIFT 10.000-LB. BASE CAP. FORKLIFT

KOMATSU 8.000-LB. BASE CAP. DIESEL FORKLIFT

SAMPLE VIEW OF LATE MODEL FORKLIFTS

QS-0032842